




ST. CROIX ROD



ST. CROIX ROD

ST. CROIX ROD

Rod Builder Catalog | 2013



ST. CROIX ROD



ST. CROIX ROD

Engineering/Technology:

When you set out to uncover what makes a St. Croix different from other blanks, you need to look no further than the engineer sitting right beside the blank designer. It's a partnership that's produced such breakthroughs as St. Croix's exclusive Integrated Poly Curve® and Advanced Reinforcing Technology™. Blank performance is only as good as the design behind it – so before we even think about sending a blank through for production, we spend as much time as necessary in the design department to ensure that every St. Croix blank is engineered and developed to outperform all others.

Integrated Poly Curve® (IPC®) Technology

Developed exclusively by St. Croix, Integrated Poly Curve® (IPC®) tooling technology has rapidly become the engineering leader in rodmaking. Designed to eliminate all transitional points in the rod blank, IPC-engineered rods feature smoother actions, increased strength and greater sensitivity.




Illustration above is an exaggeration to demonstrate the difference between IPC and non-IPC blanks.

Advanced Reinforcing Technology™ (ART™)

Advanced Reinforcing Technology™ (ART™) is an exotic carbon fiber material that adds a magnitude (10X) of strength with virtually no increase in blank diameter or weight. ART significantly improves the hoop strength of the blank by preventing it from deforming or “ovaling” under a severe load, such as a powerful hook set. ART is also a critical part of our slim-profile ferrule design.



ART™ is an exotic carbon fiber material that adds a magnitude (10X) of strength with virtually no increase in blank diameter or rod weight.

Taper Enhancement Technology

After several years of R&D and testing, St. Croix has perfected an innovative new Taper Enhancement Technology (TET) that begins with precision-cut, curved blank patterns made possible by a state-of-the-art computerized pattern cutting machine. When combined with IPC-mandrels, these unique patterns create blanks with better actions and improved sensitivity. This pattern design and cutting technology is a dramatic departure from traditional straight-line patterns cut by hand. TET will debut in the all-new SC^v blanks in Blue/Green Flip finish.

Fortified Resin System

St. Croix once again breaks new ground in premium blank manufacturing technology with the development of a new Fortified Resin System (FRS), which combines a fortified super resin with new computer operated curing ovens that provide improved temperature and time management through all stages of the curing cycle. FRS prevents microbuckling by keeping the carbon fibers in proper alignment. Blanks manufactured using this advanced manufacturing protocol test out consistently to be 33% stronger than those built with standard resins and curing methods. Blank series manufactured with FRS include SC^v spinning, casting and fly, SC^m spinning, casting, inshore and surf and SC^h boat.

Our Blank Materials Guide:

Great rods begin with the highest quality blank materials and expert manufacturing techniques and processes. Each material listed here is exclusive to St. Croix and is designed for specific performance characteristics.

SC^{VI}/FRS	Exotic, 62,000,000 modulus, high-strain graphite fiber featuring FRS. Used only as a compliment to other graphite materials, this very expensive graphite is too high in modulus to be used as the primary material.	Extremely efficient material that adds power with minimal weight. Assists in minimizing blank diameter. For the discriminating angler who appreciates exotic performance.
SC^V/FRS	Extraordinary, high-modulus/high-strain graphite fiber with carbon-matte scrim. Featuring FRS, this is the finest all-purpose blank material used in fishing rod manufacturing and is exclusive to St. Croix.	Creates the lightest, most sensitive and strongest rods on the planet. If you like to push the envelope and lead the way, these are the rods for you. Made for those who outfish their buddies and rely on their rods to do it.
SC^{IV}/FRS	Exceptional, high-modulus/high-strain graphite fiber featuring FRS. Similar to SC ^V , but without the carbon-matte scrim.	Produces extremely light and sensitive rods. Not quite to the level of SC ^V , but very close. Ideal for the angler who insists on fishing only with top-grade rods.
SC^{III}	Advanced, high-modulus/high-strain graphite fiber. Modulus is between SC ^{IV} and SC ^V .	Produces rods that are super sensitive and lightweight with great durability. A fine choice if you are a serious angler who demands high-performance and value.
SC^{II}/FRS	FRS version of our popular SC ^{II} graphite fiber. This mid-modulus graphite fiber combined with our fortified super resin creates rod blanks with unbeatable strength and durability.	This material is a perfect choice when extreme durability and high-performance are equally important.
SC^I	Premium, mid-modulus graphite fiber with a higher strain rate than fibers commonly used by others.	This is our most popular material that produces rods that are highly sensitive, lightweight and durable. It's an outstanding choice for anglers who appreciate high-performance without high cost.
SC^I	Super premium 100% linear S-glass that is stronger, lighter, higher in modulus and more expensive than E-glass.	This high-performance, specialty material creates lightweight rods that are softer in action compared to graphite. Ideal for saltwater boat and surf, freshwater trolling and crankbait rods. This fine fiberglass is perfect for discriminating anglers.
ART[™]	ART [™] is an exotic carbon fiber material that adds a magnitude (10X) of strength with virtually no increase in blank diameter or weight.	Refer to page 6 for details. Seek rods with ART if you're an angler who pushes the boundaries of performance.



Service and warranty policies:


If there is any one thing that we're most proud of here at St. Croix, it's our service. Nowhere else will you find such dedication to fishermen. Because when you invest in a St. Croix rod, we believe you also invest in a relationship with us. And we'll do everything possible to ensure your complete satisfaction. We stand by our craftsmanship with some of the finest warranties in the business.

The "Power" of a rod refers to how much pressure it takes to flex the rod. Different rod powers are engineered to efficiently handle a certain range of lure

UL	Ultra Light
L	Light
ML	Medium Light
M	Medium
MH	Medium Heavy
H	Heavy
XH	Extra Heavy

weights and line sizes. To select a rod power that will perform best for you, simply narrow your choices to rods designed to cast the weight of lures – and sizes of lines – you'll fish with most often.

The "Action" of a rod is determined by where a rod flexes along the blank. Faster action rods flex mostly



near the tip. Moderate action rods flex more near the middle of the blank. Slower action rods flex down into the butt section.

SCV GRAPHITE SPINNING BLANKS (GLOSS FOREST GREEN PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5S60ULF2-G	Trout/Panfish	LES60ULF2	6'	UL	FAST	2	2-6	1/32-3/16	0.300	3.5	0.9	HKS-2	\$155
5S70ULM2-G	Trout/Panfish	LES70ULM2	7'	UL	MOD.	2	2-6	1/32-3/16	0.320	4.0	1.0	HKS-2	\$185
5S66LF-G	Trout/Panfish/Walleye	LES66LF	6'6"	L	FAST	1	4-8	1/16-1/4	0.390	4.0	1.1	HKS-2	\$160
5S66LF2-G	Trout/Panfish/Walleye	LES66LF2	6'6"	L	FAST	2	4-8	1/16-1/4	0.345	4.0	1.3	HKS-2	\$175
5S70LF-G	Trout/Panfish/Walleye	LES70LF	7'	L	FAST	1	4-8	1/16-1/4	0.395	4.0	1.3	HKS-2	\$170
* 5S70LF2-G	Trout/Panfish/Walleye	LES70LF2	7'	L	FAST	2	4-8	1/16-1/4	0.365	4.0	1.4	HKS-2	\$180
5S60MLF-G	Bass/Walleye	LES60MLF	6'	ML	FAST	1	4-10	1/8-3/8	0.425	4.0	1.1	HKS-3	\$155
5S66MLF-G	Bass/Walleye	LES66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.450	3.5	1.3	HKS-4	\$165
5S66MLF2-G	Bass/Walleye	LES66MLF2	6'6"	ML	FAST	2	4-10	1/8-3/8	0.450	4.0	1.4	HKS-4	\$175
5S70MLF-G	Bass/Walleye	LES70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.465	4.0	1.5	HKS-5	\$175
5S70MLF2-G	Bass/Walleye	LES70MLF2	7'	ML	FAST	2	4-10	1/8-3/8	0.455	4.0	1.6	HKS-5	\$185
5S76MLXF-G	Bass/Walleye	LES76MLXF	7'6"	ML	X-FAST	1	4-10	1/8-3/8	0.480	3.5	1.6	HKS-5	\$190
5S76MLXF2-G	Walleye	LES76MLXF2	7'6"	ML	X-FAST	2	4-10	1/8-3/8	0.485	4.0	1.6	HKS-5	\$200
5S60MF-G	Bass/Walleye	LES60MF	6'	M	FAST	1	6-12	3/16-5/8	0.425	4.5	1.2	HKS-3	\$160
5S63MXF-G	Bass/Walleye	LES63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.450	4.0	1.4	HKS-3	\$165
5S66MF-G	Bass/Walleye	LES66MF	6'6"	M	FAST	1	6-12	3/16-5/8	0.445	4.5	1.4	HKS-4	\$170
5S66MF2-G	Bass/Walleye	LES66MF2	6'6"	M	FAST	2	6-12	3/16-5/8	0.450	4.5	1.5	HKS-4	\$180
5S68MXF-G	Bass/Walleye	LES/LEC68MXF	6'8"	M	X-FAST	1	6-12	3/16-5/8	0.460	4.5	1.6	HKS-4 / HKC-3	\$180
5S70MF-G	Bass/Walleye	LES70MF	7'	M	FAST	1	6-12	3/16-5/8	0.465	4.5	1.6	HKS-5	\$180
5S70MF2-G	Bass/Walleye	LES70MF2	7'	M	FAST	2	6-12	3/16-5/8	0.465	4.5	1.7	HKS-5	\$190
5S76MF-G	Bass/Walleye	LES76MF	7'6"	M	FAST	1	6-12	3/16-5/8	0.480	4.5	1.8	HKS-5	\$190
* 5S76MF2-G	Bass/Walleye	LES76MF2	7'6"	M	FAST	2	6-12	3/16-5/8	0.470	4	1.8	HKS-5	\$200
5S66MHF-G	Bass/Pike	LES66MHF	6'6"	MH	FAST	1	8-14	3/8-3/4	0.500	5.0	1.8	HKS-5	\$180
5S70MHF-G	Bass/Pike	LES70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.510	5.5	2.1	HKS-5	\$190
* 5S70MHF2-G	Bass/Pike	LES70MHF2	7'	MH	FAST	2	8-14	3/8-3/4	0.470	5	1.9	HKS-5	\$200

* New for 2013

SCV GRAPHITE SPINNING BLANKS (GLOSS BLUE/GREEN FLIP FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
* 5S70LF-B	Trout/Panfish/Walleye	LXS70LF	7'	L	FAST	1	4-8	1/16-1/4	0.380	4	1.25	HKS-2	\$170
* 5S70LF2-B	Trout/Panfish/Walleye	LXS70LF2	7'	L	FAST	2	4-8	1/16-1/4	0.360	4	1.3	HKS-2	\$180
* 5S610MLXF-B	Bass/Walleye	LXS610MLXF	6'10"	ML	X-FAST	1	6-10	1/8-1/2	0.420	4	1.7	HKS-4	\$185
* 5S70MLF-B	Bass/Walleye	LXS70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.450	4.0	1.4	HKS-5	\$175
* 5S70MLF2-B	Bass/Walleye	LXS70MLF2	7'	ML	FAST	2	4-10	1/8-3/8	0.445	4	1.55	HKS-5	\$185
* 5S76MLXF-B	Bass/Walleye	LXS76MLXF	7'6"	ML	X-FAST	1	4-10	1/8-3/8	0.465	3.5	1.6	HKS-5	\$190
* 5S76MLXF2-B	Bass/Walleye	LXS76MLXF2	7'6"	ML	X-FAST	2	4-10	1/8-3/8	0.450	4	1.7	HKS-5	\$200
* 5S59MXF-B	Bass/Walleye	LXS59MXF	5'9"	M	X-FAST	1	6-10	1/8-1/2	0.400	4.0	1.1	HKS-3	\$150
* 5S63MXF-B	Bass/Walleye	LXS63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.420	4	1.2	HKS-3	\$165
* 5S68MXF-B	Bass/Walleye	LXS68MXF	6'8"	M	X-FAST	1	6-12	3/16-5/8	0.435	4.5	1.4	HKS-4	\$180
* 5S610MXF-B	Shaky Head Bass	LXS610MXF	6'10"	M	X-FAST	1	6-12	1/8-5/16	0.455	4.5	1.9	HKS-4	\$190
* 5S70MF-B	Bass/Walleye	LXS70MF	7'	M	FAST	1	6-12	3/16-5/8	0.445	4.5	1.5	HKS-5	\$180
* 5S70MF2-B	Bass/Walleye	LXS70MF2	7'	M	FAST	2	6-12	3/16-5/8	0.450	5	1.6	HKS-5	\$190
* 5S76MF-B	Bass/Walleye	LXS76MF	7'6"	M	FAST	1	6-12	3/16-5/8	0.465	4.5	1.8	HKS-5	\$190
* 5S76MF2-B	Bass/Walleye	LXS76MF2	7'6"	M	FAST	2	6-12	3/16-5/8	0.465	4.0	1.8	HKS-5	\$200
* 5S70MHF-B	Bass/Pike	LXS70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.500	5.5	2.0	HKS-5	\$190
* 5S70MHF2-B	Bass/Pike	LXS70MHF2	7'	MH	FAST	2	8-14	3/8-3/4	0.465	5	1.9	HKS-5	\$200

* New for 2013

SCV GRAPHITE CASTING BLANKS (GLOSS FOREST GREEN PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5C60MF-G	Bass/Walleye	LEC60MF	6'	M	FAST	1	10-17	1/4-5/8	0.425	4.5	1.4	HKC-2	\$165
5C66MF-G	Bass/Walleye	LEC66MF	6'6"	M	FAST	1	10-17	1/4-5/8	0.460	4.5	1.8	HKC-3	\$185
5C70MF-G	Bass/Walleye	LEC70MF	7'	M	FAST	1	10-17	1/4-5/8	0.465	5.0	2.0	HKC-3	\$195
5C66MHF-G	Bass/Pike	LEC66MHF	6'6"	MH	FAST	1	12-20	3/8-1	0.520	5.0	2.2	HKC-3	\$195
5C70MHF-G	Bass/Pike	LEC70MHF	7'	MH	FAST	1	12-20	3/8-1	0.530	5.5	2.4	HKC-3	\$205
5C70HF-G	Bass/Pike	LEC70HF	7'	H	FAST	1	14-25	3/8-1 1/2	0.555	6.0	2.5	HKC-3 / HKC-4	\$215

SC^V GRAPHITE CASTING BLANKS (GLOSS BLUE/GREEN FLIP FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
* 5C68MF-B	Bass/Walleye	LXC68MF	6'8"	M	FAST	1	10-17	1/4-5/8	0.435	5.0	1.4	HKC-3	\$190
* 5C68MXF-B	Bass/Walleye	LXC68MXF	6'8"	M	X-FAST	1	8-14	1/4-5/8	0.430	4.5	1.4	HKC-3	\$190
* 5C610MXF-B	Shaky Head Bass	LXC610MXF	6'10"	M	X-FAST	1	10-14	1/8-5/16	0.475	4.5	2.3	HKC-3	\$190
* 5C70MF-B	Bass/Walleye	LXC70MF	7'	M	FAST	1	10-17	1/4-5/8	0.445	4.5	1.5	HKC-3	\$195
* 5C72MM-B	Bass/Walleye	LXC72MM	7'2"	M	MODERATE	1	8-14	1/4-5/8	0.420	4.5	1.5	HKC-3	\$180
* 5C68MHF-B	Bass/Walleye	LXC68MHF	6'8"	MH	FAST	1	12-20	3/8-1	0.490	5.5	1.9	HKC-3	\$200
* 5C70MHF-B	Bass/Pike	LXC70MHF	7'	MH	FAST	1	12-20	3/8-1	0.500	5.5	2.0	HKC-3	\$205
* 5C71MHXF-B	Bass	LXC71MHXF	7'1"	MH	X-FAST	1	12-20	1/4-3/4	0.500	5.5	2.0	HKC-3	\$205
* 5C76MHMF-B	Bass	LXC76MHMF	7'6"	MH	MOD. FAST	1	12-25	3/8-1 1/4	0.525	6.5	2.8	HKC-4 / HKC-5	\$220
* 5C78MHM-B	Bass	LXC78MHM	7'8"	MH	MODERATE	1	10-20	3/8-1	0.470	5	2.3	HKC-4 / HKC-5	\$200
* 5C74HF-B	Bass/Pike	LXC74HF	7'4"	H	FAST	1	14-25	3/8-1 1/2	0.555	6.0	2.6	HKC-4 / HKC-5	\$220
* 5C711HMF-B	Bass	LXC711HMF	7'11"	H	MOD. FAST	1	14-30	1/2-2	0.600	6.5	3.4	HKC-4 / HKC-5	\$260

* New for 2013

SC^V GRAPHITE SALMON/STEELHEAD BLANKS (GLOSS FOREST GREEN PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5S90LM2-G	Spinning- Drift	LES90LM2	9'	L	MODERATE	2	4-8	1/16-3/8	0.425	4.0	2.2	HKS-6 / HKS-7	\$215
5S96LM2-G	Spinning- Drift	LES96LM2	9'6"	L	MODERATE	2	4-8	1/16-3/8	0.430	4.0	2.5	HKS-6 / HKS-7	\$220
5SC90MLF2-G	Spinning/Casting	LES/LEC90MLF2	9'	ML	FAST	2	6-10	1/8-5/8	0.445	4.0	2.4	HKS-6 / HKC-6	\$220
5SC96MLF2-G	Spinning/Casting	LES/LEC96MLF2	9'6"	ML	FAST	2	6-10	1/8-5/8	0.460	4.0	2.8	HKS-6 / HKC-6	\$225
5SC86MF2-G	Spinning/Casting	LES86MF2	8'6"	M	FAST	2	8-12	1/4-3/4	0.470	4.0	2.4	HKS-6 / HKC-6	\$215
5SC90MF2-G	Spinning/Casting	LES/LEC90MF2	9'	M	FAST	2	8-12	1/4-3/4	0.475	4.0	2.7	HKS-6 / HKC-6	\$225
5SC96MF2-G	Spinning/Casting	LES/LEC96MF2	9'6"	M	FAST	2	8-12	1/4-3/4	0.480	4.0	3.0	HKS-6 / HKC-6	\$230
5SC86MHF2-G	Spinning/Casting	LES/LEC86MHF2	8'6"	MH	FAST	2	8-17	3/8-1	0.500	4.5	2.6	HKS-6 / HKC-6	\$220
5SC90MHF2-G	Spinning/Casting	LES/LEC90MHF2	9'	MH	FAST	2	8-17	3/8-1	0.515	4.5	3.0	HKS-6 / HKC-6	\$230
5SC96MHF2-G	Spinning/Casting	LES/LEC96MHF2	9'6"	MH	FAST	2	8-17	3/8-1	0.520	4.5	3.5	HKS-6 / HKC-6	\$235
5SC86HF2-G	Spinning/Casting	LES/LEC86HF2	8'6"	H	FAST	2	12-25	1/2-2	0.545	4.5	2.9	HKS-6 / HKC-6	\$225
5SC90HF2-G	Spinning/Casting	LES/LEC90HF2	9'	H	FAST	2	12-25	1/2-2	0.545	4.5	3.1	HKS-6 / HKC-6	\$235
5SC96HF2-G	Spinning/Casting	LES/LEC96HF2	9'6"	H	FAST	2	12-25	1/2-2	0.555	5.0	3.6	HKS-6 / HKC-6	\$240

SC^V GRAPHITE CASTING BLANKS (GLOSS COBALT BLUE PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
4C610MLXF	Drop Shot/Finesse	TBC/TBS610MLXF	6'10"	ML	X-FAST	1	6-10	1/8-1/2	0.435	4.0	2.1	HKC-3 / HKS-4	\$160
4C68MF	Jerkbait	TBC68MF	6'8"	M	FAST	1	10-17	1/4-5/8	0.445	5.5	1.9	HKC-3	\$155
4C68MXF	Topwater/Shake-Flick/River Jig	TBC/TBS/LTWS68MXF	6'8"	M	X-FAST	1	8-14	1/4-5/8	0.455	4.0	1.9	HKC-3	\$160
4C610MXF	Shaky Head	TBC610MXF	6'10"	M	X-FAST	1	10-17	1/4-5/16	0.485	5.0	2.6	HKC-3	\$165
4C71MF	Plastics	TBC71MF	7'1"	M	FAST	1	10-17	1/4-5/8	0.455	5.0	2.2	HKC-3	\$165
4C72MM	Small Cranker	TBC72MM	7'2"	M	MODERATE	1	8-14	1/4-5/8	0.420	4.5	1.6	HKC-3	\$140
4C68MHF	Jig-N-Worm	TBC68MHF	6'8"	MH	FAST	1	12-20	3/8-1	0.505	5.5	2.4	HKC-3	\$165
4C70MHM	Bounce-N-Troll	LTWC70MHM	7'	MH	MODERATE	1	6-12	1/2-3	0.440	5.0	2.0	HKC-4	\$150
4C71MHF	Spinner Bait/Jig-N-Worm	TBC71MHF	7'1"	MH	FAST	1	12-20	3/8-1	0.515	5.5	2.7	HKC-3	\$175
4C71MHXF	Swim Jig Finesse	TBC71MHXF	7'1"	MH	X-FAST	1	12-20	1/4-3/4	0.515	5.0	2.6	HKC-3	\$175
4C73MHF	Carolina Rig	TBC73MHF	7'3"	MH	FAST	1	12-25	3/8-1 1/4	0.525	5.5	3.0	HKC-4	\$180
4C76MHMF	Pitchin'/Lite Flippin'	TBC76MHMF	7'6"	MH	MOD. FAST	1	12-25	3/8-11/4	0.555	5.0	3	HKC-5	\$185
4C78MHM	Big Cranker	TBC78MHM	7'8"	MH	MODERATE	1	10-20	3/8-1	0.455	5.0	2.4	HKC-5	\$160
4C74HF	Slop-N-Frog/Swim Jig	TBC74HF	7'4"	H	FAST	1	14-25	3/8-11/2	0.560	6.0	3.0	HKC-4 / HKC-5	\$190
4C79HMF	Punchin'	TBC79HMF	7'9"	H	MOD. FAST	1	14-30	1/2-2	0.600	5.5	3.0	HKC-4 / HKC-5	\$200
4C710HF	Swim Bait	TBC710HF	7'10"	H	FAST	1	14-30	1-4	0.615	6.0	3.6	HKC-4 / HKC-5	\$210
4C710HM	Magnum Cranker	TBC710HM	7'10"	H	MODERATE	1	12-25	1/2-1 3/8	0.520	5.5	2.5	HKC-4 / HKC-5	\$170
4C711HMF	Flippin'	TBC711HMF	7'11"	H	MOD. FAST	1	14-30	1/2-2	0.585	6.0	3.3	HKC-4 / HKC-5	\$200
4C73XHF	Big Jig	TBC73XHF	7'3"	XH	FAST	1	17-30	1-21/2	0.600	6.0	3.0	HKC-4 / HKC-5	\$195

SC^{IV} GRAPHITE SPINNING BLANKS (GLOSS COBALT BLUE PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
4S70LF	Finesse	LTWS70LF	7'	L	FAST	1	4-8	1/16-1/4	0.395	4.0	1.5	HKS-4	\$140
4S63MLXF	Vertical Jig	LTWS63MLXF	6'3"	ML	X-FAST	1	4-8	1/16-3/8	0.405	4.0	1.6	HKS-4	\$140
4S66MLF	Jig-N-Rig	LTWS66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.440	4.0	1.4	HKS-4	\$140
4S66MLF2	Jig-N-Rig	LTWS66MLF2	6'6"	ML	FAST	2	4-10	1/8-3/8	0.450	4.0	1.5	HKS-4	\$150
4S68MLF	Split Shot	TBS68MLF	6'8"	ML	FAST	1	4-10	1/8-3/8	0.445	4.0	1.5	HKS-5	\$140
4S70MLF	Riggin'	LTWS70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.465	4.0	1.5	HKS-5	\$150
4S70MLF2	Riggin'	LTWS70MLF2	7'	ML	FAST	2	4-10	1/8-3/8	0.455	4.0	1.7	HKS-5	\$160
4S76MLXF	Slip-N-Rig	LTWS76MLXF	7'6"	ML	X-FAST	1	4-10	1/8-3/8	0.485	4.0	1.9	HKS-5	\$155
4S76MLXF2	Slip-N-Rig	LTWS76MLXF2	7'6"	ML	X-FAST	2	4-10	1/8-3/8	0.455	4.0	2.0	HKS-5	\$165
4S80MLF2	Drift-N-Float	LTWS80MLF2	8'	ML	FAST	2	4-10	1/8-3/8	0.420	4.5	1.8	HKS-5	\$170
4S59MXF	Classic Jig	LTWS59MXF	5'9"	M	X-FAST	1	6-10	1/8-1/2	0.415	4.0	1.2	HKS-4	\$130
4S510MXF	Skippin'	TBS510MXF	5'10"	M	X-FAST	1	8-12	3/16-5/8	0.420	4.0	1.4	HKS-4	\$130
4S63MXF	Vertical Jig	LTWS63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.435	4.5	1.4	HKS-4	\$140
4S610MXF	Shaky Head	TBS610MXF	6'10"	M	X-FAST	1	6-12	1/8-5/16	0.475	4.5	2.3	HKS-5	\$160
4S71MF	Plastics	TBS71MF	7'1"	M	FAST	1	6-12	3/16-5/8	0.455	5.5	2.1	HKS-5	\$160
4S71MHF	Power Spin	TBS71MHF	7'1"	MH	FAST	1	8-14	3/8-3/4	0.515	5.5	2.6	HKS-6	\$170

SC^{IV} GRAPHITE MUSKY BLANKS (GLOSS COBALT BLUE PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
4M73MHF	Downsizer- Small Baits	LTMU/TMU73MHF	7'3"	MH	FAST	1	30-50	3/4-2 1/2	0.595	6.5	3.5	HKC-7	\$210
4M80MHF	Top-N-Tail- Topwater & Bucktails	LTMU/TMU80MHF	8'	MH	FAST	1	30-50	3/4-3	0.595	7.5	3.9	HKC-8	\$230
4M86MHF	Long Ranger- Topwater & Bucktails	LTMU/TMU86MHF	8'6"	MH	FAST	1	30-50	3/4-3	0.600	7.5	4.2	HKC-8	\$250
4M79HMF	Lip Stick- Large Crankbaits	LTMU/TMU79HMF	7'9"	H	MOD. FAST	1	30-65	2-6	0.590	7.5	3.9	HKC-8	\$230
4M86HF	Sling Blade- Large Bucktails	LTMU/TMU86HF	8'6"	H	FAST	1	40-65	2-6	0.645	7.0	5.7	HKC-8	\$270
4M90HF	Big Nasty- Large Bucktails & Rubber	LTMU/TMU90HF	9'	H	FAST	1	50-80	3-8	0.655	7.5	6.9	HKC-8	\$280
4M69XHF	Classic Jerk- Jerkbait	LTMU/TMU69XHF	6'9"	XH	FAST	1	50-80	3-8	0.645	9.0	3.5	HKC-7	\$220
4M76XHF	The Jerk- Jerkbait	LTMU/TMU76XHF	7'6"	XH	FAST	1	50-80	3-8	0.655	9.0	4.8	HKC-8	\$245
4M86XHF	Big Dawg- Large Wood & Plastic	LTMU/TMU86XHF	8'6"	XH	FAST	1	50-80	4-12	0.670	9.0	5.8	HKC-8	\$280

SC^{III} GRAPHITE SPINNING BLANKS (CARBON PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3S46ULF	Trout/Panfish	AVS46ULF	4'6"	UL	FAST	1	2-6	1/32-3/16	0.275	3.5	0.4	HKS-1	\$65
3S50ULF	Trout/Panfish	AVS50ULF	5'	UL	FAST	1	2-6	1/32-3/16	0.305	4.0	0.6	HKS-1	\$70
3S56ULF2	Trout/Panfish	AVS56ULF2	5'6"	UL	FAST	2	2-6	1/32-3/16	0.275	4.0	0.7	HKS-1	\$85
3S60ULF	Trout/Panfish	AVS60ULF	6'	UL	FAST	1	2-6	1/32-3/16	0.325	3.5	0.8	HKS-2	\$75
3S60ULF2	Trout/Panfish	AVS60ULF2	6'	UL	FAST	2	2-6	1/32-3/16	0.285	4.0	0.8	HKS-2	\$85
3S66ULF	Trout/Panfish	AVS66ULF	6'6"	UL	FAST	1	2-6	1/32-3/16	0.330	3.5	0.9	HKS-2	\$80
3S66ULF2	Trout/Panfish	AVS66ULF2	6'6"	UL	FAST	2	2-6	1/32-3/16	0.320	4.0	1.0	HKS-2	\$90
3S70ULF	Trout/Panfish	AVS70ULF	7'	UL	FAST	1	2-6	1/32-3/16	0.350	4.0	1.6	HKS-2	\$85
3S70ULM2	Trout/Panfish	AVS70ULM2	7'	UL	MODERATE	2	2-6	1/32-3/16	0.310	4.0	1.5	HKS-2	\$95
3S60LF	Trout/Panfish/Walleye	AVS60LF	6'	L	FAST	1	4-8	1/16-1/4	0.330	4.0	1.0	HKS-2	\$85
3S66LF	Trout/Panfish/Walleye	AVS66LF	6'6"	L	FAST	1	4-8	1/16-1/4	0.350	3.5	1.2	HKS-2	\$90
3S66LF2	Trout/Panfish/Walleye	AVS66LF2	6'6"	L	FAST	2	4-8	1/16-1/4	0.335	4.0	1.1	HKS-2	\$100
3S60MLF	Bass/Walleye	AVS60MLF	6'	ML	FAST	1	4-10	1/8-3/8	0.385	4.5	1.3	HKS-3	\$90
3S63MLXF	Bass/Walleye	AVS63MLXF	6'3"	ML	X-FAST	1	4-8	1/16-3/8	0.405	4.0	1.6	HKS-3	\$90
3S66MLF	Bass/Walleye	AVS66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.400	4.5	1.5	HKS-4	\$95
3S66MLF2	Bass/Walleye	AVS66MLF2	6'6"	ML	FAST	2	4-10	1/8-3/8	0.415	4.5	1.6	HKS-4	\$105
3S69MLXF	Drop Shot Bass	AVS69MLXF	6'9"	ML	X-FAST	1	6-10	1/8-3/8	0.400	4.0	1.7	HKS-4	\$100
3S70MLF	Bass/Walleye	AVS70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.410	4.5	1.8	HKS-4 / HKS-5	\$100
3S70MLF2	Bass/Walleye	AVS70MLF2	7'	ML	FAST	2	4-10	1/8-3/8	0.420	4.0	1.8	HKS-4 / HKS-5	\$110
3S76MLXF	Walleye	AVS76MLXF	7'6"	ML	X-FAST	1	4-10	1/8-3/8	0.420	4.0	2.0	HKS-5	\$105
3S76MLXF2	Walleye	AVS76MLXF2	7'6"	ML	X-FAST	2	4-10	1/8-3/8	0.430	4.0	2.0	HKS-5	\$115
3S80MLM2	Float-N-Fly Bass	AVS80MLM2	8'	ML	MODERATE	2	4-8	1/16-5/16	0.400	4.5	1.7	HKS-5 / HKS-9	\$110
3S59MXF	Bass/Walleye	AVS59MXF	5'9"	M	X-FAST	1	6-10	1/8-1/2	0.485	4.5	1.4	HKS-3	\$90
3S60MF	Bass/Walleye	AVS60MF	6'	M	FAST	1	6-12	3/16-5/8	0.465	5.0	1.4	HKS-3	\$90
3S63MXF	Bass/Walleye	AVS63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.505	4.5	1.7	HKS-3	\$90
3S66MF	Bass/Walleye	AVS66MF	6'6"	M	FAST	1	6-12	3/16-5/8	0.500	5.0	1.6	HKS-4	\$100
3S66MF2	Bass/Walleye	AVS66MF2	6'6"	M	FAST	2	6-12	3/16-5/8	0.515	4.0	1.8	HKS-4	\$110
3S68MXF	Bass/Walleye	AVS68MXF	6'8"	M	X-FAST	1	6-12	3/16-5/8	0.515	4.5	1.9	HKS-4	\$100
3S70MF	Bass/Walleye	AVS70MF	7'	M	FAST	1	6-12	3/16-5/8	0.510	4.5	1.9	HKS-5	\$105
3S70MF2	Bass/Walleye	AVS70MF2	7'	M	FAST	2	6-12	3/16-5/8	0.530	4.0	1.9	HKS-5	\$115
3S66MHF	Bass/Pike	AVS66MHF	6'6"	MH	FAST	1	8-14	3/8-3/4	0.510	5.5	1.9	HKS-4 / HKS-5	\$105
3S66MHF2	Bass/Pike	AVS66MHF2	6'6"	MH	FAST	2	8-14	3/8-3/4	0.525	4.5	2.0	HKS-4 / HKS-5	\$115
3S70MHF	Bass/Pike	AVS70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.530	6.0	2.3	HKS-5	\$110

SC^{III} GRAPHITE SPINNING BLANKS (FUCHSIA METALLIC FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3S60LF-F	Trout/Panfish/Walleye	APS60LF	6'	L	FAST	1	4-8	1/16-1/4	0.330	4.0	1.0	HKS-2	\$85
3S63MLXF-F	Bass/Walleye	APS63MLXF	6'3"	ML	X-FAST	1	4-8	1/16-3/8	0.405	4.0	1.6	HKS-3	\$90
3S66MLF-F	Bass/Walleye	APS66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.400	4.5	1.5	HKS-4	\$95
3S66MLF2-F	Bass/Walleye	APS66MLF2	6'6"	ML	FAST	2	4-10	1/8-3/8	0.415	4.5	1.6	HKS-4	\$105
3S68MXF-F	Bass/Walleye	APS68MXF	6'8"	M	X-FAST	1	6-12	3/16-5/8	0.515	4.5	1.9	HKS-4	\$100
3S70MF-F	Bass/Walleye	APS70MF	7'	M	FAST	1	6-12	3/16-5/8	0.510	4.5	1.9	HKS-5	\$105

SC^{III} GRAPHITE CASTING BLANKS (CARBON PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3C66MLF	Bass/Walleye	AVC66MLF	6'6"	ML	FAST	1	8-12	3/16-1/2	0.410	5.0	1.7	HKC-3	\$100
3C69MLXF	Drop Shot Bass	AVC69MLXF	6'9"	ML	X-FAST	1	6-10	1/8-1/2	0.410	4.0	1.8	HKC-3	\$105
3C60MF	Bass	AVC60MF	6'	M	FAST	1	10-17	1/4-5/8	0.475	5.5	1.6	HKC-2	\$95
3C62MXF	Bass/Walleye	AVC62MXF	6'2"	M	X-FAST	1	8-14	1/4-5/8	0.505	4.5	1.7	HKC-2	\$100
3C66MF	Bass	AVC66MF	6'6"	M	FAST	1	10-17	1/4-5/8	0.505	5.5	1.8	HKC-3	\$105
3C66MM	Crankbait Bass/Walleye	AVC66MM	6'6"	M	MODERATE	1	8-14	1/4-5/8	0.405	4.5	1.3	HKC-3	\$95
3C68MXF	Bass/Walleye	AVC68MXF	6'8"	M	X-FAST	1	8-14	1/4-5/8	0.520	4.5	2.0	HKC-3	\$105
3C70MF	Bass	AVC70MF	7'	M	FAST	1	10-17	1/4-5/8	0.515	5.5	2.0	HKC-3	\$110
3C70MM	Crankbait Bass/Walleye	AVC70MM	7'	M	MODERATE	1	8-14	1/4-5/8	0.420	4.5	1.4	HKC-3	\$100
3C60MHF	Bass/Pike/Saltwater	AVC60MHF	6'	MH	FAST	1	12-20	3/8-1	0.515	5.5	2.0	HKC-2	\$100
3C66MHF	Bass/Pike/Saltwater	AVC66MHF	6'6"	MH	FAST	1	12-20	3/8-1	0.525	6.5	2.3	HKC-3	\$110
3C66MHM	Crankbait Bass	AVC66MHM	6'6"	MH	MODERATE	1	10-20	3/8-1	0.430	5.0	1.7	HKC-3	\$100
3C70MHF	Bass/Pike/Saltwater	AVC70MHF	7'	MH	FAST	1	12-20	3/8-1	0.535	6.5	2.6	HKC-3	\$115
3C70MHM	Crankbait Bass	AVC70MHM	7'	MH	MODERATE	1	10-20	3/8-1	0.440	5.0	1.9	HKC-3	\$105
3C70MHXF	Bass	AVC70MHXF	7'	MH	X-FAST	1	12-17	5/16-3/4	0.535	5.0	2.6	HKC-3	\$115
3C76MHMF	Flippin'/Pitchin' Bass	AVC76MHMF	7'6"	MH	MOD. FAST	1	12-25	3/8-1 1/4	0.560	6.0	3.3	HKC-4	\$135
3C66HF	Bass/Pike/Saltwater	AVC66HF	6'6"	H	FAST	1	14-25	3/8-1 1/2	0.550	6.0	2.5	HKC-3	\$115
3C70HF	Bass/Pike/Saltwater	AVC70HF	7'	H	FAST	1	14-25	3/8-1 1/2	0.565	7.0	2.7	HKC-4	\$120
3C70HM	Crankbait Bass	AVC70HM	7'	H	MODERATE	1	12-25	1/2-1 3/8	0.465	6.5	2.5	HKC-3	\$115
3C710HMF	Flippin' Bass	AVC710HMF	7'10"	H	MOD. FAST	1-TEL.	14-30	1/2-2	0.645	7.5	4.1	HKC-4	\$185

SC^{III} GRAPHITE CASTING BLANKS (FUCHSIA METALLIC FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3C66MF-F	Bass	APC66MF	6'6"	M	FAST	1	10-17	1/4-5/8	0.505	5.5	1.8	HKC-3	\$105
3C68MXF-F	Bass	APC68MXF	6'8"	M	X-FAST	1	8-14	1/4-5/8	0.520	4.5	2.0	HKC-3	\$110
3C70MF-F	Bass	APC70MF	7'	M	FAST	1	10-17	1/4-5/8	0.515	5.5	2.0	HKC-3	\$105
3C66MHF-F	Bass/Pike/Saltwater	APC66MHF	6'6"	MH	FAST	1	12-20	3/8-1	0.525	6.5	2.3	HKC-3	\$110

SC^{III} GRAPHITE SALMON/STEELHEAD BLANKS (CARBON PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3S106ULS2	Spinning- Noodle	AVS106ULS2	10'6"	UL	SLOW	2	2-6	1/16-1/4	0.415	4.0	2.0	HKS-6 / HKS-7	\$145
3S90LM2	Spinning- Drift	AVS90LM2	9'	L	MODERATE	2	4-8	1/16-3/8	0.440	4.0	2.5	HKS-6 / HKS-7	\$140
3S96LM2	Spinning- Drift	AVS96LM2	9'6"	L	MODERATE	2	4-8	1/16-3/8	0.445	4.0	2.7	HKS-6 / HKS-7	\$145
3S110LM2	Spinning- Drift	AVS110LM2	11'	L	MODERATE	2	4-8	1/16-3/8	0.445	5.0	2.6	HKS-6 / HKS-9	\$150
3SC90MLF2	Spinning/Casting	AVS/AVC90MLF2	9'	ML	FAST	2	6-10	1/8-5/8	0.460	4.0	2.6	HKS-6 / HKC-6	\$140
3SC96MLF2	Spinning/Casting	AVS/AVC96MLF2	9'6"	ML	FAST	2	6-10	1/8-5/8	0.470	4.0	3.0	HKS-6 / HKC-6	\$145
3SC106MLF2	Spinning/Casting	AVS/AVC106MLF2	10'6"	ML	FAST	2	6-10	1/8-5/8	0.475	4.0	3.4	HKS-6 / HKC-6	\$150
3CP130MLM2	Center Pin	AVS130MLM2	13'	ML	MODERATE	2	6-10	1/4-5/8	0.500	4.0	3.5	HKS-9	\$160
3CP150MLM3	Center Pin	AVS150MLM3	15'	ML	MODERATE	3	6-10	1/4-5/8	0.580	4.0	4.3	HKS-9	\$180
3SC86MF2	Spinning/Casting	AVS/AVC86MF2	8'6"	M	FAST	2	8-12	1/4-3/4	0.480	4.5	2.6	HKS-6 / HKC-6	\$140
3SC90MF2	Spinning/Casting	AVS/AVC90MF2	9'	M	FAST	2	8-12	1/4-3/4	0.485	4.5	2.9	HKS-6 / HKC-6	\$145
3SC96MF2	Spinning/Casting	AVS/AVC96MF2	9'6"	M	FAST	2	8-12	1/4-3/4	0.495	4.5	3.2	HKS-6 / HKC-6	\$150
3SC106MF2	Spinning/Casting	AVS/AVC106MF2	10'6"	M	FAST	2	8-12	1/4-3/4	0.515	4.5	4.0	HKS-6 / HKC-6	\$160
3SC86MHF2	Spinning/Casting	AVS/AVC86MHF2	8'6"	MH	FAST	2	8-17	3/8-1	0.515	5.0	2.9	HKS-6 / HKC-6	\$145
3SC90MHF2	Spinning/Casting	AVS/AVC90MHF2	9'	MH	FAST	2	8-17	3/8-1	0.525	5.0	3.2	HKS-6 / HKC-6	\$150
3SC96MHF2	Spinning/Casting	AVS/AVC96MHF2	9'6"	MH	FAST	2	8-17	3/8-1	0.535	5.0	3.4	HKS-6 / HKC-6	\$155
3SC86HF2	Spinning/Casting	AVS/AVC86HF2	8'6"	H	FAST	2	12-25	1/2-2	0.600	5.5	3.2	HKS-6 / HKC-6	\$150
3SC90HF2	Spinning/Casting	AVS/AVC90HF2	9'	H	FAST	2	12-25	1/2-2	0.550	5.0	3.3	HKS-6 / HKC-6	\$155
3C90HM2	Casting	AVC90HM2	9'	H	MODERATE	2	12-25	1/2-2	0.555	5.0	3.5	HKC-6	\$155
3SC96HF2	Spinning/Casting	AVS/AVC96HF2	9'6"	H	FAST	2	12-25	1/2-2	0.570	5.0	3.6	HKS-6 / HKC-6	\$160
3C106HM2	Casting	AVC106HM2	10'6"	H	MODERATE	2	12-25	1/2-2	0.550	5.0	3.9	HKC-6	\$180

SC^{III} GRAPHITE CARP BLANKS (CARBON PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3CS96MMF2	Spinning	ACS96MMF2	9'6"	M	MOD. FAST	2	8-25	1/2-3	0.570	5.5	3.9	HKS-9	\$160
3CS120MHMF2	Spinning	ACS120MHMF2	12'	MH	MOD. FAST	2	8-25	1/2-4	0.615	6.5	7.5	HKS-9	\$220

SC^{II} GRAPHITE SPINNING BLANKS (GLOSS BLACK PEARL FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2S46ULM	Trout/Panfish	PS46ULM	4'6"	UL	MODERATE	1	2-6	1/16-1/4	0.265	4.0	0.5	HKS-1	\$55
2S50ULM	Trout/Panfish	PS50ULM	5'	UL	MODERATE	1	2-6	1/16-1/4	0.280	4.0	0.6	HKS-1	\$60
2S56ULF2	Trout/Panfish	PS56ULF2	5'6"	UL	FAST	2	2-6	1/32-3/16	0.280	4.0	0.7	HKS-1	\$70
2S60ULF	Trout/Panfish	PS60ULF	6'	UL	FAST	1	2-6	1/32-3/16	0.305	4.0	0.8	HKS-2	\$65
2S60ULF2	Trout/Panfish	PS60ULF2	6'	UL	FAST	2	2-6	1/32-3/16	0.285	4.5	0.9	HKS-2	\$75
2S66ULF	Trout/Panfish	PS66ULF	6'6"	UL	FAST	1	2-6	1/32-3/16	0.315	4.0	1.0	HKS-2	\$65
2S66ULF2	Trout/Panfish	PS66ULF2	6'6"	UL	FAST	2	2-6	1/32-3/16	0.310	4.5	1.1	HKS-2	\$75
2S70ULF2	Trout/Panfish	PS70ULF2	7'	UL	FAST	2	2-6	1/32-3/16	0.320	4.5	1.1	HKS-2	\$80
2S56LF	Trout/Walleye/Panfish	PS56LF	5'6"	L	FAST	1	4-8	1/16-5/16	0.315	4.5	0.8	HKS-1	\$65
2S60LF	Trout/Walleye/Panfish	PS60LF	6'	L	FAST	1	4-8	1/16-5/16	0.330	4.5	1.0	HKS-2	\$70
2S60LF4	Trout/Walleye/Panfish	PS60LF4	6'	L	FAST	4	4-8	1/16-5/16	0.310	4.0	1.1	HKS-2	\$110
2S66LF	Trout/Walleye/Panfish	PS66LF	6'6"	L	FAST	1	4-8	1/16-5/16	0.345	4.5	1.2	HKS-2	\$70
2S66LF2	Trout/Walleye/Panfish	PS66LF2	6'6"	L	FAST	2	4-8	1/16-5/16	0.335	4.5	1.3	HKS-2	\$80
2S86LM2	Float-N-Fly	PS86LM2	8'6"	L	MODERATE	2	4-8	1/16-5/16	0.385	4.5	1.7	HKS-6	\$90
2S60MLF	Bass/Walleye	PS60MLF	6'	ML	FAST	1	4-10	1/8-1/2	0.390	5.0	1.4	HKS-3	\$75
2S60MLF2	Bass/Walleye	PS60MLF2	6'	ML	FAST	2	4-10	1/8-1/2	0.445	4.5	1.7	HKS-3	\$85
2S66MLF	Bass/Walleye	PS66MLF	6'6"	ML	FAST	1	4-10	1/8-1/2	0.395	4.5	1.6	HKS-4	\$75
2S66MLF2	Bass/Walleye	PS66MLF2	6'6"	ML	FAST	2	4-10	1/8-1/2	0.410	4.5	1.5	HKS-4	\$85
2S66MLF3	Bass/Walleye	PS66MLF3	6'6"	ML	FAST	3	4-10	1/8-1/2	0.470	4.0	2.0	HKS-4	\$110
2S70MLF	Bass/Walleye	PS70MLF	7'	ML	FAST	1	4-10	1/8-1/2	0.435	5.0	1.8	HKS-4 / HKS-5	\$80
2S70MLF2	Bass/Walleye	PS70MLF2	7'	ML	FAST	2	4-10	1/8-1/2	0.485	4.5	1.9	HKS-4 / HKS-5	\$90
2S76MLF	Bass/Walleye	PS76MLF	7'6"	ML	FAST	1	4-10	1/8-1/2	0.450	4.5	2.1	HKS-5	\$85
2S56MF	Bass/Walleye	PS56MF	5'6"	M	FAST	1	6-12	1/4-5/8	0.440	5.5	1.1	HKS-1	\$70
2S60MF	Bass/Walleye	PS60MF	6'	M	FAST	1	6-12	1/4-5/8	0.465	5.0	1.4	HKS-3	\$75
2S60MF2	Bass/Walleye/Pike	PS60MF2	6'	M	FAST	2	6-12	1/4-5/8	0.475	4.5	1.5	HKS-3	\$85
2S66MF	Bass/Walleye/Pike	PS66MF	6'6"	M	FAST	1	6-12	1/4-5/8	0.495	5.0	1.6	HKS-4	\$80
2S66MF2	Bass/Walleye/Pike	PS66MF2	6'6"	M	FAST	2	6-12	1/4-5/8	0.530	4.5	1.8	HKS-4	\$90
2S70MF	Bass/Walleye/Pike	PS70MF	7'	M	FAST	1	6-12	1/4-5/8	0.505	5.0	1.8	HKS-5	\$85
2S70MF2	Bass/Walleye/Pike	PS70MF2	7'	M	FAST	2	6-12	1/4-5/8	0.555	4.5	2.0	HKS-5	\$95
2S70MF3	Bass/Walleye/Saltwater	PS70MF3	7'	M	FAST	3	6-12	1/4-5/8	0.535	4.5	2.3	HKS-5	\$120
2S60MHF	Bass/Pike/Saltwater	PS60MHF	6'	MH	FAST	1	8-14	3/8-3/4	0.475	6.0	1.7	HKS-4	\$80
2S66MHF	Bass/Pike/Saltwater	PS66MHF	6'6"	MH	FAST	1	8-14	3/8-3/4	0.510	6.0	1.9	HKS-5	\$85
2S66MHF2	Bass/Pike/Saltwater	PS66MHF2	6'6"	MH	FAST	2	8-17	1/2-1	0.540	5.0	2.1	HKS-5	\$95
2S70MHF	Bass/Pike/Saltwater	PS70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.520	6.0	2.2	HKS-5	\$90
2S70HF	Bass/Pike/Saltwater	PS70HF	7'	H	FAST	1	10-20	1/2-1-1/2	0.540	6.0	2.9	HKS-6	\$95
2S70HF2	Bass/Pike/Saltwater	PS70HF2	7'	H	FAST	2	10-20	1/2-1-1/2	0.570	5.0	3.1	HKS-6	\$105
2S70XHF	Musky/Pike/Saltwater	PS70XHF	7'	XH	FAST	1	12-25	3/4-2	0.580	7.0	3.3	HKS-6	\$105

SC^{II} GRAPHITE CASTING BLANKS (GLOSS BLACK PEARL FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2C60MLF2	Bass/Walleye	PC60MLF2	6'	ML	FAST	2	4-10	1/8-1/2	0.425	5.0	1.5	HKC-2	\$80
2C66MLF	Bass/Walleye	PC66MLF	6'6"	ML	FAST	1	8-14	3/16-5/8	0.415	5.5	2.0	HKC-3	\$80
2C70MLF	Bass/Walleye	PC70MLF	7'	ML	FAST	1	8-14	3/16-5/8	0.450	5.5	2.1	HKC-3	\$85
2C56MF	Bass	PC56MF	5'6"	M	FAST	1	8-14	1/4-5/8	0.450	5.5	1.3	HKC-1	\$75
2C60MF	Bass/Walleye/Pike	PC60MF	6'	M	FAST	1	10-17	1/4-3/4	0.480	5.5	1.6	HKC-2	\$80
2C66MF	Bass/Walleye/Pike	PC66MF	6'6"	M	FAST	1	10-17	1/4-3/4	0.510	6.0	2.0	HKC-3	\$85
2C66MF2	Bass/Walleye/Pike	PC66MF2	6'6"	M	FAST	2	10-17	1/4-3/4	0.535	4.5	1.9	HKC-3	\$95
2C66MM	Crankbait	PC66MM	6'6"	M	MODERATE	1	8-14	1/4-5/8	0.420	5.0	1.4	HKC-3	\$80
2C70MF	Bass/Walleye/Pike	PC70MF	7'	M	FAST	1	10-17	1/4-3/4	0.520	6.0	2.2	HKC-3	\$90
2C70MM	Crankbait	PC70MM	7'	M	MODERATE	1	8-14	1/4-5/8	0.430	5.0	1.5	HKC-3	\$85
2C60MHF	Bass/Pike/Saltwater	PC60MHF	6'	MH	FAST	1	10-20	3/8-1	0.485	6.0	1.8	HKC-2	\$85
2C66MHF	Bass/Pike/Saltwater	PC66MHF	6'6"	MH	FAST	1	10-20	3/8-1	0.540	6.5	2.2	HKC-3	\$90
2C66MHF2	Bass/Pike/Saltwater	PC66MHF2	6'6"	MH	FAST	2	10-20	3/8-1	0.565	5.5	2.4	HKC-3	\$100
2C70MHF	Bass/Pike/Saltwater	PC70MHF	7'	MH	FAST	1	10-20	3/8-1	0.555	6.5	2.7	HKC-3	\$95
2C70MHM	Crankbait	PC70MHM	7'	MH	MODERATE	1	10-20	3/8-1	0.460	5.5	2.3	HKC-3	\$90
2C66HF	Bass/Pike/Saltwater	PC66HF	6'6"	H	FAST	1	12-25	1/2-1 1/2	0.575	6.5	3.0	HKC-3	\$95
2C70HF	Bass/Pike/Saltwater	PC70HF	7'	H	FAST	1	12-25	1/2-1 1/2	0.585	6.5	3.3	HKC-4	\$100
2C70HF2	Bass/Pike/Saltwater	PC70HF2	7'	H	FAST	2	12-25	1/2-1 1/2	0.645	7.0	3.2	HKC-4	\$110
2C76HF	Bass Flippin' Stick	PC76HF	7'6"	H	FAST	1	12-25	1/2-1 1/2	0.585	6.5	3.5	HKC-4	\$115

SC^{II} GRAPHITE MUSKY/SALTWATER BLANKS (GLOSS BLACK PEARL FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2M610MF	Musky-Small Bucktail/SW	PM610MF	6'10"	M	FAST	1	17-30	1/2-2	0.600	8.0	3.5	HKC-5	\$105
2M66MHF	Musky-All Purpose/SW	PM66MHF	6'6"	MH	FAST	1	20-50	3/4-3	0.655	8.5	3.4	HKC-7	\$110
2M70MHF	Musky-All Purpose/SW	PM70MHF	7'	MH	FAST	1	20-50	3/4-3	0.670	8.5	3.8	HKC-7	\$115
2M70MHF2	Musky-All Purpose/SW	PM70MHF2	7'	MH	FAST	2	20-50	3/4-3	0.600	8.0	3.7	HKC-7	\$120
2M76MHF	Musky-All Purpose/SW	PM76MHF	7'6"	MH	FAST	1	20-50	3/4-3	0.715	7.0	5.4	HKC-7 / HKC-8	\$130
2M80MHF	Musky-All Purpose/SW	PM80MHF	8'	MH	FAST	1	20-50	3/4-3	0.735	7.5	5.8	HKC-8	\$140
2M70HF2	Musky-Jerkbait/SW	PM70HF2	7'	H	FAST	2	30-65	2-6	0.655	11.0	4.3	HKC-7	\$125
2M76HF	Musky-Jerkbait/SW	PM76HF	7'6"	H	FAST	1	30-65	2-6	0.695	9.0	5.6	HKC-7 / HKC-8	\$135
2M80HF	Musky- Large bucktail/SW	PM80HF	8'	H	FAST	1	30-65	2-6	0.705	9.0	6.2	HKC-8	\$140
2M86HF	Musky-Large bucktail/SW	PM86HF	8'6"	H	FAST	1	30-65	2-6	0.720	9.0	7.0	HKC-8	\$150
2M63XHF	Musky-Hvy. Jerkbait/SW	PM63XHF	6'3"	XH	FAST	1	36-80	3-8	0.640	10.0	4.2	HKC-7	\$110
2M69XHF	Musky-Hvy. Jerkbait/SW	PM69XHF	6'9"	XH	FAST	1	36-80	3-8	0.655	10.5	4.7	HKC-7	\$120
2M86XHF	Musky- Hvy. Jerkbait/SW	PM86XHF	8'6"	XH	FAST	1	36-80	4-10	0.720	9.5	6.8	HKC-8	\$155
2M79XXXHF	Musky-Unlimited Wt./SW	PM79XXXHF	7'9"	XXXH	FAST	1	65-100	8-30	0.715	13.5	7.4	HKC-8	\$165

SC^{IV} GRAPHITE INSHORE SALTWATER BLANKS (BELIZE BLUE METALLIC FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
* 4SW70MLF	Spinning/Casting	LIS70MLF	7'	ML	FAST	1	6-12	1/8-1/2	0.475	3.8	1.8	HKS-4 / HKC-2	\$170
* 4SW76MLF	Spinning/Casting	LIS76MLF	7'	ML	FAST	1	6-12	1/8-1/2	0.500	3.8	2.6	HKS-5 / HKC-3	\$180
* 4SW70MF	Spinning/Casting	LIS70MF	7'	M	FAST	1	8-17	3/8-3/4	0.475	4	2.3	HKS-5 / HKC-3	\$180
* 4SW76MF	Spinning/Casting	LIS76MF	7'6"	M	FAST	1	8-17	3/8-3/4	0.490	4	2.1	HKS-5 / HKC-3	\$200
* 4SW70MHF	Spinning/Casting	LIS70MHF	7'	MH	FAST	1	10-20	1/2-1 1/4	0.535	5.5	2.7	HKS-5 / HKC-3	\$200
* 4SW66XLM	Spinning/Casting	LGCC66XLM	6'6"	XL	MODERATE	1	6-10	1/32-1/8	0.395	3.8	1.3	HKC-2 / HKS-3	\$150
* 4SW66LM	Spinning/Casting	LGCC66LM	6'6"	L	MODERATE	1	8-12	1/16-1/4	0.405	4	1.5	HKC-2 / HKS-3	\$150
* 4SW66MLM	Spinning/Casting	LGCC66MLM	6'6"	ML	MODERATE	1	8-14	1/8-3/8	0.395	4	1.3	HKC-2 / HKS-3	\$150
* 4SW70MLM	Spinning/Casting	LGCC70MLM	7'	ML	MODERATE	1	8-14	1/8-3/8	0.395	4	1.5	HKC-2 / HKS-4	\$150

* New for 2013

SC^{III} GRAPHITE INSHORE SALTWATER BLANKS (COPPER PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3SW70LM	Spinning/Casting	AIS70LM	7'	L	MODERATE	1	6-12	1/8-3/8	0.400	4.5	1.3	HKS-4 / HKC-2	\$105
3SW70MLF	Spinning/Casting	AIS70MLF	7'	ML	FAST	1	6-12	1/8-1/2	0.420	5.0	2.0	HKS-4 / HKC-2	\$115
3SW76MLF	Spinning/Casting	AIS76MLF	7'6"	ML	FAST	1	6-12	1/8-1/2	0.500	4.0	2.1	HKS-5 / HKC-3	\$120
3SW80MLF	Spinning/Casting	AIS80MLF	8'	ML	FAST	1	6-12	1/8-1/2	0.490	4.5	2.1	HKS-5 / HKC-3	\$125
3SW66MF	Spinning/Casting	AIS66MF	6'6"	M	FAST	1	8-17	3/8-3/4	0.510	5.5	1.9	HKS-5 / HKC-3	\$110
3SW70MF	Spinning/Casting	AIS70MF	7'	M	FAST	1	8-17	3/8-3/4	0.520	5.5	2.2	HKS-5 / HKC-3	\$120
3SW70MM	Spinning/Casting	AIS70MM	7'	M	MODERATE	1	8-17	1/4-5/8	0.430	4.5	1.6	HKS-5 / HKC-3	\$115
3SW76MF	Spinning/Casting	AIS76MF	7'6"	M	FAST	1	8-17	3/8-3/4	0.530	5.5	2.6	HKS-5 / HKC-3	\$125
3SW80MF	Spinning/Casting	AIS80MF	8'	M	FAST	1	8-17	3/8-3/4	0.550	6.0	2.9	HKS-6 / HKC-4	\$135
3SW66MHF	Spinning/Casting	AIS66MHF	6'6"	MH	FAST	1	10-20	1/2-1 1/4	0.530	6.0	2.6	HKS-5 / HKC-3	\$120
3SW70MHF	Spinning/Casting	AIS/AIC70MHF	7'	MH	FAST	1	10-20	1/2-1 1/4	0.545	6.0	3.0	HKS-5 / HKC-3	\$130
3SW76MHF	Spinning/Casting	AIS/AIC76MHF	7'6"	MH	FAST	1	10-20	1/2-1 1/4	0.565	6.0	3.6	HKS-6 / HKC-4	\$135
3SW80MHF	Spinning/Casting	AIS/AIC80MHF	8'	MH	FAST	1	14-30	1/2-2	0.585	6.0	4.1	HKS-6 / HKC-4	\$145
3SW70HF	Spinning/Casting	AIS/AIC70HF	7'	H	FAST	1	15-30	3/4-2	0.595	7.0	3.6	HKS-5 / HKC-3	\$140
3SW76HF	Spinning/Casting	AIS/AIC76HF	7'6"	H	FAST	1	15-30	3/4-2	0.605	7.0	4.2	HKS-6 / HKC-4	\$145
3SW80HF	Spinning/Casting	AIS/AIC80HF	8'	H	FAST	1	17-40	3/4-3	0.665	7.0	4.6	HKS-6 / HKC-4	\$155

SC^{II} GRAPHITE INSHORE SALTWATER BLANKS (GLOSS GREEN FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2SW70LM	Spinning/Casting	TIS/TIC70LM	7'	L	MODERATE	1	6-12	1/8-3/8	0.415	5.0	1.3	HKC-2 / HKS-4	\$85
2SW76LM	Spinning/Casting	TIS76LM	7'6"	L	MODERATE	1	6-12	1/8-3/8	0.430	5.0	1.7	HKC-2 / HKS-4	\$90
2SW70MLF	Spinning/Casting	TIS/TIC70MLF	7'	ML	FAST	1	8-14	1/8-1/2	0.455	5.0	2.2	HKC-3 / HKS-5	\$95
2SW76MLF	Spinning/Casting	TIS76MLF	7'6"	ML	FAST	1	8-14	1/8-1/2	0.465	5.0	2.4	HKC-3 / HKS-5	\$100
2SW80MLF	Spinning/Casting	TIS80MLF	8'	ML	FAST	1	8-14	1/8-1/2	0.495	5.0	3.0	HKS-5	\$100
2SW70MF	Spinning/Casting	TIS/TIC70MF	7'	M	FAST	1	8-17	3/8-3/4	0.520	5.5	2.2	HKC-3 / HKS-5	\$100
2SW70MM	Spinning/Casting	TIS/TIC70MM	7'	M	MODERATE	1	8-17	1/4-5/8	0.450	5.0	1.7	HKC-3 / HKS-5	\$95
2SW76MF	Spinning/Casting	TIS/TIC76MF	7'6"	M	FAST	1	8-17	3/8-3/4	0.545	5.5	2.7	HKC-4 / HKS-6	\$105
2SW76MM	Spinning/Casting	TIS76MM	7'6"	M	MODERATE	1	8-17	1/4-5/8	0.465	5.0	2.1	HKC-4 / HKS-6	\$100
2SW80MF	Spinning/Casting	TIS80MF	8'	M	FAST	1	8-17	3/8-3/4	0.565	5.5	3.2	HKC-4 / HKS-6	\$115
2SW70MHF	Spinning/Casting	TIS/TIC70MHF	7'	MH	FAST	1	10-20	1/2-1 1/4	0.535	6.0	2.7	HKC-3 / HKS-5	\$110
2SW70MHM	Spinning/Casting	TIS70MHM	7'	MH	MODERATE	1	10-20	1/2-1	0.530	6.0	2.2	HKC-3 / HKS-5	\$100
2SW76MHF	Spinning/Casting	TIS/TIC76MHF	7'6"	MH	FAST	1	10-20	1/2-1 1/4	0.575	5.5	3.2	HKC-4 / HKS-6	\$115
2SW80MHF	Spinning/Casting	TIS/TIC80MHF	8'	MH	FAST	1	14-30	1/2-2	0.615	6.5	3.7	HKC-4 / HKS-6	\$125
2SW70HF	Spinning/Casting	TIS/TIC70HF	7'	H	FAST	1	12-25	3/4-2	0.580	7.0	3.5	HKC-3 / HKS-5	\$120
2SW70HM	Spinning/Casting	TIS70HM	7'	H	MODERATE	1	12-25	3/4-1 1/2	0.570	6.5	3.0	HKC-3 / HKS-5	\$115
2SW76HF	Spinning/Casting	TIS/TIC76HF	7'6"	H	FAST	1	12-25	3/4-2	0.620	6.5	3.7	HKC-4 / HKS-6	\$125
2SW80HF	Spinning/Casting	TIS/TIC80HF	8'	H	FAST	1	17-40	3/4-3	0.655	7.0	4.8	HKC-4 / HKS-6	\$135

SC^{II} GRAPHITE INSHORE SALTWATER TRAVEL BLANKS (GLOSS GREEN FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2SW70MLF3	Spinning/Casting	TIS70MLF3	7'	ML	FAST	3	8-14	1/8-1/2	0.505	4.5	2.0	HKC-3 / HKS-5	\$135
2SW70MF3	Spinning/Casting	TIS/TIC70MF3	7'	M	FAST	3	8-17	3/8-3/4	0.565	5.0	2.3	HKC-3 / HKS-5	\$140
2SW76MF3	Spinning/Casting	TIS76MF3	7'6"	M	FAST	3	8-17	3/8-3/4	0.600	5.0	3.1	HKC-4 / HKS-6	\$150
2SW70MHF3	Spinning/Casting	TIS/TIC70MHF3	7'	MH	FAST	3	10-20	1/2-1 1/4	0.585	5.5	2.5	HKC-3 / HKS-5	\$150
2SW76MHF3	Spinning/Casting	TIS/TIC76MHF3	7'6"	MH	FAST	3	10-20	1/2-1 1/4	0.635	5.5	3.3	HKC-4 / HKS-6	\$165
2SW76HF3	Spinning/Casting	TIS/TIC76HF3	7'6"	H	FAST	3	12-25	3/4-2	0.650	6.0	3.5	HKC-4 / HKS-6	\$175

SC^{III} GRAPHITE SURF BLANKS (RED METALLIC FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
* 3SRS70MLF	Spinning	AVSS70MLF	7'	ML	FAST	1	6-12	3/8-1	0.475	6.0	2.2	N/A	\$120
* 3SRS70MF	Spinning	AVSS70MF	7'	M	FAST	1	8-17	5/8-2	0.555	5.5	3.2	N/A	\$130
* 3SRS80MMF	Spinning	AVSS80MMF	8'	M	MOD. FAST	1	8-17	3/4-3	0.585	5.5	4.0	N/A	\$140
* 3SRS90MMF2	Spinning	AVSS90MMF2	9'	M	MOD. FAST	2	10-20	1-4	0.720	7.0	4.7	N/A	\$170
* 3SRS96MHF2	Spinning/Casting	AVSS96MHF2	9'6"	MH	FAST	2	12-25	2-6	0.750	10.0	5.6	N/A	\$180
* 3SRS100MF2	Spinning/Casting	AVSS/AVSC100MF2	10'	M	FAST	2	10-20	1-4	0.730	7.0	5.6	N/A	\$180
* 3SRS110MHF2	Spinning/Casting	AVSS/AVSC110MHF2	11'	MH	FAST	2	15-40	3-8	0.800	7.0	6.9	N/A	\$200
* 3SRS120HMF2	Spinning/Casting	AVSS/AVSC120HMF2	12'	H	MOD. FAST	2	20-60	6-16	0.800	12.0	12.3	N/A	\$260

* New for 2013

SC^{II} GRAPHITE BOAT ROD BLANKS (GLOSS BLACK FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2SWC66MF	Conv./Spinning	LSWC66MF	6'6"	M	FAST	1	15-30 Mono / 20-40 Braid	N/A	0.520	5.5	3.7	N/A	\$150
2SWC70MF	Conv./Spinning	LSWC/LSWS70MF	7'	M	FAST	1	15-30 Mono / 20-40 Braid	N/A	0.570	5.5	4.3	N/A	\$160
2SWC66MHF	Conv./Spinning	LSWC66MHF	6'6"	MH	FAST	1	30-50 Mono / 40-65 Braid	N/A	0.555	6.0	4.5	N/A	\$170
2SWC70MHF	Conv./Spinning	LSWC/LSWS70MHF	7'	MH	FAST	1	30-50 Mono / 40-65 Braid	N/A	0.605	6.0	5.2	N/A	\$180
2SWS76MHF	Conv./Spinning	LSWS76MHF	7'6"	MH	FAST	1	30-50 Mono / 40-65 Braid	N/A	0.615	6.0	6.3	N/A	\$190
2SWC66HF	Conv./Spinning	LSWC66HF	6'6"	H	FAST	1	50-80 Mono / 65-100 Braid	N/A	0.595	8.5	4.8	N/A	\$180
2SWC70HF	Conv./Spinning	LSWC/LSWS70HF	7'	H	FAST	1	50-80 Mono / 65-100 Braid	N/A	0.650	8.5	6.7	N/A	\$190
2SWS80HM	Conv./Spinning	LSWS80HM	8'	H	MODERATE	1	50-80 Mono / 65-100 Braid	N/A	0.670	6.5	7.8	N/A	\$190

SC^V GRAPHITE FRESHWATER FLY BLANKS (GLOSS GALLATIN GREEN FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	LINE WT. RATING	PCS.	ACTION	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5FF793.4	Trout	EFW793.4	7'9"	3	4	FAST	0.285	3.0	1.0	N/A	\$250
5FF864.4	Trout/Panfish	EFW864.4	8'6"	4	4	FAST	0.325	4.0	1.3	N/A	\$270
5FF904.4	Trout/Panfish	EFW904.4	9'	4	4	FAST	0.315	3.5	1.4	N/A	\$280
5FF865.4	Trout/Panfish	EFW865.4	8'6"	5	4	FAST	0.330	4.0	1.5	N/A	\$270
5FF905.4	Trout/Panfish	EFW905.4	9'	5	4	FAST	0.325	3.5	1.6	N/A	\$280
5FF906.4	Trout	EFW906.4	9'	6	4	FAST	0.340	4.0	1.7	N/A	\$280
5FF907.4	Bass/Steelhead	EFW907.4	9'	7	4	FAST	0.350	4.0	1.8	N/A	\$290
5FF967.4	Salmon/Steelhead	EFW967.4	9'6"	7	4	FAST	0.350	4.0	1.9	N/A	\$300
5FF908.4	Bass/Salmon/Steelhead	EFW908.4	9'	8	4	FAST	0.375	4.0	1.9	N/A	\$300
5FF968.4	Salmon/Steelhead	EFW968.4	9'6"	8	4	FAST	0.380	4.0	2.0	N/A	\$310
5FF909.4	Salmon/Pike	EFW909.4	9'	9	4	FAST	0.385	4.0	2.1	N/A	\$310
5FF9010.4	Salmon/Musky	EFW9010.4	9'	10	4	FAST	0.405	4.0	2.3	N/A	\$320

SC^V GRAPHITE SALTWATER FLY BLANKS (GLOSS BELIZE BLUE FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	LINE WT. RATING	PCS.	ACTION	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5FS906.4	Light Saltwater	ESW906.4	9'	6	4	FAST	0.360	4.0	1.8	N/A	\$285
5FS907.4	Saltwater	ESW907.4	9'	7	4	FAST	0.380	4.0	2.0	N/A	\$295
5FS908.4	Saltwater	ESW908.4	9'	8	4	FAST	0.400	4.0	2.1	N/A	\$305
5FS909.4	Saltwater	ESW909.4	9'	9	4	FAST	0.415	4.0	2.3	N/A	\$315
5FS9010.4	Saltwater	ESW9010.4	9'	10	4	FAST	0.425	4.0	2.5	N/A	\$325
5FS9012.4	Big Game Saltwater	ESW9012.4	9'	12	4	FAST	0.440	5.0	2.8	N/A	\$335

SC^{IV} / SC^{II} GRAPHITE FLY BLANKS (GLOSS BURGUNDY FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	LINE WT. RATING	PCS.	ACTION	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
42F602.2	Trout	I606.2	6'	2	2	FAST	0.250	3.5	0.6	HKF-1	\$100
42F663.2	Trout	I663.2	6'6"	3	2	FAST	0.275	3.5	0.7	HKF-1	\$100
42F703.4	Trout	I703.4	7'	3	4	FAST	0.280	3.5	0.8	HKF-1	\$140
42F863.4	Trout	I863.4	8'6"	3	4	FAST	0.300	3.5	1.2	HKF-1	\$160
42F764.2	Trout	I764.2	7'6"	4	2	FAST	0.325	3.5	1.1	HKF-1	\$110
42F764.4	Trout	I764.4	7'6"	4	4	FAST	0.290	3.5	1.0	HKF-1	\$150
42F804.2	Trout/Panfish	I804.2	8'	4	2	FAST	0.335	3.5	1.3	HKF-1	\$110
42F804.4	Trout/Panfish	I804.4	8'	4	4	FAST	0.290	3.5	1.1	HKF-1	\$150
42F864.4	Trout/Panfish	I864.4	8'6"	4	4	FAST	0.310	3.5	1.3	HKF-2	\$160
42F904.2	Trout/Panfish	I904.2	9'	4	2	FAST	0.375	4.0	1.6	HKF-2	\$130
42F904.4	Trout/Panfish	I904.4	9'	4	4	FAST	0.320	4.0	1.5	HKF-2	\$170
42F805.2	Trout/Panfish	I805.2	8'	5	2	FAST	0.355	4.0	1.4	HKF-2	\$110
42F805.4	Trout/Panfish	I805.4	8'	5	4	FAST	0.305	4.0	1.2	HKF-2	\$150
42F865.2	Trout/Panfish	I865.2	8'6"	5	2	FAST	0.370	4.0	1.6	HKF-2	\$120
42F865.4	Trout/Panfish	I865.4	8'6"	5	4	FAST	0.315	4.0	1.3	HKF-2	\$160
42F905.2	Trout/Panfish	I905.2	9'	5	2	FAST	0.380	4.0	1.7	HKF-2	\$130
42F905.4	Trout/Panfish	I905.4	9'	5	4	FAST	0.330	4.0	1.6	HKF-2	\$170
42F906.2	Trout	I906.2	9'	6	2	FAST	0.390	4.0	1.9	HKF-2	\$130
42F906.4	Trout	I906.4	9'	6	4	FAST	0.350	4.0	1.8	HKF-2	\$170
42F1006.4	Trout	I1006.4	10'	6	4	FAST	0.335	4.0	1.9	HKF-3	\$180
42F907.4	Bass/Steelhead/Saltwater	I907.4	9'	7	4	FAST	0.360	4.0	1.9	HKF-3	\$170
42F1007.4	Salmon/Steelhead	I1007.4	10'	7	4	FAST	0.355	4.0	2.1	HKF-3	\$190
42F908.2	Bass/Salmon/Steelhead/Saltwater	I908.2	9'	8	2	FAST	0.410	4.0	2.0	HKF-3	\$140
42F908.4	Bass/Salmon/Steelhead/Saltwater	I908.4	9'	8	4	FAST	0.390	4.0	2.0	HKF-3	\$180
42F968.4	Salmon/Steelhead	I968.4	9'6"	8	4	FAST	0.390	4.0	2.2	HKF-3	\$180
42F1008.4	Salmon/Steelhead	I1008.4	10'	8	4	FAST	0.395	4.0	2.7	HKF-3	\$190
42F909.2	Salmon/Pike/Saltwater	I909.2	9'	9	2	FAST	0.420	4.0	2.2	HKF-4	\$140
42F909.4	Salmon/Pike/Saltwater	I909.4	9'	9	4	FAST	0.400	4.0	2.2	HKF-4	\$180
42F9010.2	Salmon/Musky/Saltwater	I9010.2	9'	10	2	FAST	0.430	4.0	2.3	HKF-4	\$140
42F9010.4	Salmon/Musky/Saltwater	I9010.4	9'	10	4	FAST	0.405	4.0	2.4	HKF-4	\$180
42F1105.4	Switch	I1105.4	11'	5	4	FAST	0.365	4.0	2.3	N/A	\$190
42F1106.4	Switch	I1106.4	11'	6	4	FAST	0.375	4.0	2.4	N/A	\$190
42F1107.4	Switch	I1107.4	11'	7	4	FAST	0.395	4.0	2.7	N/A	\$200
42F1108.4	Switch	I1108.4	11'	8	4	FAST	0.425	4.0	3.0	N/A	\$200

SC^{III} GRAPHITE FLY BLANKS (GLOSS CANTEN GREEN PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	LINE WT. RATING	PCS.	ACTION	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3F762.4	Trout	A762.4	7'6"	2	4	MODERATE	0.250	3.0	0.9	HKF-1	\$150
3F603.2	Trout	A603.2	6'	3	2	MODERATE	0.290	3.5	0.7	HKF-1	\$110
3F663.4	Trout	A663.4	6'6"	3	4	MODERATE	0.275	3.5	0.9	HKF-1	\$150
3F703.2	Trout	A703.2	7'	3	2	MODERATE	0.280	3.5	0.8	HKF-1	\$120
3F793.4	Trout	A793.4	7'9"	3	4	MODERATE	0.285	3.5	1.0	HKF-1	\$160
3F664.4	Trout	A664.4	6'6"	4	4	MODERATE	0.280	3.5	0.9	HKF-1	\$150
3F704.2	Trout	A704.2	7'	4	2	MODERATE	0.305	3.5	1.0	HKF-1	\$120
3F794.4	Trout	A794.4	7'9"	4	4	MODERATE	0.300	3.5	1.2	HKF-1	\$160
3F864.4	Trout/Panfish	A864.4	8'6"	4	4	MODERATE	0.325	4.0	1.5	HKF-2	\$170
3F904.2	Trout/Panfish	A904.2	9'	4	2	MODERATE	0.380	4.5	1.9	HKF-2	\$130
3F904.4	Trout/Panfish	A904.4	9'	4	4	MODERATE	0.335	4.5	1.8	HKF-2	\$170
3F805.4	Trout/Panfish	A805.4	8'	5	4	MODERATE	0.340	4.5	1.5	HKF-2	\$170
3F865.4	Trout/Panfish	A865.4	8'6"	5	4	MODERATE	0.330	4.5	1.5	HKF-2	\$180
3F905.2	Trout/Panfish	A905.2	9'	5	2	MODERATE	0.390	4.5	2.0	HKF-2	\$140
3F905.4	Trout/Panfish	A905.4	9'	5	4	MODERATE	0.340	4.5	1.9	HKF-2	\$180
3F906.2	Trout	A906.2	9'	6	2	MODERATE	0.405	4.5	2.1	HKF-2	\$140
3F906.4	Trout	A906.4	9'	6	4	MODERATE	0.345	4.5	1.9	HKF-2	\$180
3F907.4	Steelhead/Bass/Saltwater	A907.4	9'	7	4	MODERATE	0.355	4.5	2.0	HKF-3	\$190

SUGGESTED GUIDE SIZE & SPACING CHART

STYLE	INCHES FROM TIP TOP	SIZE
CASTING (BASS & WALLEYE)		
5'6"	4.5-9.5-15.5-22.5-30-39	12-10-8-6-6-6
6'0"	4.5-9.5-15.5-22.5-31.5-42.5	12-10-8-6-6-6
6'2"	4.5-9.5-15.5-22.5-31.5-42.5	12-10-8-6-6-6
6'6"	4-8.5-13.5-19.5-26.5-34.6-44.5	12-10-8-6-6-6-6
7'0"	5-10.5-16.5-23-31-40-50	12-10-8-6-6-6-6
7'6" tel.	4-9-15-22-30-39-49	12-10-8-6-6-6-6
CASTING (MUSKY)		
6'0"	5-10.5-16.5-24-34.5	20-16-12-10-8
6'6"	5-10.5-16.5-24-32.5-42	20-16-12-10-8-8
7'0"	4.5-9.5-15-21-28.5-37.5-48	20-16-12-10-8-8-8
7'6"	4.5-9-14-19.5-25.5-32.5-41-51	20-16-12-10-8-8-8-8
CASTING (LIGHT SALTWATER)		
7'0"	5-11-17-24-31.5-40-49.5	12-10-10-10-8-8-8
7'6"	5-10-15.5-21.5-28-35.5-44-55	12-10-10-10-8-8-8-8
8'0"	4.5-9.5-15-21-28-36-45.5-57	16-12-10-8-8-8-8-8
CASTING (SALMON/STEELHEAD)		
8'0"	4.5-9.5-15-21-28-36-45.5-57	16-12-10-10-8-8-8-8
8'6"	4.5-9.5-15.5-22.5-30.5-39.5-50-63	16-12-10-10-8-8-8-8
10'6"	4.5-10-16.5-24-32-41-50.5-61-71.5-83	16-12-10-8-8-8-8-8-8-8
SPINNING (BASS & WALLEYE/TROUT & PANFISH)		
4'6"UL	5-11.5-20.5-31	20-10-8-6
5'0"UL	5-10.5-17-25-34.25	20-16-10-8-6
5'6"L-M	5.5-11.5-18.5-26.5-37	25-16-10-8-6
6'0"L-M	4-9-15-22-30-40	25-20-16-10-8-7
6'6"L-M	4-9-15-22.5-31.5-42.5	30-20-16-10-8-7
7'0"L-M	4-8.5-13.5-19.5-27-36-49	30-20-16-10-8-7-6
7'6"L-M	4.5-9.5-15.5-22.5-30.5-41-54	30-20-16-10-8-7-6
SPINNING (SALMON/STEELHEAD)		
7'6"	4.5-9.5-15.5-22.5-30.5-41-54	30-20-16-10-8-7-6
8'6"	5.5-12-19.75-28.5-38-50.75-65	30-20-16-10-8-7-6
9'0"	5-10.5-16.5-23.5-32-42-53-68.5	30-20-16-10-8-7-6
FLY (LIGHT TO MED. FRESHWATER)		
6'0"	4-8.5-13.5-19-25-32-40-50	10-4-4-3-3-2-2-2
6'6"	4-8.5-13.5-19-25-33-41.5-52	12-4-4-3-3-2-2-2
7'0"	4-9-15-21.5-28.5-36.6-45.5-56	12-4-4-3-3-2-2-2
7'6"	4.5-9.5-15.5-22.5-30.5-39.5-49.5-61.5	12-4-4-4-3-3-3-3
8'0"	4.25-9.5-15-21.5-29-37.25-46.25-55.5-65.5	12-4-4-4-4-3-3-3-3
8'6"	4.875-10.375-17.375-25.125-33.125-41.625-50.875-60.875-71.875	12-4-4-4-4-3-3-3-3
9'0"	4-9-15-22-29.5-37.5-46.625-56.75-67.25-78	12-10-4-4-4-4-3-3-3-3
9'6"	4-9-15-22-29.5-37-45-53.25-62.125-71.375-81.25	12-10-4-4-4-4-3-3-3-3
10'0"	4-9-15-22-30-39-48-57.5-68.375-79.375-90	12-10-4-4-4-4-3-3-3-3
FLY (HVY. FRESHWATER & SALT.)		
8'6"	4.875-10.375-17.375-25.125-33.125-41.625-50.875-60.875-71.875	16-12-5-5-5-4-4-4-4
9'0"	4.5-9.5-15.5-22-29-36.5-44.5-54-64-76.5	16-12-5-5-5-5-4-4-4-4
9'0" salt.	4.5-9.5-15.5-21.625-28.875-36.5-44.75-53.25-64-76	20-16-12-6-6-6-5-5-5-5
9'6"	4-9-15-22-29.5-37-45-53.25-61.125-71.375-81.25	16-12-5-5-5-5-4-4-4-4
10'0"	4-9-15-22-30-39-48-57.5-68.375-79.375-90	16-12-5-5-5-5-4-4-4-4

For a complete listing of guide spacing for all St. Croix blanks please refer to our website @ www.stcroixrods.com or write us at:
 St. Croix Rod, Attn./Service Dept., P.O. Box 279, Park Falls, WI 54552



CLOTH SACKS

St. Croix rod sacks are available for most freshwater and many saltwater rod models. They provide added protection when in transit or, sadly, when in storage.



CLOTH ROD SACKS

MODEL	ROD LENGTH & PIECES	NO. OF POCKETS	RETAIL PRICE
RS29	8' - 4 PC., 8'6" - 4 PC.	4	\$10
RS32	9' - 4 PC., 9'6" - 4 PC.	4	\$10
RS36	5'6" - 2 PC.	2	\$10
RS39	6' - 2 PC.	2	\$10
RS42	6'6" - 2 PC.	2	\$10
RS45	7' - 2 PC.	2	\$12
RS48	7'6" - 2 PC.	2	\$12
RS51	8' - 2 PC.	2	\$12
RS54	8'6" - 2 PC.	2	\$12
RS57	9' - 2 PC.	2	\$12
RS60	9'6" - 2 PC.	2	\$12
RS63	10' - 2 PC.	2	\$12
RS66	10'6" - 2 PC.	2	\$12
RS74	6' - 1 PC.	1	\$12
RS80	6'6" - 1 PC.	1	\$12
RS86	7' - 1 PC.	1	\$12
RS92	7'6" - 1 PC.	1	\$12
RS98	8' - 1 PC.	1	\$12

TRAVELER ROD CASES

Each St. Croix Traveler rod case features a durable 1000 denier nylon-covered rod tube. All models include foam-padded ends to protect rod tips and a reinforced handle. Our rod cases feature a divided liner for added protection.

FLY ROD/REEL CASES

MODEL	ROD LENGTH & PIECES	NO. OF POCKETS	RETAIL PRICE
CFRRT29	UP TO 9' - 4 PC.	4	\$30
CFRRT55	UP TO 9' - 2 PC.	2	\$35
CFRRT64	UP TO 10' - 2 PC.	2	\$35

TRAVELER ROD CASES

MODEL	ROD LENGTH & PIECES	NO. OF POCKETS	RETAIL PRICE
RC22	6' - 4 PC.	4	\$30
RC28	8' - 4 PC.	4	\$30
RC29	8'6" - 4 PC.	4	\$30
RC30	6'6" - 3 PC.	4	\$30
RC31	9' - 4 PC.	4	\$30
RC32	7' - 3 PC., 9'6" - 4 PC.	4	\$30
RC34	7'6" - 3 PC.	3	\$30
RC36	5'6" - 2 PC.	2	\$30
RC39	6' - 2 PC.	2	\$30
RC42	6'6" - 2 PC.	2	\$30
RC45	7' - 2 PC.	2	\$30
RC48	7'6" - 2 PC.	2	\$30
RC51	8' - 2 PC.	2	\$40
RC54	8'6" - 2 PC.	2	\$40
RC57	9' - 2 PC.	2	\$40
RC60	9'6" - 2 PC.	2	\$40
RC63	10' - 2 PC.	2	\$40
RC66	10'6" - 2 PC.	2	\$40
RC74	6' - 1 PC.	1	\$50
RC80	6'6" - 1 PC.	1	\$50
RC86	7' - 1 PC.	1	\$50

ICE ROD CASES

MODEL	ROD LENGTH & NO.	RETAIL PRICE
IRC34	32" - 3 Rods & Reels	\$25
IRC44	42" - 3 Rods & Reels	\$25





F1K	FLEX COAT® HIGH BUILD LOADED SYRINGE KIT Two 12 cc. syringes loaded with resin and hardener, 4 finishing brushes, mixing cups and sticks.	\$9.00
F2K	FLEX COAT® HIGH BUILD SUPER KIT To finish your rod and guide wrapping. Includes 2 oz. rod wrapping finish, 2 coded syringes, 5 brushes, 5 mixing cups, sticker and underwrap template.	\$11.50
F2S	2 oz. KIT FLEX COAT® HIGH BUILD WRAP FINISH Color-coded, reusable syringes supplied with 2 oz. kit, guarantees exact, accurate measurement of FLEX COAT® 50/50 mix.	\$9.00
F1KL	FLEX COAT® LITE LOADED SYRINGE KIT 24cc w/brushes, cups & sticks.	\$9.50
F2KL	FLEX COAT® LITE SUPER KIT - 2 oz. w/syringes, brushes, cups & sticks.	\$12.00
F2SL	2 oz. KIT FLEX COAT® LITE WRAP FINISH w/syringes.	\$9.50
L4	FLEX COAT® EPOXY BRUSH CLEANER 4oz.	\$4.00
C1	FLEX COAT® COLOR PRESERVER Great color retention for threads. Non-yellowing, easy-to-use, 2 or 3 coats on regular thread.	\$2.10
G4	4 oz. FLEX COAT® EPOXY GLUE High-strength epoxy for gluing handles, reel seats and butt kits.	\$10.50
Q4	4 oz. KIT FLEX COAT® FIVE MINUTE EPOXY GLUE -Yorker Cap.	\$10.75
T2	FLEX COAT® TIP TOP ADHESIVE Easy to use, has great strength. Instructions included.	\$2.00
J2	FLEX COAT® GUIDE FOOT ADHESIVE	\$2.00
K1	UTILITY KNIFE WITH 6 BLADES	\$4.25
K2	PACKAGE OF 5 KNIFE BLADES	\$2.00
B10	PACKAGE OF 10 - 1/4" BRUSHES - Peg Board.	\$3.50
B10L	PACKAGE OF 10 - 1/8" LITE BRUSHES - Peg Board.	\$3.50
HW1	HAND ROD WRAPPER This extendible rod wrapper can be used for all lengths of rods. Has controlled thread tension and adjustable thread feed. Designed to do precision wrappings.	\$62.00
GM6	FINISHING MOTOR 6 RPM This quality 6 r.p.m. continuous-duty gear motor rotates rod for even drying of finishes — excellent accessory to power wrapper.	\$75.00
GM18	FINISHING MOTOR 18 RPM	\$75.00
36GX25	25 FT. ROLL 1/2" WIDE 36 GRIT REAMER ABRASIVE	\$16.50
D10	FLEX COAT® STEP BY STEP ROD BUILDING BOOK Step-by-step illustrated instructions. Contains techniques for both experienced and first-time rod builders.	\$5.00
D20	FLEX COAT® START TO FINISH FLY ROD BUILDING BOOK Step-by-step illustrated instructions. Contains techniques for both experienced and first-time rod builders.	\$12.25
DV1	FLEX COAT® ROD BUILDING "HOW WE DO IT" VIDEO	\$19.95

FLEX COAT® SMALL BUSINESS START-UP KIT


This kit has the tools, supplies and instructional materials you need to start a small business building and repairing custom rods. Earn extra money, keep your equipment in tip-top shape and get inside fishing information from your customers; the expert fisherman who purchase custom rods and have rods repaired in your shop. This complete start up kit will save you \$\$\$.

FSB1\$189.00

KIT INCLUDES:

- 1- Flex Coat Professional Hand Rod Wrapper
- 1- Flex Coat Professional Finishing Motor
- 1- Flex Coat Step By Step Rod Building Book
- 1- Flex Coat Rod Building "How We Do It" DVD
- 1- Flex Coat High Build 2 oz. kit with two syringes
- 1- Flex Coat Epoxy Glue 4 oz. kit
- 1- Flex Coat Tip Top Adhesive
- 1- Flex Coat Guide Foot Adhesive
- 1- Flex Coat Utility Knife with 6 extra blades
- 1- Flex Coat Reamer Abrasive (12 ft. roll)
- 1- Flex Coat Thread and Line Clippers
- 10- Flex Coat Finishing Brushes
- 10- Flex Coat Mixing Cups
- 10- Flex Coat Mixing Sticks





CUSTOM HANDLE KITS

MODEL & ORDER NO.	TYPE	REEL SEAT	OVERALL LENGTH	BUTT & FLY CORK LENGTH	FOREGRIP & FIGHTING BUTT LENGTH	RETAIL PRICE
HKF-1	Fly	Uplocking, black anodized aluminum with ebony wood spacer.	9 7/8"	6 1/2"	-	\$30.00
HKF-2	Fly	Uplocking, black anodized aluminum with ebony wood spacer.	10 3/8"	7"	-	\$30.00
HKF-3	Fly	Uplocking, black anodized aluminum.	12"	7"	1 1/4"	\$30.00
HKF-4	Fly	Uplocking, black anodized aluminum.	12 1/4"	7"	1 1/2"	\$33.00
HKC-1	Casting	Fuji® TCS 16 with frosted silver hood.	11 1/4"	4 3/4"	2"	\$28.00
HKC-2	Casting	Fuji® TCS 16 with frosted silver hood.	13 1/2"	7"	2"	\$20.00
HKC-3	Casting	Fuji® TCS 16 with frosted silver hood.	15 1/2"	9"	2"	\$20.00
HKC-4	Casting	Fuji® TCS 17 with frosted silver hood.	18 3/8"	11"	2 1/2"	\$23.00
HKC-5	Casting	Fuji® TCS 17 with frosted silver hood.	19 7/8"	12"	3"	\$25.00
HKC-6	Casting	Fuji® TCS 17 with frosted silver hood.	21 3/8"	14"	2 1/2"	\$30.00
HKC-7	Casting	Fuji® TCS 18 with frosted silver hood.	22 1/4"	12"	5"	\$27.00
HKC-8	Casting	Fuji® TCS 18 with frosted silver hood.	24 1/4"	14"	5"	\$28.00
HKS-1	Spinning	Fuji® DPS 16 with frosted silver hoods.	10 1/8"	4"	2"	\$18.00
HKS-2	Spinning	Fuji® DPS 16 with frosted silver hoods.	12 1/8"	6"	2"	\$19.00
HKS-3	Spinning	Fuji® DPS 17 with frosted silver hoods.	12 3/4"	6"	2"	\$20.00
HKS-4	Spinning	Fuji® DPS 17 with frosted silver hoods.	13 3/4"	7"	2"	\$20.00
HKS-5	Spinning	Fuji® DPS 17 with frosted silver hoods.	14 3/4"	8"	2"	\$21.00
HKS-6	Spinning	Fuji® DPS 17 with frosted silver hoods.	17 1/4"	10"	2 1/2"	\$22.00
HKS-7	Spinning	Fuji® DPS 16 with frosted silver hoods.	18 1/8"	6"	8"	\$20.00
HKS-8	Spinning	N/A	11"	-	-	\$20.00
HKS-9	Spinning	N/A	20"	-	-	\$23.00

Every Custom Handle Kit features an 18# urethane foam shim and three black, PVC rubber wind checks.

St. Croix's custom handle kits feature top-quality components and come complete with butt cap cork plugs, winding checks and graphite reel seat shims where applicable.

CORK RINGS

Make your own custom handle shapes from our "super-quality" cork rings.

ORDER NO. 122-101\$.95
 DESCRIPTION 1 1/4" x 1/2" x 1/4" I.D.



ROD BLANK COLORS



GLOSS GALLATIN GREEN



GLOSS BELIZE BLUE



RED METALLIC



GLOSS CANTEEN GREEN PEARL



BELIZE BLUE METALLIC



GLOSS FOREST GREEN PEARL



GLOSS BLUE/GREEN FLIP



GLOSS COBALT BLUE PEARL



CARBON PEARL



GLOSS BLACK PEARL



COPPER PEARL



GLOSS GREEN



FUCHSIA METALLIC



GLOSS BURGUNDY



GLOSS BLACK