



AMERICANA PACK/TRAVEL

Color: Dull Grey

No.	Line Wt.	Length	Pieces
DIAAMBPT3865	5	8'6"	3
DIAAMBPT3905	5	9'	3
DIAAMBPT3906	6	9'	3
DIAAMBPT3908	8	9'	3
DIAAMBPT3909	9	9'	3
DIAAMBPT31078	7/8	10'	3

DIAMONDGLASS SERIES

Color: Gloss Black

No.	Line Wt.	Length	Pieces
DIAGLB502	2	5'	2
DIAGLB605	5	6'	2
DIAGLB663	3	6'6"	2
DIAGLB704	4	7'	2
DIAGLB763	3	7'6"	2
DIAGLB804	4	8'	2

DIAMONDGLASS TRAVEL SERIES

Color: Gloss Black

No.	Line Wt.	Length	Pieces
DIAGLBPT3703	3	7'	3
DIAGLBPT3805	5	8'	3
DIAGLBPT3854	4	8'6"	3

SPINNING BLANKS

Color: Dull Grey

No.	Line Wt.	Length	Pieces	Lure Wt.
DIAFSB5UL	1-4	5'	1	1/32-1/8
DIAFSB6M	6-12	6'	1	1/8-3/8
DIAFSB7MH	8-15	7'	1	3/16-3/4
DIAFSB7ML	6-12	7'	1	1/4-1/2
DIAFSB7SMH	10-20	7'	1	3/8-2 1/2
DIAFSB76L	6-12	7'6"	1	1/4-1/2
DIAFSB66MH2	8-15	6'6"	2	3/16-5/8
DIAFSB7ML2	6-12	7'	2	1/4-1/2
DIAFSB7MH2	8-15	7'	2	3/16-3/4
DIAFSB7SMH2	10-20	7'	2	3/8-2 1/2
DIAFSB86M	10-20	8'6"	2	1/4-1 1/4
DIAFSB10UL	4-8	10'	2	1/16-3/8

CASTING BLANKS

Color: Dull Grey

No.	Line Wt.	Length	Pieces	Lure Wt.
DIAFCB6M	8-14	6'	1	1/4-5/8
DIAFCB66MH	10-17	6'6"	1	1/4-3/4
DIAFCB7MH	10-17	7'	1	1/4-3/4
DIAFCB7M	8-17	7'	1	1/4-3/8
DIAFCB7H	12-30	7'	1	3/4-2 1/2
DIAFCB76L	6-12	7'6"	1	1/4-1/2
DIAFCB86H	12-25	8'6"	2	1/2-5

TROLLING BLANKS

Color: Dull Grey

No.	Line Wt.	Length	Pieces
DIARIG8B	6-10	8'	2
DIARIG9LB	6-12	9'	2
DIARIG9MB	10-17	9'	2
DIARIG9HB	12-20	9'	2
DIARIG9AB	18-30	9'	2

MUSKY BLANKS

Color: Dull Grey

No.	Line Wt.	Length	Pieces	Power
DIAMR176M	1-3	7'6"	1	Medium
DIAMR169	2-4	6'9"	1	Heavy
DIAMR173	2-5	7'3"	1	Medium
DIAMR176	1-2	7'6"	1	Light

In the world of angling, few blanks have become as distinctive and recognized around the world as Diamondback. Handcrafted in a state-of-the-art production facility, every Diamondback blank is the collaborative result of a highly skilled group of dedicated craftsman that, like you, loves to fish.

DIAMONDFLY SERIES

Color: Dark Olive Gloss

No.	Line Wt.	Length	Pieces
DIADFB663	3	6'5"	2
DIADFB704	4	7'	2
DIADFB805	5	8'	2
DIADFB866	5	8'5"	2
DIADFB905	5	9'	2
DIADFB906	6	9'	2
DIADFB908	8	9'	2
DIADFB909	9	9'	2

DIAMONDFLY TRAVEL SERIES

Color: Dark Olive Gloss

No.	Line Wt.	Length	Pieces
DIADFBPT4864	4	8'5"	4
DIADFBPT4904	4	9'	4
DIADFBPT4905	5	9'	4
DIADFBPT4906	6	9'	4
DIADFBPT4967	7	9'5"	4
DIADFBPT4908	8	9'	4
DIADFBPT4909	9	9'	4
DIADFBPT4910	10	9'	4
DIADFBPT4912	12	9'	4

CLASSIC TROUT

Color: Honey Brown

No.	Line Wt.	Length	Pieces
DIACFB704	4	7'	2
DIACFB793	3	7'9"	2
DIACFB8354	5	8'3"	4
DIACFB8644	4	8'6"	4
DIACFB9044	4	9'	4
DIACFB9054	5	9'	4

CLASSIC WESTERN

Color: Honey Brown

No.	Line Wt.	Length	Pieces
DIACWB8844	4	8'6"	4
DIACWB9044	4	9'	4
DIACWB9054	5	9'	4
DIACWB9064	6	9'	4

AMERICANA

Color: Dull Grey

No.	Line Wt.	Length	Pieces
DIAAMB663	3	6'6"	2
DIAAMB764	4	7'6"	2
DIAAMB805	5	8'	2
DIAAMB865	5	8'6"	2
DIAAMB905	5	9'	2
DIAAMB906	6	9'	2
DIAAMB907	7	9'	2
DIAAMB908	8	9'	2
DIAAMB968	8	9'6"	2
DIAAMB909	9	9'	2



LIFT POLE BLANKS (HONEY)

The fiberglass version of a calcutta pole.

NO.	Length
LIGHT Skipjack up to 15 lbs.	10'
MEDIUM Albacore 15-40 lbs.	10'
HEAVY Tuna 50+ lbs.	10'



SUPER SEEKER PROJECT X

COMPOSITE GRAPHITE SALTWATER BLANKS

Super strong Graphite - S-Glass - Epoxy
Color: Reddish Brown




No.	Length	Line	Tip	Butt
SSCLBF706*	7'	12-20	7	0.845
SSCLBF704*	7'	10-15	6.5	0.820
SSCLB804	8'	12-20	6.5	0.805
SSCLB806	8'	15-25	7	0.850
SSCLB806H	8'	20-30	8	0.890
SSCLBF708*	7'	15-25	8	0.860
SSCLB90F*	9'	15-25	7	0.900
SSCJB60XF	6'	15-25	7	0.750
SSCJB65F*	6'6"	15-30	7	0.790
SSCJB70F*	7'	20-30	7	0.825
SSCJB80F*	8'	15-40	8	0.880
SSCJB90F*	9'	20-30	8	0.955
SSCJB65*	6'6"	25-40	9	0.825
SSCJB60*	6'	25-40	9	0.985
SSCJBF60H	6'	40-60	12	1.010
SSCJBF65*	6'6"	25-40	9	1.035
SSCJBF65H*	6'6"	30-50	11	1.050
SSCJBF65XH	6'6"	30-80	12	1.070
SSCJBF70M*	7'	25-40	8	0.985
SSCJBF70*	7'	30-50	9	1.070
SSCJBF70H*	7'	40-60	12	1.115
SSCJBF70XH*	7'	50-80	12	1.125
SSCJBF80	8'	20-40	9	1.020
SSCJBF80H	8'	30-50	10	1.170
SSCJBF80XH	8'	40-60	12	1.120
SSCJBF85	8'6"	20-40	11	1.020
SSCJBF90*	9'	20-40	8	1.07
SSCJBF90M*	9'	25-50	9	1.150
SSCJBF100*	10'	20-50	9	1.18
SSCTS55XH	5'6"	40-60	12	0.850
SSCTS60H	6'	30-60	10	0.830
SSCTS50XXH	5'	60-100	14	0.920
SSCTS55XH*	5'6"	50-80	12	0.860
SSCTS55XXH*	5'6"	60-100	14	0.930
SSCTS55XXXH*	5'6"	80-130	16	0.910
SSCTS60XH	6'	50-80	12	0.925
SSCTS63XXH	6'3"	60-100	14	0.990
SSCTS63XXXH	6'3"	80-130	16	1.010
SSCTS63XXXXH	6'3"	80-150	16	1.000
SS36	8'	15-30	10	0.980
SSD8	8'	20-50	12	1.160
SSBH89*	8'9"	15-30	9	1.05
SSLM9*	9'	20-40	10	1.03
SSLUA93H	9'3"	30-60	14	1.385
SSCULUA93H10	10'	25-60	9	1.354

New State-of-the Art Blanks from Seeker

The combination of Super "S" Glass 120-gram graphite and the latest epoxy Eho4 resin system make these blanks the most powerful, strongest and fastest recoiling we've ever built.

When you're fishing for 200 and 300-pound yellowfin tuna, you're looking for great lifting power with the greatest compression strength with a fast recoil. After 3 years of testing, these blanks were designed to produce what we believe are the most powerful blanks on the market today.

Everyone who's seen these new blanks from Seeker has commented on their superior action and appreciates their look—we combined the classic look with the new state-of-the-art material and resin system with a modern brown and tangerine tint finish.




All Seeker rods are available. Call us for a price.



DEFINITION OF MODULUS

Modulus is a measurement of the stiffness of the fibers when describing graphite. The higher the modulus number, the stiffer and more sensitive the rod. A modulus of 10-15 million is typical, 33-42 million indicates a medium range and is sometimes referred to as IM6. Very sensitive rods can go as high as 50+ million.

COMPOSITE GRAPHITE/"E" SALTWATER ROD BLANKS

A composite of E-Glass fiberglass and uni-directional 30 million modulus graphite make these the newest and lightest saltwater blanks available. SEEKER™ has done extensive research on mandrel and pattern design to offer the ultimate in a composite blank.

SEEKER'S™ resin system, E-glass and graphite are combined so that there are alternation layers in both materials in the butt section on the blank. SEEKER'S™ unique use of E-Glass provides unequalled durability and strength throughout the length of the blank while the unidirectional graphite adds stiffness for hook setting and fish fighting power at a 30% to 40% weight savings in the blank!

Available in a honey gold color that transitions to natural graphite charcoal color in the butt. Also available in jet black E-Glass that transitions to natural graphite charcoal color in the butt.

All blanks are one piece unless otherwise noted.

COMPOSITE GRAPHITE SALTWATER BLANKS

Color: Black with Charcoal Butt

NO.	LNTH.	LINE	ACTION	TIP	BUTT
LIVE BAIT					
CLB602	6'2"	8-12	FAST	6	0.620
CLB604	6'	8-12	FAST	6½	0.640
CLB606	6'	12-20	FAST	7	0.680
CLB702	7'	8-15	FAST	6	0.700
CLB704	7'	10-25	FAST	6½	0.735
CLB706	7'	12-30	FAST	7	0.765
CLB708	7'	15-40	FAST	8	0.780
CLB804	8'	10-25	FAST	6½	0.770
CLB806	8'	12-30	FAST	7	0.775
CLB806H	8'	15-40	FAST	8	0.780
CLBF704	7'	10-15	FAST	6	0.800
CLBF706	7'	12-20	FAST	6½	0.835
CLBF708	7'	15-25	FAST	7	0.860
JIG STYLE					
CJB60XF	6'	15-40	FAST	6½	0.940
CJB60	6'	20-40	FAST	9	0.740
CJB65F	6'6"	15-40	FAST	7	0.925
CJB65	6'6"	20-40	FAST	9	0.775
CJB65H	6'6"	30-80	FAST	10	0.855
CJB70F	7'	20-40	FAST	7	0.975
CJB70	7'	20-50	FAST	9	0.790
CJB70H	7'	30-80	FAST	10	0.875
CJB80F	8'	20-30	FAST	7	1.000
CJB90F	9'	20-30	-	7	1.200
CJB80H	8'	30-80	FAST	10	0.920
FAST TAPER JIG & BAIT					
CJBF60	6'	20-40	FAST	8	0.740
CJBF60H	6'	40-60	FAST	8	1.000
CJBF65	6'6"	20-40	FAST	8	1.015
CJBF65XH	6'6"	30-80	FAST	12	1.050
CJBF65H	6'6"	30-50	FAST	11	1.050
CJBF70	7'	30-50	FAST	9	1.080
CJBF70M	7'	30-40	FAST	-	-
CJBF70H	7'	40-60	FAST	11	1.100
CJBF70XH	7'	50-80	FAST	12	1.125
CJBF80	8'	20-40	FAST	9	1.145
CJBF80H	8'	30-50	FAST	9	1.160
CJBF80XH	8'	40-60	FAST	10	1.21
CJBF90M	9'	25-60	FAST	9	1.125
TUNA					
CTS55H	5'6"	30-80	FAST	10	0.830
CTS55XH	5'6"	40-60	FAST	12	0.825
CTS60H	6'	30-60	FAST	10	0.830
CTS60XH	6'	40-100	FAST	12	0.855





NO.	LNGTH.	LINE	LURE	TIP	BUTT
FAST TAPER					
CTSF50XXH	5'	60-100	FAST	14	0.900
CTSF55XH	5'6"	50-80	FAST	12	0.875
CTSF55XXH	5'6"	60-100	FAST	14	0.930
CTSF55XXXH	5'6"	80-130	FAST	16	0.950
CTSF60XH	6'	50-80	FAST	12	1.060
CTSF60XXH	6'	60-130	FAST	14	1.060
CTSF60XXXH	6'	80-130	FAST	16	0.945
CTSF63XXH	6'3"	60-100	FAST	14	1.100
CTSF63XXXH	6'3"	80-130	FAST	14	1.000
CTSF63XXXH	6'3"	80-150	FAST	16	1.100
MEDIUM ACTION / LIVE BAIT & JIG					
CSB807	8'	20-30	-	9	0.785
CSB907	9'	20-30	-	9	0.860
CSB909	9'	25-50	-	10	0.940
CSJ90	9'	20-30	-	8	0.940
CSJ100	10'	20-40	-	8	0.970
BASS CASTING - SPINNING & POPPING					
CBS705	7'	8-15	3/8 - 3/4	5	0.575
CBS706	7'	8-20	1/2 - 1	5 1/2	0.580
CBS707	7'	10-25	3/8 - 1 1/2	5 1/2	0.585
INSHORE					
CSW556	5'6"	10-15	3/4 - 1 1/2	6.5	0.510
CBW598	5'9"	15-25	3/4 - 1 1/2	7	0.790
CBW658	6'6"	15-25	1/2 - 2	7	0.800
CSW705	7'	8-15	3/8 - 3/4	6	0.640
CSW706	7'	10-17	1/2 - 1	6 1/2	0.665
CSW708	7'	12-20	3/4 - 1 1/2	7	0.680
CBW709	7'	20-30	1-3	8	0.800
CBW809	8'	20-30	-	8	0.875
CSW857	8'6"	10-17	-	7	0.800
CSW858	8'6"	12-20	3/4 - 2 1/2	7	0.820
CSW908	9'	12-20	3/4 - 2 1/2	7	0.850
CSW808	8'	15-25	1/2 - 3	8	0.860
CSW1008	10'	15-25	1/2 - 3	8	0.900



PREMIUM QUALITY "E" GLASS/BORON SALTWATER ROD BLANKS

The hottest new blanks from Southern California - developed by a group of experts. Manufactured in a modern facility utilizing specialty built equipment, tools and materials. Stocked blanks are Black. All are available in Gold as a special order.

PREMIUM QUALITY SALTWATER ROD BLANKS

Color: All blanks are black and one-piece, unless otherwise noted.

NO.	LNGTH.	LINE	LURE	TIP	BUTT
FAST ACTION LIVE BAIT					
LB701	7'	8-15	-	6	0.785
LB702	7'	8-20	-	6	0.830
LB704	7'	10-25	-	6 1/2	0.900
LB706	7'	12-30	-	7	0.930
LB708	7'	15-40	-	8	0.955
LB799	7'9"	20-50	-	8	0.980
LB804	8'	10-25	-	6 1/2	0.965
PT80	8'	10-25	-	7	0.890
LB806H	8'	15-40	-	8	0.995
LB90	9'	15-40	-	8	0.970
LB100	10'	15-40	-	8	1.070
LB806	8'	12-30	-	7	0.980
JIG & HEAVY BAIT					
JB60L	6'	20-40	-	9	0.805
JB60	6'	20-50	-	9	0.870
JB65L	6'6"	20-40	-	9	0.855
JB65	6'6"	20-50	-	9	0.950
JB65H	6'6"	30-80	-	10	0.990
JB65XH	6'6"	40-100	-	11	0.995



<u>NO.</u>	<u>LNTH.</u>	<u>LINE</u>	<u>LURE</u>	<u>TIP</u>	<u>BUTT</u>
JB70L	7'	20-40	-	9	0.920
JB70	7'	20-50	-	9	0.975
JB70H	7'	30-80	-	10	1.015
JB80	8'	20-50	-	9	0.930
JB80H	8'	30-80	-	10	1.080
JB80XH	8'	40-100	-	12	1.045
LONG RANGE STAND UP TUNA					
TS55	5'6"	20-50	-	9	0.885
TS55H	5'6"	30-80	-	10	0.900
TS55XH	5'6"	40-100	-	12	0.930
TS55XXH	5'6"	50-130	-	14	0.950
TS59XXXH	5'9"	60-150	-	16	1.050
TS60H	6'	30-80	-	10	0.895
TS60XH	6'	40-100	-	12	0.970
TS63XXH	6'	50-130	-	14	1.000
FAST TAPER STAND UP TUNA - Specify (B) Black or (W) White					
TSF55XL-B	5'6"	15-30	-	9	0.800
TSF55XL-W	5'6"	15-30	-	9	0.800
TSF55L-B	5'6"	20-40	-	9	0.935
TSF55L-W	5'6"	20-40	-	9	0.935
TSF55-B	5'6"	20-50	-	9	0.990
TSF55-W	5'6"	20-50	-	9	0.990
TSF55H-B	5'6"	30-80	-	10	0.975
TSF55H-W	5'6"	30-80	-	10	0.975
TSF55XH-B	5'6"	40-100	-	12	1.030
TSF55XH-W	5'6"	40-100	-	12	1.030
TSF55XXH-B	5'6"	50-130	-	14	0.995
TSF55XXH-W	5'6"	50-130	-	14	0.995
TSF60H-B	6'	30-80	-	10	0.990
TSF60H-W	6'	30-80	-	10	0.990
TSF60XH-B	6'	40-100	-	12	1.090
TSF60XH-W	6'	40-100	-	12	1.090
TSF60XXH-B	6'	50-130	-	14	1.055
TSF60XXH-W	6'	50-130	-	14	1.055
MEDIUM ACTION LIVE BAIT & JIG					
SB803	8'	10-15	-	6½	0.830
SB805	8'	15-25	-	7	0.855
SB806	8'	15-30	-	7	0.900
SB807	8'	20-30	-	9	0.965
SB903	9'	12-20	-	6½	0.860
SB906	9'	15-30	-	7	0.930
SB907	9'	20-30	-	9	0.970
SB908	9'	25-40	-	9	1.015
SB909	9'	30-50	-	10	1.015
JIG/BAIT & SURF					
SJ85	8'6"	20-30	-	8	1.160
SJ90	9'	20-30	-	8	1.200
SJ90F	9'	20-50	-	8	1.240
SJ100L	10'	20-30	-	8	1.290
SJ100	10'	20-40	-	8	1.355
SJ100H	10'	20-60	-	8	1.375
SJ100XH	10'	20-80	-	10	1.410
SJLUAEXT	*+5"				
TWO-PIECE SURF					
SU80	8'	12-20	1-3	6½	0.900
SU90	9'	12-20	1-4	6½	0.960
SU100L	10'	12-20	2-4	7	1.055
SU105H	10'6"	20-40	4-8	14	1.205
SU120	12'	15-30	3-6	7	1.270
SU150	15'	15-40	4-8	7	1.580
BREAKWATER BASS					
BW607XF	6'	12-20	-	6	0.770
BW639XF	6'3"	20-30	-	7	0.895





NO.	LNGTH.	LINE	LURE	TIP	BUTT
EAST & GULF COAST PLUG & SPINNING - Specify (B) Black or (W) White					
PS72-B	7'2"	10-20	-	7	0.700
PS72-W	7'2"	10-20	-	7	0.700
PS78-B	7'8"	12-30	-	7	0.780
PS78-W	7'8"	12-30	-	7	0.780
PS80-B	8'	15-25	-	6	0.815
PS80-W	8'	15-25	-	6	0.815
PS85-B	8'6"	20-40	-	8	0.985
PS85-W	8'6"	20-40	-	8	0.985
PS90-B	9'	15-25	-	6	1.076
PS90-W	9'	15-25	-	6	1.076
PS100	10'	20-40	-	8	1.245
ROCK COD & GAFF					
4GAFF	4'	-	-	30(¼ I.D.)	0.765
6GAFF	6'	-	-	30(¼ I.D.)	0.930
8GAFF	8'	-	-	30(¼ I.D.)	1.050
10GAFF	10'	-	-	30(¼ I.D.)	1.170
ONE-PIECE BAIT & TROLLING - Specify (B) Black or (W) White					
BT20-B	7'	18-25	-	10	0.850
BT20-W	7'	18-25	-	10	0.850
BT30-B	7'	25-40	-	14	0.905
BT30-W	7'	25-40	-	14	0.905
BT50-B	7'	40-60	-	16	0.995
BT50-W	7'	40-60	-	16	0.995
2 PIECE MAAGNUM TAPER HEAVY					
MS65	6'6"	8-15	-	5.5	1.000
MS70	7'	8-15	-	5.5	1.000
MS75	7'6"	8-15	-	5.5	1.000
MAGNUM TAPER BAIT					
MB79	7'9"	10-25	-	7	1.000
MB83	8'3"	10-20	-	6	1.000
MARLIN LIVE BAIT					
MLB16	7'	16	-	9	0.820
MLB20	7'	20	-	9	0.890
MLB30	7'	30	-	9	0.905
MLB50	7'	50	-	9	0.930
MLB30H	7'3"	30	-	10	0.900
COMMERICAL LIFT POLE FAST TAPER					
BAIT	10'				
SQUID	10'				

IGFA TROLLING ROD BLANKS

Available in black or white paint finish, a heavy duty trolling rod blank for the finest custom trolling rods. Designed especially for East Coast, Gulf Coast, Hawaii and Australia. Designed for standard AFTCO Uni-butt ferrules. Up to 6" of the blank butt may be trimmed off without affecting the butt diameter. The blanks are smoothly polished and finished with several coats of white or black epoxy paint for an impeccable finish.

IGFA TROLLING ROD BLANKS - Specify (B) Black or (W) White. Please specify when ordering.

NO.	LNGTH.	LINE	LURE	TIP	BUTT
I.G.F.A. TROLLING					
IGFA12	5'8"	12	-	11	0.745
IGFA16	5'8"	16	-	12	0.745
IGFA20-B	5'8"	20	-	13	0.745
IGFA20-W	5'8"	20	-	13	0.745
IGFA30-B	5'8"	30	-	16	0.745
IGFA30-W	5'8"	30	-	16	0.745
IGFA30H	5'8"	30	-	16	0.745
IGFA50-B	5'8"	50	-	17	0.870
IGFA50-W	5'8"	50	-	17	0.870
IGFA50H	5'8"	50	-	17	0.870
IGFA80STUBBIE	3'7"	80	-	23	0.995
IGFA80-B	5'9"	80	-	23	0.995
IGFA80-W	5'9"	80	-	23	0.995
IGFA80H	5'9"	80	-	23	0.995



NO.	LNGLH.	LINE	LURE	TIP	BUTT
IGFA130-B	5'10"	130	-	29	1.180
IGFA130-W	5'10"	130	-	29	1.180
IGFA180-B	6'6"	180	-	23	1.180
IGFA180-W	6'6"	180	-	23	1.180
IGFA180H	6'6"	UNLMT	-	23	1.315

FIBERGLASS "E" GLASS/BORON FRESHWATER LIGHT SALTWATER ROD BLANKS

A versatile line of freshwater and light saltwater blanks. These blanks feature special thin-wall designs and a high density lamination process that reduces weight and increases performance. Two-piece models feature our TRANSFLEX™ ferrule, that produces smooth power-transition between the tip and butt sections of the blank. This gives our two-piece blanks the strength and feel of a one piece rod.

FIBERGLASS FRESHWATER LIGHT/ SALTWATER BLANKS

Color: Black. Blanks are one piece, unless specified.

ITEM	LNGLH.	LINE	LURE	TIP	BUTT
FRESHWATER SPINNING					
SP5011	5'	2-4	1/16 - 1/4	5 1/2	0.370
SP5501	5'6"	1-4	1/32 - 3/16	4 1/2	0.465
SP6011	6'	2-6	1/16 - 1/4	5 1/2	0.420
SP6521	6'6"	2-8	1/8 - 3/8	5 1/2	0.610
SP7021	7'	2-8	1/8 - 3/8	6	0.430
SP7031	7'	4-10	1/4 - 5/8	5 1/2	0.680
SP7041	7'	6-12	1/4 - 5/8	5	0.685
SP7531	7'6"	4-10	1/4 - 1/2	5 1/2	0.725
2-PIECE FRESHWATER SPINNING					
SP551	5'6"	2-6	1/8 - 5/16	5	0.500
SP601	6'	2-6	1/8 - 5/16	5 1/2	0.540
SP602	6'	2-8	1/8 - 3/8	5	0.490
SP603	6'	4-10	1/4 - 1/2	5	0.550
SP604	6'	6-12	1/4 - 5/8	5	0.640
SP652	6'	2-8	1/8 - 3/8	5	0.535
SP653	6'6"	4-10	1/4 - 1/2	5	0.590
SP654	6'6"	6-12	1/4 - 5/8	5 1/2	0.635
SP700	7'	1-4	1/32 - 3/16	4 1/2	0.465
SP703	7'	4-10	1/4 - 1/2	5	0.640
SP704	7'	6-12	1/4 - 5/8	5 1/2	0.660
SP753	7'6"	4-10	1/4 - 1/2	6	0.665
SP754	7'6"	6-12	1/4 - 5/8	5 1/2	0.790
BASS SPINNING					
BS552	5'6"	4-10	1/8 - 3/8	4 1/2	0.605
BS553	5'6"	6-12	1/8 - 5/8	5	0.610
BS591	5'9"	4-8	1/16 - 5/16	4 1/2	0.535
BS604	6'	8-15	1/4 - 3/4	5	0.655
BS655	6'6"	8-17	3/8 - 3/4	5	0.705
BS701	7'	4-8	1/16 - 5/16	4 1/2	0.630
BS705	7'	8-17	3/8 - 3/4	5	0.765
BS706	7'	8-20	1/2 - 1	6	0.775
BS756	7'6"	8-20	1/2 - 1	4 1/2	0.845
BASS CASTING					
BC604	6'	6-15	3/8 - 1/2	5	0.660
BC605	6'	8-17	1/4 - 3/4	5	0.675
BC606	6'	8-20	3/8 - 1	5 1/2	0.675
BC607	6'	10-25	3/8 - 1 1/4	5	0.690
BC705	7'	8-20	1/4 - 3/4	5	0.785
BC706	7'	10-20	3/8 - 1	5 1/2	0.785
BASS FLIPPING STICK					
BF758	7'6"	12-30	3/8 - 2	7	0.810
BF758X(2 pc.)	7'6"	12-30	3/8 - 2	7	0.810
"S" GLASS BASS					
BS706S	7'	10-20	-	5.5	0.785





<u>NO.</u>	<u>LNTH.</u>	<u>LINE</u>	<u>LURE</u>	<u>TIP</u>	<u>BUTT</u>
BC706S	7'	12-25	-	6	0.795
BS756S	7'6"	10-20	-	5.5	0.900
MUSKY					
MU606	6'	12-30	1-3	11	0.810
POPPING					
P702	7'	6-12	1/4 - 1/2	5	0.685
P704	7'	8-15	1/4 - 3/4	5 1/2	0.685
P706	7'	10-20	1/2 - 1	6	0.775
P708	7'	12-25	1-3	8	0.825
STEELHEAD, SALMON MOOCHING & DOWNRIGGER - ALL 2 PIECE BLANKS					
SH792	7'9"	6-15	1/4 - 5/8	5	0.720
SH804	8'	8-20	3/8 - 1	5	0.810
SH832	8'3"	6-15	1/4 - 5/8	4 1/2	0.775
SH851	8'6"	6-12	1/8 - 1/2	4 1/2	0.705
SH854	8'6"	8-20	3/8 - 1	5	0.865
SH904	9'	8-20	3/8 - 1	5	0.910
SH1004	10'	8-20	3/8 - 1	5	1.000
SH1056	10'6"	10-20	3/8 - 1 1/2	7	0.850
SALMON MOOCHING - ALL 2 PIECE BLANKS					
SA853F	8'6"	10-25	5/8 - 1 1/2	5 1/2	0.940
SA896F	8'9"	12-30	1 - 2 1/2	8	0.920
CSA896	8'9"	15-30	1 1/2 - 3	8	0.930
DOWNRIGGER - ALL 2 PIECE BLANKS					
SP7021	7'	2-8	-	-	-
DR822	8'2"	6-15	3/4 - 1	5	0.795
CLASSIC T.M. SERIES - SALTWATER / FRESHWATER SPINNING					
110	6'	2-6	-	4 1/2	0.400
120-512	5'6"	2-8	-	5	0.560
120-6	6'	2-8	-	5	0.560
130-612	6'6"	4-10	-	5 1/2	0.665
130-7	7'	4-10	-	5 1/2	0.735
147	7'	6-12	-	6 1/2	0.830
FAST ACTION LIVE BAIT					
1956	6'	8-20	-	6	0.710
195H-6	6'	10-25	-	7	0.710
196-6	6'	10-25	-	6 1/2	0.790
196H-6	6'	12-30	-	7	0.820
196L-7	7'	8-20	-	6 1/2	0.875
196-7	7'	10-25	-	6 1/2	0.875
196L-8	8'	8-20	-	6	0.950
196-8	8'	10-25	-	6 1/2	0.950
196H-8	8'	12-30	-	8	0.960
210	7'6"	10-30	-	7	0.850
220	8'6"	10-30	-	7	0.915
229	9'	10-30	-	6	0.815
270-6	6'	12-30	-	7	0.800
270-7	7'	12-30	-	8	0.925
270H-7	7'	15-40	-	8	0.925
270-8	8'	12-30	-	7	0.990
270H-8	8'	15-40	-	8	0.995
865	6'6"	15-40	-	8	0.920
865H	6'6"	20-50	-	9	0.975
865XH	6'6"	25-60	-	10	1.020
870	7'	15-40	-	8	0.960
970	7'	15-40	-	7	0.975
6865	6'6"	15-40	-	8	0.970
6870	7'	20-50	-	8	1.005
JIG & HEAVY BAIT					
660L	6'	20-40	-	8	0.820
660	6'	20-50	-	9	0.910
665L	6'6"	20-40	-	8	0.855
665	6'6"	20-50	-	9	0.910





NO.	LNGTH.	LINE	LURE	TIP	BUTT
665H	6'6"	30-80	-	10	1.025
665XH	6'6"	40-100	-	11	1.025
670L	7'	20-40	-	9	0.915
670	7'	20-50	-	9	0.970
670-8	8'	20-50	-	9	1.050
670-9	8'	20-50	-	9	1.115
670H	7'	30-80	-	10	1.045
670XH	7'	40-100	-	11	0.990
670H-8	8'	30-80	-	10	1.100
690J	9'	15-40	-	9	1.015
FAST TAPER JIG & BAIT					
6460L	6'	20-40	-	8	0.920
6460	6'	20-50	-	9	0.990
6465L	6'6"	20-40	-	8	0.965
6465	6'6"	20-50	-	9	1.035
6465H	6'6"	30-80	-	10	1.065
6470	7'	20-50	-	9	1.080
6480	8'	20-50	-	8	1.085
LONG RANGE STAND UP TUNA					
655	5'6"	20-50	-	9	0.885
655H	5'6"	30-80	-	10	0.900
655XH	5'6"	40-100	-	12	0.990
655XXH	5'6"	50-130	-	14	0.935
660H	6'	30-80	-	10	0.945
660XXH	6'	50-130	-	14	0.990
FAST TAPER STAND UP TUNA					
6450XXH	5'	50-130	-	14	0.965
6455L	5'6"	20-40	-	8	0.900
6455	5'6"	20-50	-	9	0.945
6455H	5'6"	30-80	-	10	0.950
6455XH	5'6"	40-100	-	12	0.965
6455XXH	5'6"	50-130	-	14	0.990
6460H	5'6"	30-80	-	10	1.015
6460XH	5'6"	40-100	-	12	1.025
6460XXH	5'6"	50-130	-	14	1.050
JIG & SURF					
530	9'	15-40	-	9	0.975
540	10'	20-50	-	9	1.310
550	9'	20-80	-	9	0.900
ROCK COD					
775-7	7'	50-100	-	18	0.945
775-712	7'6"	50-100	-	20	0.970
775-8	8'	50-100	-	20	0.990
SPECIALTY					
200	7'	10-20	-	7	0.775
330	7'	15-40	-	12	0.830
400	7'	10-30	-	7	0.775
500	7'	20-30	-	8	0.880
600	7'	25-60	-	8	1.020
610H	7'	30-80	-	10	1.117
700	7'9"	15-50	-	10	0.990
800	8'	20-60	-	8	1.080
820	7'6"	15-50	-	8	1.025



Note: Many of the special order blanks from most companies are able to be drop shipped to save time. Ask for details.

MERRICK TACKLE

STRATOSPHERE BLANKS

Black or White



Solid Fiberglass

Solid fiberglass blanks, all painted black and packed individually in poly bags. These blanks are out of this world. Check the index to find the recommended wood butts.

No.	Description	Line Wt.	Length	Butt Size	Tip	Use Wood Butt #
*SHA0321	.480 x .187 x 76"	10-20	76"	0.48	12	MT31
*SHA0320	.546 x .187 x 76"	12-20	76"	0.546	12	MT33
*SHA0126	.546 x .240 x 80"	20-30	80"	0.546	16	MT33
*SHA0077	.595 x .280 x 76"	30-50	76"	0.595	18	MT33
SHA0482	.695 x .343 x 86"	60-80	86"	0.695	20	Sleeve Butt
STANDUP TAPER						
SHA1351	.695 x .210 x 72"	30-80	72"	0.695	14	Sleeve Butt

* Add "w" for white

Also available in white:
SHA0321w
SHA0320w
SHA0126w
SHA0077w

Sleeve Butts & Wood Butts are located in the index.



Blanks

SCV

St. Croix's new high-modulus/high-strain graphite is the ultimate in high performance, and delivers greater strength without sacrificing fishing performance. Results in fast, quick-loading rods that cast with unbelievable ease and accuracy. Combined with our new 100% carbon-matte scrim to create blanks with weights up to 20% lighter than competitive models.

SCIV

An extraordinary high-performance, high-modulus graphite. Produces extremely lightweight rods with crisp, fast actions and an incredible transfer of power. Also very sensitive.

SCIII

An advanced high-modulus graphite that delivers maximum durability and sensitivity. Not as fast as SCIV, but creates rods with a smooth, light feel in the hand. Superb power.

SCII

Powerful, durable graphite. Very light and sensitive. Great performance vs. cost.

SCIIW

St. Croix's newest, advanced graphite material. They took their reliable standard modulus SCII graphite and created a new woven layout. The result is a blank with superior hoop strength and incredibly high impact-resistance. Used exclusively in their new Premier Saltwater offshore rods.

SCI

St. Croix's own specialized linear fiberglass matrix. Stronger, lighter and higher in modulus than ordinary fiberglass. Produces a softer action than graphite that is ideal for trolling and fishing fast-reaction baits such as crank baits and spinner baits.

E-GLASS

Traditional, premium-quality fiberglass with our custom resin system. Very durable and dependable. Designed for rugged saltwater use.



ITEM NO.	TYPE	LGTH.	PCS.	ACTION	LINE WGT. RATING	BUTT DIA.	TIP SIZE	BLANK WGT.
SC V GRAPHITE FRESHWATER FLY - Color: Gloss Gallatin Green Finish								
5FF7934	TROUT	7'9"	4	FAST	3	0.285	3.0	1.0
5FF8644	TROUT/PANFISH	8'6"	4	FAST	4	0.325	4.0	1.3
5FF9044	TROUT/PANFISH	9'	4	FAST	4	0.315	3.5	1.4
5FF8654	TROUT/PANFISH	8'6"	4	FAST	5	0.330	4.0	1.5
5FF9054	TROUT/PANFISH	9'	4	FAST	5	0.325	3.5	1.6
5FF9064	TROUT	9'	4	FAST	6	0.340	4.0	1.7
5FF9074	BASS/STEELHEAD	9'	4	FAST	7	0.350	4.0	1.8
5FF9674	SALMON/STEELHEAD	9'6"	4	FAST	7	0.350	4.0	1.9
5FF9084	BASS/SALMON/STLHD	9'	4	FAST	8	0.375	4.0	1.9
5FF9684	SALMON/STEELHEAD	9'6"	4	FAST	8	0.380	4.0	2.0
5FF9094	SALMON/PIKE	9'	4	FAST	9	0.385	4.0	2.1
5FF90104	SALMON/MUSKY	9'	4	FAST	10	0.405	4.0	2.3
SC V GRAPHITE SALTWATER FLY - Color: Gloss Belize Blue Finish								
5FS9064	LIGHT SALTWATER	9'	4	FAST	6	0.360	4.0	1.8
5FS9074	SALTWATER	9'	4	FAST	7	0.380	4.0	2.0
5FS9084	SALTWATER	9'	4	FAST	8	0.400	4.0	2.1
5FS9094	SALTWATER	9'	4	FAST	9	0.415	4.0	2.3
5FS90104	SALTWATER	9'	4	FAST	10	0.425	4.0	2.5
5FS90124	BIG GAME SALTWATER	9'	4	FAST	12	0.440	5.0	2.8



Blanks

ITEM NO.	TYPE	LGTH.	PCS.	ACTION	LINE WGT. RATING	BUTT DIA.	TIP SIZE	BLANK WGT.
SC IV GRAPHITE FLY - Color: Matte Spruce Green Finish								
4F7624	TROUT	7'6"	4	FAST	2	0.245	3.0	0.9
4F7934	TROUT	7'9"	4	FAST	3	0.290	3.5	1.0
4F7644	TROUT	7'6"	4	FAST	4	0.315	4.0	1.3
4F8044	TROUT	8'	4	FAST	4	0.320	4.0	1.4
4F8644	TROUT	8'6"	4	FAST	4	0.325	4.0	1.4
4F9042	TROUT	9'	2	FAST	4	0.345	4.0	1.7
4F9044	TROUT	9'	4	FAST	4	0.335	4.0	1.8
4F8054	TROUT	8'	4	FAST	5	0.330	4.0	1.5
4F8654	TROUT/JACKLIN	8'6"	4	FAST	5	0.330	4.0	1.5
4F9052	TROUT	9'	2	FAST	5	0.360	4.5	1.8
4F9054	TROUT	9'	4	FAST	5	0.340	4.0	1.7
4F9055	TROUT	9'	5	FAST	5	0.345	4.0	2.1
4F10054	TROUT	10'	4	FAST	5	0.370	4.0	2.3
4F9062	TROUT	9'	2	FAST	6	0.365	4.5	1.9
4F9064	TROUT	9'	4	FAST	6	0.345	4.0	1.7
4F9065	TROUT	9'	5	FAST	6	0.360	4.0	2.1
4F10064	TROUT	10'	4	FAST	6	0.385	4.0	2.6
4F9074	STEELHEAD/BASS/SW	9'	4	FAST	7	0.350	4.5	1.7
4F9674	STEELHEAD	9'6"	4	FAST	7	0.360	4.5	2.1
4F10074	STEELHEAD	10'	4	FAST	7	0.390	4.5	2.7
4F8984	BASS-CLOUSER	8'9"	4	MOD-FAST	8	0.380	4.5	2.0
4F9082	BASS/SALMON/STHD/SW	9'	2	FAST	8	0.415	4.5	2.3
4F9084	BASS/SALMON/STHD/SW	9'	4	FAST	8	0.385	4.5	2.0
4F9085	BASS/SALMON/STHD/SW	9'	5	FAST	8	0.380	4.5	2.3
4F9684	STEELHEAD/SALMON	9'6"	4	FAST	8	0.380	4.5	2.3
4F10084	STEELHEAD/SALMON	10'	4	FAST	8	0.415	4.5	2.8
4F9092	SALTWATER/SALMON/PIKE9'	9'	2	FAST	9	0.425	4.5	2.5
4F9094	SALTWATER/SALMON/PIKE9'	9'	4	FAST	9	0.395	4.5	2.2
4F10694	SALTWATER-POPOVICS	10'6"	4	FAST	9	0.510	5.0	3.2
4F90104	SALT/SALMON/MUSKY	9'	4	FAST	10	0.410	4.5	2.4
4F90124	SALTWATER	9'	4	FAST	12	0.440	5.0	3.0
4F126674	SPEY	12'6"	4	MOD-FAST	6/7	0.470	4.5	3.8
4F13784	SPEY	13'	4	MOD-FAST	7/8	0.485	4.5	4.3
4F14894	SPEY	14'	4	MOD-FAST	8/9	0.535	5.0	5.4
4F159104	SPEY	15'	4	MOD-FAST	9/10	0.600	5.5	6.4
SC III GRAPHITE FLY - Color: Gloss Canteen Green Pearl Finish								
3F7624	TROUT	7'6"	4	MOD-FAST	2	0.250	3.0	0.9
3F6032	TROUT	6'	2	MOD-FAST	3	0.290	3.5	0.7
3F7032	TROUT	7'	2	MOD-FAST	3	0.280	3.5	0.8
3F7934	TROUT	7'9"	4	MOD-FAST	3	0.285	3.5	1.0
3F6644	TROUT	6'6"	4	MOD-FAST	4	0.280	3.5	0.9
3F7644	TROUT	7'6"	4	MOD-FAST	4	0.295	3.5	1.0
3F8044	TROUT/PANFISH	8'	4	MOD-FAST	4	0.320	4.0	1.4
3F8644	TROUT/PANFISH	8'6"	4	MOD-FAST	4	0.325	4.0	1.5
3F9042	TROUT/PANFISH	9'	2	MOD-FAST	4	0.380	4.5	1.9
3F9044	TROUT/PANFISH	9'	4	MOD-FAST	4	0.335	4.5	1.8
3F8054	TROUT/PANFISH	8'	4	MOD-FAST	5	0.340	4.5	1.5
3F8654	TROUT/PANFISH	8'6"	4	MOD-FAST	5	0.330	4.5	1.5
3F9052	TROUT/PANFISH	9'	2	MOD-FAST	5	0.390	4.5	2.0
3F9054	TROUT/PANFISH	9'	4	MOD-FAST	5	0.340	4.5	1.9
3F9062	TROUT/PANFISH	9'	2	MOD-FAST	6	0.405	4.5	2.1
3F9064	TROUT/PANFISH	9'	4	MOD-FAST	6	0.345	4.5	1.9
3F9074	BASS/STEEL/SALT	9'	4	MOD-FAST	7	0.355	4.5	2.0
3F9674	STEELHEAD	9'6"	4	MOD-FAST	7	0.355	4.5	2.1
3F9082	BASS/SALM/STEEL/SALT	9'	2	MOD-FAST	8	0.410	4.5	2.2
3F9084	BASS/SALM/STEEL/SALT	9'	4	MOD-FAST	8	0.375	4.5	2.1
3F9684	STEEL/SALMON	9'6"	4	MOD-FAST	8	0.380	4.5	2.3
3F9092	SALT/SALMON/PIKE	9'	2	MOD-FAST	9	0.430	4.5	2.4
3F9094	SALT/SALMON/PIKE	9'	4	MOD-FAST	9	0.395	4.5	2.3
3F90104	SALMON/MUSKY/SALT	9'	4	MOD-FAST	10	0.405	4.5	2.4
3F13783	SPEY	13'	3	MOD-FAST	7/8	0.465	5.5	4.8
3F149103	SPEY	14'	3	MOD-FAST	9/10	0.590	6.0	5.8
3F1510113	SPEY	15'	3	MOD-FAST	10/11	0.595	6.5	6.8
SC II GRAPHITE FLY- Color: Satin Black Finish								
2F7642	TROUT	7'6"	2	MOD-FAST	4	0.310	4.0	1.0
2F7644	TROUT	7'6"	4	MOD-FAST	4	0.310	4.0	1.1



Blanks

ITEM NO.	TYPE	LGTH.	PCS.	ACTION	LINE WGT. RATING	BUTT DIA.	TIP SIZE	BLANK WGT.
2F8042	TROUT/PANFISH	8'	2	MOD-FAST	4	0.385	4.5	1.6
2F8044	TROUT/PANFISH	8'	4	MOD-FAST	4	0.345	4.5	1.7
2F8052	TROUT/PANFISH	8'	2	MOD-FAST	5	0.400	4.5	1.7
2F8054	TROUT/PANFISH	8'	4	MOD-FAST	5	0.360	4.5	1.8
2F8652	TROUT/PANFISH	8'6"	2	MOD-FAST	5	0.425	4.5	2.0
2F8654	TROUT/PANFISH	8'6"	4	MOD-FAST	5	0.380	4.0	2.1
2F9052	TROUT/PANFISH	9'	2	MOD-FAST	5	0.435	4.0	2.1
2F9054	TROUT/PANFISH	9'	4	MOD-FAST	5	0.390	4.5	2.2
2F7662	TROUT/PANFISH-YOUTH	7'6"	2	MOD-FAST	6	0.360	4.5	1.3
2F9062	TROUT/PANFISH	9'	2	MOD-FAST	6	0.455	4.5	2.3
2F9064	TROUT/PANFISH	9'	4	MOD-FAST	6	0.430	4.5	2.4
2F9074	STEELHEAD/BASS/SALT	9'	4	MOD-FAST	7	0.460	4.5	2.5
2F9082	BASS/SALM/STEEL/SALT	9'	2	MOD-FAST	8	0.470	5.0	2.5
2F9084	BASS/SALM/STEEL/SALT	9'	4	MOD-FAST	8	0.480	5.0	2.7
2F9684	STEELHEAD/SALMON	9'6"	4	MOD-FAST	8	0.500	5.0	2.9
2F9092	SALT/SALMON/PIKE	9'	2	MOD-FAST	9	0.480	5.0	2.6
2F9094	SALT/SALMON/PIKE	9'	4	MOD-FAST	9	0.530	5.0	2.9

ITEM NO.	TYPE	LGTH.	PCS.	PWR.	ACTION	LINE WGT.	LURE WGT.	BUTT DIA.	TIP SIZE	BLANK WGT.
SC V GRAPHITE SPINNING BLANKS - Color: Gloss Forest Green Pearl Finish										
5S66LF-G	TROUT/PANFISH/WALLEYE	6'6"	1	L	FAST	4-8	1/16 - 1/4	0.390	4.0	1.1
5S70LF-G	TROUT/PANFISH/WALLEYE	7'	1	L	FAST	4-8	1/16 - 1/4	0.395	4.0	1.3
5S60MLF-G	BASS/WALLEYE	6'	1	ML	FAST	4-10	1/8 - 3/8	0.425	4.0	1.1
5S66MLF-G	BASS/WALLEYE	6'6"	1	ML	FAST	4-10	1/8 - 3/8	0.450	3.5	1.3
5S66MLF2-G	BASS/WALLEYE	6'6"	2	ML	FAST	4-10	1/8 - 3/8	0.450	4.0	1.4
5S70MLF-G	BASS/WALLEYE	7'	1	ML	FAST	4-10	1/8 - 3/8	0.465	4.0	1.5
5S70MLF2-G	BASS/WALLEYE	7'	2	ML	FAST	4-10	1/8 - 3/8	0.455	4.0	1.6
5S76MLF-G	BASS/WALLEYE	7'6"	1	ML	FAST	4-10	1/8 - 3/8	0.485	4.0	1.7
5S60MF-G	BASS/WALLEYE	6'	1	M	FAST	6-12	3/16 - 5/8	0.425	4.5	1.2
5S63MXF-G	BASS/WALLEYE	6'3"	1	M	X-FAST	6-10	1/8 - 1/2	0.450	4.0	1.4
5S66MF-G	BASS/WALLEYE	6'6"	1	M	FAST	6-12	3/16 - 5/8	0.445	4.5	1.4
5S66MF2-G	BASS/WALLEYE	6'6"	2	M	FAST	6-12	3/16 - 5/8	0.450	4.5	1.5
5S68MXF-G	BASS/WALLEYE	6'8"	1	M	X-FAST	6-12	3/16 - 5/8	0.460	4.5	1.6
5S70MF-G	BASS/WALLEYE	7'	1	M	FAST	6-12	3/16 - 5/8	0.465	4.5	1.6
5S70MF2-G	BASS/WALLEYE	7'	2	M	FAST	6-12	3/16 - 5/8	0.465	4.5	1.7
5S76MF-G	BASS/WALLEYE	7'6"	1	M	FAST	6-12	3/16 - 5/8	0.480	4.5	1.8
5S66MHF-G	BASS/PIKE	6'6"	1	MH	FAST	8-14	3/8 - 3/4	0.500	5.0	1.8
5S70MHF-G	BAS/PIKE	7'	1	MH	FAST	8-14	3/8 - 3/4	0.510	5.5	2.1

SC V GRAPHITE SPINNING BLANKS - Color: Gloss Blue/Green Flip Finish										
5S69MLXF-B	DROP SHOT BASS	6'9"	1	ML	X-FAST	6-10	1/8 - 1/2	0.430	4.0	1.7
5S70MLF-B	BASS/WALLEYE	7'	1	ML	FAST	4-10	1/8 - 3/8	0.465	4.0	1.5
5S66MF-B	BASS/WALLEYE	6'6"	1	M	FAST	6-12	3/16 - 5/8	0.445	4.5	1.4
5S70MF-B	BASS/WALLEYE	7'	1	M	FAST	6-12	3/16 - 5/8	0.465	4.5	1.6
5S66MHF-B	BASS/PIKE	6'6"	1	MH	FAST	8-14	3/8 - 3/4	0.500	5.0	1.8
5S70MHF-B	BASS/PIKE	7'	1	MH	FAST	8-14	3/8 - 3/4	0.510	5.5	2.1

SC V GRAPHITE CASTING BLANKS - Color: Gloss Forest Green Pearl Finish										
5C60MF-G	BASS/WALLEYE	6'	1	M	FAST	10-17	1/4 - 5/8	0.425	4.5	1.4
5C66MF-G	BASS/WALLEYE	6'6"	1	M	FAST	10-17	1/4 - 5/8	0.460	4.5	1.8
5C70MF-G	BASS/WALLEYE	7'	1	M	FAST	10-17	1/4 - 5/8	0.465	5.0	2.0
5C66MHF-G	BASS/PIKE	6'6"	1	MH	FAST	12-20	3/8 - 1	0.520	5.0	2.4
5C70MHF-G	BASS/PIKE	7'	1	MH	FAST	12-20	3/8 - 1	0.530	5.5	2.4
5C70HF-G	BASS/PIKE	7'	1	H	FAST	14-25	3/8 - 1 1/2	0.555	6.0	2.5

SC V GRAPHITE CASTING BLANKS - Color: Gloss Blue/Green Flip Finish										
5C66MF-B	BASS/WALLEYE	6'6"	1	M	FAST	10-17	1/4 - 5/8	0.460	4.5	1.8
5C68MXF-B	BASS/WALLEYE	6'8"	1	M	X-FAST	8-14	1/4 - 5/8	0.465	4.5	1.7
5C70MF-B	BASS/WALLEYE	7'	1	M	FAST	10-17	1/4 - 5/8	0.465	5.0	2.0
5C66MHF-B	BASS/PIKE	6'6"	1	MH	FAST	12-20	3/8 - 1	0.520	5.0	2.2
5C70MHF-B	BASS/PIKE	7'	1	MH	FAST	12-20	3/8 - 1	0.530	5.5	2.4
5C76MHMF-B	BASS	7'6"	1	MH	MOD-FAST	12-25	3/8 - 1 1/4	0.540	6.5	3.0
5C70HF-B	BASS/PIKE	7'	1	H	FAST	14-25	3/8 - 1 1/2	0.555	6.0	2.5
5C711HMF-B	BASS	7'11"	1	H	MOD-FAST	14-30	1/2 - 2	0.635	6.5	4.0

SC IV GRAPHITE CASTING - Color: Cobalt Blue Pearl Finish										
4C69MLXF	DROP SHOT	6'9"	1	ML	X-FAST	6-10	1/8 - 1/2	0.445	4.5	1.9
4C63MF	SNIPER SPINNERBAIT	6'3"	1	M	FAST	10-17	1/4 - 5/8	0.440	4.5	1.5
4C66MF	JERKBAIT	6'6"	1	M	FAST	10-17	1/4 - 5/8	0.450	4.5	1.6
4C68MXF	TOP WATER	6'8"	1	M	X-FAST	8-14	1/4 - 5/8	0.470	4.5	1.8
4C70MF	TEASER	7'	1	M	FAST	10-17	1/4 - 5/8	0.480	5.5	2.2



Blanks

ITEM NO.	TYPE	LGTH.	PCS.	PWR.	ACTION	LINE WGT.	LURE WGT.	BUTT DIA.	TIP SIZE	BLANK WGT.
4C66MHF	JIG-N-WORM	6'6"	1	MH	FAST	12-20	3/8 - 1	0.425	6.0	2.5
4C70MHF	SWEEPER SPINBAIT	7'	1	MH	FAST	12-20	3/8 - 1	0.540	6.0	2.8
4C73MHF	CAROLINA RIG	7'3"	1+	MH	FAST	12-25	3/8 - 1 1/4	0.605	6.5	3.1
4C76MHMF	PITCHIN'	7'6"	1+	MH	MOD-FAST	12-25	3/8 - 1 1/4	0.305	6.0	3.7
4C70HF	SLOP-N-FROG	7'	1	H	FAST	14-25	3/8 - 1 1/2	0.570	6.0	2.9
4C79HF	SWIM BAIT	7'9"	1	H	FAST	14-30	1-4	0.600	6.0	3.20
4C710HM	MAGNUM CRANKER	7'10"	1	H	MOD	12-25	1/2 - 1 3/8	0.530	5.5	2.7
4C711HMF	BIG GULP	7'11"	1	H	MOD-FAST	14-30	1/2 - 2	0.600	6.0	3.1
4C80MHF	FLIPPIN'	8'	1+	H	MOD-FAST	14-30	1/2 - 2	0.650	6.5	4.40
4C73XHF	BIG JIG	7'3"	1	XH	FAST	17-30	1/2 - 2 1/2	0.600	6.0	3.60
4C80XH	MEGA SWIM BAIT	8'	1	XH	FAST	20-50	3-8	0.640	7.0	4.40

SC IV GRAPHITE SPINNING - Color: Cobalt Blue Pearl Finish

4S60LF	FINESSE RIG	6'	1	L	FAST	4-8	1/16 - 1/4	0.350	4.0	1.20
4S66MLF	JIG-N-RIG	6'6"	1	ML	FAST	4-10	1/8 - 3/8	0.450	4.0	1.40
4S70MLF	LINDY RIG	7'	1	ML	FAST	4-10	1/8 - 3/8	0.470	4.0	1.70
4S76MLF	LIVE BAIT RIG	7'6"	1	ML	FAST	4-10	1/8 - 3/8	0.445	4.0	1.80
4S80MLF	SLIP STICK	8'	1+	ML	FAST	4-10	1/8 - 3/8	0.520	4.5	2.80
4S510MXF	SKIPPIN'	5'10"	1	M	X-FAST	8-12	3/16 - 5/8	0.425	4.5	1.30
4S63MXF	VERTICAL JIG	6'3"	1	M	X-FAST	6-10	1/8 - 1/2	0.440	4.5	1.40
4S70MF	TUBE	7'	1	M	FAST	6-12	3/16 - 5/8	0.455	5.5	1.80
4S70MM	SHALLOW CRANKER	7'	1	M	MOD	4-10	1/8 - 3/8	0.425	5.0	1.60
4S70MHM	DEEP CRANKER	7'	1	MH	MOD	6-12	1/4 - 3/4	0.445	5.0	2.00

SC IV GRAPHITE MUSKY - Color: Cobalt Blue Pearl Finish

4M73MHF	DOWNSIZER	7'3"	1	MH	FAST	20-50	3/4 - 2 1/2	0.615	6.5	3.6
4M80MHF	TOP-N-TAIL	8'	1	MH	FAST	20-50	3/4 - 3	0.620	7.5	4.3
4M79HMF	LIP STICK	7'9"	1	H	MOD-FAST	30-65	2-6	0.610	7.5	4.3
4M86HF	SLING BLADE	8'6"	1	H	FAST	30-65	2-6	0.685	7.5	6.2
4M69XHF	CLASSIC JERK	6'9"	1	XH	FAST	36-80	3-8	0.680	9.0	4.1
4M76XHF	THE JERK	7'6"	1	XH	FAST	36-80	3-8	0.685	9.0	5.1
4M86XHF	BIG DAWG	8'6"	1	XH	FAST	36-80	4-10	0.710	9.0	6.4

SC III GRAPHITE SPINNING - Color: Carbon Pearl Finish

3S46ULF	TROUT/PANFISH	4'6"	1	UL	FAST	2-6	1/32 - 3/16	0.275	3.5	0.4
3S50ULF	TROUT/PANFISH	5'	1	UL	FAST	2-6	1/32 - 3/16	0.305	4.0	0.6
3S56ULF2	TROUT/PANFISH	5'6"	2	UL	FAST	2-6	1/32 - 3/16	0.275	4.0	0.7
3S60ULF	TROUT/PANFISH	6'	1	UL	FAST	2-6	1/32 - 3/16	0.325	3.5	0.8
3S60ULF2	TROUT/PANFISH	6'	2	UL	FAST	2-6	1/32 - 3/16	0.285	4.0	0.8
3S66ULF	TROUT/PANFISH	6'6"	1	UL	FAST	2-6	1/32 - 3/16	0.330	3.5	0.9
3S66ULF2	TROUT/PANFISH	6'6"	2	UL	FAST	2-6	1/32 - 3/16	0.320	4.0	1.0
3S70ULF	TROUT/PANFISH	7'	1	UL	FAST	2-6	1/32 - 3/16	0.350	4.0	1.6
3S70ULM2	TROUT/PANFISH	7'	2	UL	MOD.	2-6	1/32 - 3/16	0.310	4.0	1.5
3S60LF	TROUT/PAN/WALL	6'	1	L	FAST	4-8	1/16 - 1/4	0.330	4.0	1.0
3S66LF	TROUT/PAN/WALL	6'6"	1	L	FAST	4-8	1/16 - 1/4	0.350	3.5	1.2
3S66LF2	TROUT/PAN/WALL	6'6"	2	L	FAST	4-8	1/16 - 1/4	0.335	4.0	1.1
3S60MLF	BASS/WALLEYE	6'	1	ML	FAST	4-10	1/8 - 3/8	0.385	4.5	1.3
3S63MLXF	BASS/WALLEYE	6'3"	1	ML	X-FAST	4-8	1/16 - 3/8	0.405	4.0	1.6
3S66MLF	BASS/WALLEYE	6'6"	1	ML	FAST	4-10	1/8 - 3/8	0.400	4.5	1.5
3S66MLF2	BASS/WALLEYE	6'6"	2	ML	FAST	4-10	1/8 - 3/8	0.415	4.5	1.6
3S69MLXF	DROP SHOT BASS	6'9"	1	ML	X-FAST	6-10	1/8 - 3/8	0.400	4.0	1.7
3S70MLF	BASS/WALLEYE	7'	1	ML	FAST	4-10	1/8 - 3/8	0.410	4.5	1.8
3S70MLF2	BASS/WALLEYE	7'	2	ML	FAST	4-10	1/8 - 3/8	0.420	4.0	1.8
3S76MLXF	WALLEYE	7'6"	1	ML	X-FAST	4-10	1/8 - 3/8	0.420	4.0	2.0
3S76MLXF2	WALLEYE	7'6"	2	ML	X-FAST	4-10	1/8 - 1/2	0.430	4.0	2.0
3S80MLM2	FLOAT-N-FLY BASS	8'	2	ML	MOD.	4-8	1/16 - 5/16	0.400	4.5	1.7
3S59MXF	BASS/WALLEYE	5'9"	1	M	X-FAST	6-10	1/8 - 1/2	0.485	4.5	1.4
3S60MF	BASS/WALLEYE	6'	1	M	FAST	6-12	3/16 - 5/8	0.465	5.0	1.4
3S63MXF	BASS/WALLEYE	6'3"	1	M	X-FAST	6-10	1/8 - 1/2	0.505	4.5	1.7
3S66MF	BASS/WALLEYE	6'6"	1	M	FAST	6-12	3/16 - 5/8	0.500	5.0	1.6
3S66MF2	BASS/WALLEYE	6'6"	2	M	FAST	6-12	3/16 - 5/8	0.515	4.0	1.8
3S68MXF	BASS/WALLEYE	6'8"	1	M	X-FAST	6-12	3/16 - 5/8	0.515	4.5	1.9
3S70MF	BASS/WALLEYE	7'	1	M	FAST	6-12	3/16 - 5/8	0.510	4.5	1.9
3S70MF2	BASS/WALLEYE	7'	2	M	FAST	6-12	3/16 - 5/8	0.530	4.0	1.9
3S66MHF	BASS/PIKE	6'6"	1	MH	FAST	8-14	3/8 - 3/4	0.510	5.5	1.9
3S66MHF2	BASS/PIKE	6'6"	2	MH	FAST	8-14	3/8 - 3/4	0.525	4.5	2.0
3S70MHF	BASS/PIKE	7'	1	MH	FAST	8-14	3/8 - 3/4	0.530	6.0	2.3

SC III GRAPHITE CASTING - Color: Carbon Pearl Finish

3C66MLF	BASS/WALLEYE	6'6"	1	ML	FAST	8-12	3/16 - 1/2	0.410	5.0	1.7
3C69MLXF	BASS DROPSHOT	6'9"	1	ML	X-FAST	6-10	1/8 - 1/2	0.410	4.0	1.8
3C60MF	BASS	6'	1	M	FAST	10-17	1/4 - 5/8	0.475	5.5	1.6
3C62MXF	BASS/WALLEYE	6'2"	1	M	X-FAST	8-14	1/4 - 5/8	0.505	4.5	1.7



Blanks

ITEM NO.	TYPE	LGTH.	PCS.	PWR.	ACTION	LINE WGT.	LURE WGT.	BUTT DIA.	TIP SIZE	BLANK WGT.
3C66MF	BASS	6'6"	1	M	FAST	10-17	1/4 - 5/8	0.505	5.5	1.8
3C66MM	CRANKBAIT BASS/WALLEYE	6'6"	1	M	MOD.	8-14	1/4 - 5/8	0.405	4.5	1.3
3C68MXF	BASS/WALLEYE	6'8"	1	M	X-FAST	8-14	1/4 - 5/8	0.520	4.5	2.0
3C70MF	BASS	7'	1	M	FAST	10-17	1/4 - 5/8	0.515	5.5	2.0
3C70MM	CRANKBAIT BASS/WALLEYE	7'	1	M	MOD.	8-14	1/4 - 5/8	0.420	4.5	1.4
3C60MHF	BASS/PIKE/SALT	6'	1	MH	FAST	12-20	3/8 - 1	0.515	5.5	2.0
3C66MHF	BASS/PIKE/SALT	6'6"	1	MH	FAST	12-20	3/8 - 1	0.525	6.5	2.3
3C66MHM	CRANKBAIT BASS	6'6"	1	MH	MOD.	10-20	3/8 - 1	0.430	5.0	1.7
3C70MHF	BASS/PIKE/SALT	7'	1	MH	FAST	12-20	3/8 - 1	0.535	6.5	2.6
3C70MHM	CRANKBAIT BASS	7'	1	MH	MOD.	10-20	3/8 - 1	0.440	5.0	1.9
3C76MHMF	FLIPPIN'/PITCHIN/ BASS	7'6"	1	MH	MOD-FAST	12-25	3/8 - 1 1/4	0.560	6.0	3.3
3C66HF	BASS/PIKE/SALT	6'6"	1	H	FAST	14-25	3/8 - 1 1/2	0.550	6.0	2.5
3C70HF	BASS/PIKE/SALT	7'	1	H	FAST	14-25	3/8 - 1 1/2	0.565	7.0	2.7
3C70HM	CRANKBAIT BASS	7'	1	H	MOD.	12-25	3/8 - 1 3/8	0.465	6.5	2.5
3C710HMF	FLIPPIN' BASS	7'10"	1+	H	MOD-FAST	14-30	1/2 - 2	0.645	7.5	4.1

SC III GRAPHITE SALMON/STEELHEAD - Color: Carbon Pearl Finish

3S90LM2	SPINNING-DRIFT	9'	2	L	MOD.	4-8	1/16 - 3/8	0.440	4.0	2.5
3S96LM2	SPINNING-DRIFT	9'6"	2	L	MOD	4-8	1/16 - 3/8	0.445	4.0	2.7
3SC90MLF2	SPIINNING/CASTING	9'	2	ML	FAST	6-10	1/8 - 5/8	0.460	4.0	2.6
3SC96MLF2	SPIINNING/CASTING	9'6"	2	ML	FAST	6-10	1/8 - 5/8	0.470	4.0	3.0
3SC106MLF2	SPIINNING/CASTING	10'6"	2	ML	FAST	6-10	1/8 - 5/8	0.475	4.0	3.4
3C80MXF	CASTING-;LUG	8'	1	M	X-FAST	10-20	3/8 - 1	0.555	4.0	2.9
3SC86MF2	SPIINNING/CASTING	8'6"	2	M	FAST	8-12	1/4 - 3/4	0.480	4.5	2.6
3SC90MF2	SPIINNING/CASTING	9'	2	M	FAST	8-12	1/4 - 3/4	0.485	4.5	2.9
3SC96MF2	SPIINNING/CASTING	9'6"	2	M	FAST	8-12	1/4 - 3/4	0.495	4.5	3.2
3SC106MF2	SPIINNING/CASTING	10'6"	2	M	FAST	8-12	1/4 - 3/4	0.515	4.5	4.0
3C76MHXF	CASTING-HOVER	7'6"	1	MH	X-FAST	10-20	1-3	0.550	4.5	3.0
3SC86MHF2	SPIINNING/CASTING	8'6"	2	MH	FAST	8-17	3/8 - 1	0.515	5.0	2.9
3SC90MHF2	SPIINNING/CASTING	9'	2	MH	FAST	8-17	3/8 - 1	0.525	5.0	3.2
3SC96MHF2	SPIINNING/CASTING	9'6"	2	MH	FAST	8-17	3/8 - 1	0.535	5.0	3.4
3C80HF	CASTING-BACKBOUNCE	8'	1	H	FAST	12-25	1-6	0.640	6.0	3.6
3SC86HF2	SPIINNING/CASTING	8'6"	2	H	FAST	12-25	1/2 - 2	0.600	5.5	3.2
3SC90HF2	SPIINNING/CASTING	9'	2	H	FAST	12-25	1/2 - 2	0.550	5.0	3.3
3C90HM2	CASTING	9'	2	H	MOD	12-25	1/2 - 2	0.555	5.0	3.5
3SC96HF2	SPIINNING/CASTING	9'6"	2	H	FAST	12-25	1/2 - 2	0.570	5.0	3.6

SC II GRAPHITE SPINNING - Color: Gloss Black Pearl Finish

2S46ULM	TROUT/PANFISH	4'6"	1	UL	MOD.	2-6	1/16 - 1/4	0.265	4.0	0.5
2S50ULM	TROUT/PANFISH	5'	1	UL	MOD.	2-6	1/16 - 1/4	0.280	4.0	0.6
2S56ULF2	TROUT/PANFISH	5'6"	2	UL	FAST	2-6	1/32 - 3/16	0.280	4.0	0.7
2S60ULF	TROUT/PANFISH	6'	1	UL	FAST	2-6	1/32 - 3/16	0.305	4.0	0.8
2S60ULF2	TROUT/PANFISH	6'	2	UL	FAST	2-6	1/32 - 3/16	0.285	4.5	0.9
2S66ULF	TROUT/PANFISH	6'6"	1	UL	FAST	2-6	1/32 - 3/16	0.315	4.0	1.0
2S66ULF2	TROUT/PANFISH	6'6"	2	UL	FAST	2-6	1/32 - 3/16	0.310	4.5	1.1
2S70ULF2	TROUT/PANFISH	7'	2	UL	FAST	2-6	1/32 - 3/16	0.320	4.5	1.1
2S56LF	TROUT/WALL/PAN	5'6"	1	L	FAST	4-8	1/16 - 5/16	0.315	4.5	0.8
2S60LF	TROUT/WALL/PAN	6'	1	L	FAST	4-8	1/16 - 5/16	0.330	4.5	1.0
2S60LF4	TROUT/WALL/PAN	6'	4	L	FAST	4-8	1/16 - 5/16	0.310	4.0	1.1
2S66LF	TROUT/WALL/PAN	6'6"	1	L	FAST	4-8	1/16 - 5/16	0.345	4.5	1.2
2S66LF2	TROUT/WALL/PAN	6'6"	2	L	FAST	4-8	1/16 - 5/16	0.335	4.5	1.3
2S86LM2	FLOAT-N-FLY	8'6"	2	L	MOD.	4-8	1/16 - 5/16	0.385	4.5	1.7
2S60MLF	BASS/WALLEYE	6'	1	ML	FAST	4-10	1/8 - 1/2	0.390	5.0	1.4
2S60MLF2	BASS/WALLEYE	6'	2	ML	FAST	4-10	1/8 - 1/2	0.445	4.5	1.7
2S66MLF	BASS/WALLEYE	6'6"	1	ML	FAST	4-10	1/8 - 1/2	0.395	4.5	1.6
2S66MLF2	BASS/WALLEYE	6'6"	2	ML	FAST	4-10	1/8 - 1/2	0.41	4.5	1.5
2S66MLF3	BASS/WALLEYE	6'6"	3	ML	FAST	4-10	1/8 - 1/2	0.470	4	2.0
2S70MLF	BASS/WALLEYE	7'	1	ML	FAST	4-10	1/8 - 1/2	0.435	5	1.8
2S70MLF2	BASS/WALLEYE	7'	2	ML	FAST	4-10	1/8 - 1/2	0.485	4.5	1.9
2S76MLF	BASS/WALLEYE	7'6"	1	ML	FAST	4-10	1/8 - 1/2	0.450	4.5	2.1
2S56MF	BASS/WALLEYE	5'6"	1	M	FAST	6-12	1/4 - 5/8	0.440	5.5	1.1
2S60MF	BASS/WALLEYE	6'	1	M	FAST	6-12	1/4 - 5/8	0.465	5	1.4
2S60MF2	BASS/WALL/PIKE	6'	2	M	FAST	6-12	1/4 - 5/8	0.475	4.5	1.5
2S66MF	BASS/WALL/PIKE	6'6"	1	M	FAST	6-12	1/4 - 5/8	0.495	5	1.6
2S66MF2	BASS/WALL/PIKE	6'6"	2	M	FAST	6-12	1/4 - 5/8	0.530	4.5	1.8
2S70MF	BASS/WALL/PIKE	7'	1	M	FAST	6-12	1/4 - 5/8	0.505	5	1.8
2S70MF2	BASS/WALL/PIKE	7'	2	M	FAST	6-12	1/4 - 5/8	0.555	4.5	2.0
2S70MF3	BASS/WALL/SALT	7'	3	M	FAST	6-12	1/4 - 5/8	0.535	4.5	2.3
2S60MHF	BASS/PIKE/SALT	6'	1	MH	FAST	8-14	3/8 - 3/4	0.475	6	1.7
2S66MHF	BASS/PIKE/SALT	6'6"	1	MH	FAST	8-14	3/8 - 3/4	0.510	6	1.9
2S66MHF2	BASS/PIKE/SALT	6'6"	2	MH	FAST	8-17	1/2 - 1	0.540	5	2.1
2S70MHF	BASS/PIKE/SALT	7'	1	MH	FAST	8-14	3/8 - 3/4	0.520	6	2.2
2S70HF	BASS/PIKE/SALT	7'	1	H	FAST	10-20	1/2 - 1 1/2	0.540	6	2.9



Blanks

ITEM NO.	TYPE	LGTH.	PCS.	PWR.	ACTION	LINE WGT.	LURE WGT.	BUTT DIA.	TIP SIZE	BLANK WGT.
2S70HF2	BASS/PIKE/SALT	7'	2	H	FAST	10-20	1/2 - 1 1/2	0.570	5	3.1
2S70XHF	MUSKY/PIKE/SALT	7'	1	XH	FAST	12-25	3/4 - 2	0.580	7	3.3
SC II GRAPHITE CASTING - Color: Gloss Black Pearl Finish										
2C76LM	TROUT TROLLING	7'6"	1	L	MOD.	4-10	1/16 - 3/8	0.445	4.5	2.2
2C60MLF2	BASS/WALLEYE	6'	2	ML	FAST	4-10	1/8 - 1/2	0.425	5.0	1.5
2C66MLF	BASS/WALLEYE	6'6"	1	ML	FAST	8-14	3/16 - 5/8	0.415	5.5	2.0
2C70MLF	BASS/WALLEYE	7'	1	ML	FAST	8-14	3/16 - 5/8	0.450	5.5	2.1
2C56MF	BASS	5'6"	1	M	FAST	8-14	1/4 - 5/8	0.450	5.5	1.3
2C60MF	BASS/WALLEYE/PIKE	6'	1	M	FAST	10-17	1/4 - 3/4	0.480	5.5	1.6
2C66MF	BASS/WALLEYE/PIKE	6'6"	1	M	FAST	10-17	1/4 - 3/4	0.510	6.0	2.0
2C66MF2	BASS/WALLEYE/PIKE	6'6"	2	M	FAST	10-17	1/4 - 3/4	0.535	4.5	1.9
2C66MM	CRANKBAIT	6'6"	1	M	MOD.	8-14	1/4 - 5/8	0.420	5.0	1.4
2C70MF	BASS/WALLEYE/PIKE	7'	1	M	FAST	10-17	1/4 - 3/4	0.520	6.0	2.2
2C70MM	CRANKBAIT	7'	1	M	MOD.	8-14	1/4 - 5/8	0.430	5.0	1.5
2C60MHF	BASS/PIKE/SALT	6'	1	MH	FAST	10-20	3/8 - 1	0.485	6.0	1.8
2C66MHF	BASS/PIKE/SALT	6'6"	1	MH	FAST	10-20	3/8 - 1	0.540	6.5	2.2
2C66MHF2	BASS/PIKE/SALT	6'6"	2	MH	FAST	10-20	3/8 - 1	0.565	5.0	2.4
2C66MHM	CRANKBAIT	6'6"	1	MH	MOD.	10-20	3/8 - 1	0.445	6.0	1.9
2C70MHF	BASS/PIKE/SALT	7'	1	MH	FAST	10-20	3/8 - 1	0.555	6.5	2.7
2C70MHM	CRANKBAIT	7'	1	MH	MOD.	10-20	3/8 - 1	0.460	5.5	2.3
2C66HF	BASS/PIKE/SALT	6'6"	1	H	FAST	12-25	1/2 - 1 1/2	0.575	6.5	3.0
2C610HMF	BASS/PIKE/SALT	6'10"	1	H	MOD-FAST	12-25	1/4 - 1	0.605	6.5	2.6
2C70HF	BASS/PIKE/SALT	7'	1	H	FAST	12-25	1/2 - 1 1/2	0.585	6.5	3.3
2C70HF2	BASS/PIKE/SALT	7'	2	H	FAST	12-25	1/2 - 1 1/2	0.645	7.0	3.2
2C70HM	CRANKBAIT	7'	1	H	MOD	12-25	1/2 - 1 3/8	0.480	6.0	2.6
2C76HF	BASS FLIPPIN' STICK	7'6"	1	H	FAST	12-25	1/2 - 1 1/2	0.585	6.5	3.5
SC II GRAPHITE MUSKY/SALTWATER - Color: Gloss Black Pearl Finish										
2M610MF	MUSKY/BUCK/SALT	6'10"	1	M	FAST	17-30	1/2 - 2	0.600	8	3.5
2M66MHF	MUSKY/ALLPURPOSE/SALT	6'6"	1	MH	FAST	20-50	3/4 - 3	0.655	8.5	3.4
2M70MHF	MUSKY/ALLPURPOSE/SALT	7'	1	MH	FAST	20-50	3/4 - 3	0.670	8.5	3.8
2M70MHF2	MUSKY/ALLPURPOSE/SALT	7'	2	MH	FAST	20-50	3/4 - 3	0.600	8	3.7
2M76MHF	MUSKY/ALLPURPOSE/SALT	7'6"	1	MH	FAST	20-50	3/4 - 3	0.715	7	5.4
2M80MHF	MUSKY/ALLPURPOSE/SALT	8'	1	MH	FAST	20-50	3/4 - 3	0.735	7.5	5.8
2M70HF2	MUSKY/JERK/SALT	7'	2	H	FAST	30-65	2-6	0.655	11	4.3
2M76HF	MUSKY/JERK/SALT	7'6"	1	H	FAST	30-65	2-6	0.695	9	5.6
2M80HF	MUSKY/LARGE BUCKTAIL/SALT	8'	1	H	FAST	30-65	2-6	0.705	9	6.2
2M63XHF	MUSKY/JERK/SALT	6'3"	1	XH	FAST	36-80	3-8	0.640	10	4.2
2M69XHF	MUSKY/JERK/SALT	6'9"	1	XH	FAST	36-80	3-8	0.655	10.5	4.7
2M86XHF	MUSKY/HVY JERK/SALT	8'6"	1	XH	FAST	36-80	4-10	0.720	9.5	6.8
2M79XXXHF	MUSKY/UNLIM WT./SALT	7'9"	1	XXXH	FAST	65-100	8-30	0.715	13.5	7.4
SC II GRAPHITE SALMON/ STEELHEAD - Color: Satin Black Finish										
2S106ULS2	NOODLE	10'6"	2	UL	SLOW	2-6	1/16 - 1/4	0.420	5.0	2.2
2S90LM2	DRIFT	9'	2	L	MOD	4-8	1/8 - 3/8	0.435	5.5	2.6
2S116LM2	DRIFT/FLOAT	11'6"	2	L	MOD	4-10	1/16 - 1/2	0.455	6.5	3.1
2S130LM2	FLOAT	13'	2	L	MOD	2-6	1/16 - 3/8	0.470	5.0	3.3
2S76MLF2	SPINNING	7'6"	2	ML	FAST	6-12	1/8 - 1/2	0.495	5.0	2.0
2C106MLMF2	DRIFT	10'6"	2	ML	MOD-FAST	8-14	1/8 - 1/2	0.465	6.0	3.3
2C80MXF	PLUGGING	8'	1	M	X-FAST	8-20	3/8 - 3	0.600	5.5	3.4
2C86MF2	CAST/SPINNING	8'6"	2	M	FAST	8-12	3/8 - 3/4	0.485	4.5	3.0
2C96MF2	CAST/SPINNING	9'6"	2	M	FAST	8-12	3/8 - 3/4	0.485	4.5	3.2
2C106MMF2	DRIFT	10'6"	2	M	MOD-FAST	8-20	1/4 - 3/4	0.520	5.5	4.0
2C86MHF2	CAST/SPINNING	8'6"	2	MH	FAST	8-17	3/8 - 1 1/4	0.525	4.5	3.1
2C96MHF2	CAST/SPINNING	9'6"	2	MH	FAST	8-17	3/8 - 1 1/4	0.510	4.5	3.3
2C80HF	BACKBOUNCING	8'	1	H	FAST	12-25	1-4	0.585	6.0	3.1
2C80HF2	BACKBOUNCING	8'	2	H	FAST	15-40	3/4 - 3	0.750	7.0	4.8
2C86HF2	CAST/SPINNING	8'6"	2	H	FAST	12-25	1/2 - 2	0.580	6.0	3.6
2C80XHF	CASTING	8'	1	XH	FAST	15-40	2-8	0.640	7.0	3.7
SC IV GRAPHITE INSHORE SALTWATER - Color: Gloss Belize Blue Finish										
4SW70LM	SPINNING/CASTING	7'	1	L	MOD	6-12	1/8 - 3/8	0.420	4.5	2.4
4SW70MLF	SPINNING/CASTING	7'	1	ML	FAST	8-14	1/8 - 1/2	0.465	4.0	1.6
4SW76MLF	SPINNING/CASTING	7'6"	1	ML	FAST	8-14	1/8 - 1/2	0.500	4.5	2.1
4SW66MF	SPINNING/CASTING	6'6"	1	M	FAST	8-17	3/8 - 3/4	0.465	4.5	2.0
4SW70MF	SPINNING/CASTING	7'	1	M	FAST	8-17	3/8 - 3/4	0.475	4.5	2.6
4SW76MF	SPINNING/CASTING	7'6"	1	M	FAST	8-17	3/8 - 3/4	0.485	4.5	2.8
4SW80MF	SPINNING/CASTING	8'	1	M	FAST	8-17	3/8 - 3/4	0.500	5.0	3.2
4SW66MHF	SPINNING/CASTING	6'6"	1	MH	FAST	10-20	1/2 - 1 1/4	0.520	5.5	2.5
4SW70MHF	SPINNING/CASTING	7'	1	MH	FAST	10-20	1/2 - 1 1/4	0.540	5.5	2.8
4SW76MHF	SPINNING/CASTING	7'6"	1	MH	FAST	10-20	1/2 - 1 1/4	0.550	5.5	3.0



Blanks

ITEM NO.	TYPE	LGTH.	PCS.	PWR.	ACTION	LINE WGT.	LURE WGT.	BUTT DIA.	TIP SIZE	BLANK WGT.
SC II GRAPHITE INSHORE SALTWATER - Color: Gloss Green Finish										
2SW70LM	SPINNING/CASTING	7'	1	L	MOD	6-12	1/8 - 3/8	0.415	5.0	1.3
2SW76LM	SPINNING/CASTING	7'6"	1	L	MOD	6-12	1/8 - 3/8	0.430	5.0	1.7
2SW70MLF	SPINNING/CASTING	7'	1	ML	FAST	8-14	1/8 - 1/2	0.455	5.0	2.2
2SW76MLF	SPINNING/CASTING	7'6"	1	ML	FAST	8-14	1/8 - 1/2	0.465	5.0	2.4
2SW66MF	SPINNING/CASTING	6'6"	1	M	FAST	8-17	3/8 - 3/4	0.515	5.5	2.0
2SW66MM	SPINNING/CASTING	6'6"	1	M	MOD	8-17	1/4 - 5/8	0.440	5.0	1.6
2SW70MF	SPINNING/CASTING	7'	1	M	FAST	8-17	3/8 - 3/4	0.520	5.5	2.2
2SW70MM	SPINNING/CASTING	7'	1	M	MOD	8-17	1/4 - 5/8	0.450	5.0	1.7
2SW76MF	SPINNING/CASTING	7'6"	1	M	FAST	8-17	3/8 - 3/4	0.545	5.5	2.7
2SW76MM	SPINNING/CASTING	7'6"	1	M	MOD	8-17	1/4 - 5/8	0.465	5.0	2.1
2SW80MF	SPINNING/CASTING	8'	1	M	FAST	8-17	3/8 - 3/4	0.565	5.5	3.2
2SW66MHF	SPINNING/CASTING	6'6"	1	MH	FAST	10-20	1/2 - 1 1/4	0.520	6.0	2.2
2SW70MHF	SPINNING/CASTING	7'	1	MH	FAST	10-20	1/2 - 1 1/4	0.535	6.0	2.7
2SW76MHF	SPINNING/CASTING	7'6"	1	MH	FAST	10-20	1/2 - 1 1/4	0.575	5.5	3.2
2SW80MHF	SPINNING/CASTING	8'	1	MH	FAST	14-30	1/2 - 2	0.615	6.5	3.7
2SW66HF	SPINNING/CASTING	6'6"	1	H	FAST	12-25	3/4 - 2	0.570	7.0	3.1
2SW70HF	SPINNING/CASTING	7'	1	H	FAST	12-25	3/4 - 2	0.580	7.0	3.5
2SW76HF	SPINNING/CASTING	7'6"	1	H	FAST	12-25	3/4 - 2	0.620	6.5	3.7
2SW80HF	SPINNING/CASTING	8'	1	H	FAST	17-40	3/4 - 3	0.655	7.0	4.8
SC II GRAPHITE INSHORE SALTWATER TRAVEL - Color: Gloss Green Finish										
2SW70MLF3	SPINNING/CASTING	7'	3	ML	FAST	8-14	1/8 - 1/2	0.505	4.5	2.0
2SW70MF3	SPINNING/CASTING	7'	3	M	FAST	8-17	3/8 - 3/4	0.565	5.0	2.3
2SW76MF3	SPINNING/CASTING	7'6"	3	M	FAST	8-17	3/8 - 3/4	0.600	5.0	3.1
2SW70MHF3	SPINNING/CASTING	7'	3	MH	FAST	10-20	1/2 - 1 1/4	0.585	5.5	2.5
2SW76MHF3	SPINNING/CASTING	7'6"	3	MH	FAST	10-20	1/2 - 1 1/4	0.635	5.5	3.3
2SW76HF3	SPINNING/CASTING	7'6"	3	H	FAST	12-25	3/4 - 2	0.650	6.0	3.5
SC III GRAPHITE INSHORE SALTWATER - Color: Copper Pearl Finish										
3SW70LM	SPINNING/CASTING	7'	1	L	MOD	6-12	1/8 - 3/8	0.400	4.5	1.3
3SW70MLF	SPINNING/CASTING	7'	1	ML	FAST	6-12	1/8 - 1/2	0.420	5.0	2.0
3SW76MLF	SPINNING/CASTING	7'6"	1	ML	FAST	6-12	1/8 - 1/2	0.500	4.0	2.1
3SW80MF	SPINNING/CASTING	8'	1	ML	FAST	6-12	1/8 - 1/2	0.490	4.5	2.1
3SW66MF	SPINNING/CASTING	6'6"	1	M	FAST	8-17	3/8 - 3/4	0.510	5.5	1.9
3SW70MF	SPINNING/CASTING	7'	1	M	FAST	8-17	3/8 - 3/4	0.520	5.5	2.2
3SW70MM	SPINNING/CASTING	7'	1	M	MOD	8-17	1/4 - 5/8	0.430	4.5	1.6
3SW76MF	SPINNING/CASTING	7'6"	1	M	FAST	8-17	3/8 - 3/4	0.530	5.5	2.6
3SW80MH	SPINNING/CASTING	8'	1	M	FAST	8-17	3/8 - 3/4	0.550	6.0	2.9
3SW66MHF	SPINNING/CASTING	6'6"	1	MH	FAST	10-20	1/2 - 1 1/4	0.530	6.0	2.6
3SW70MHF	SPINNING/CASTING	7'	1	MH	FAST	10-20	1/2 - 1 1/4	0.545	6.0	3.0
3SW76MHF	SPINNING/CASTING	7'6"	1	MH	FAST	10-20	1/2 - 1 1/4	0.565	6.0	3.6
3SW80MHF	SPINNING/CASTING	8'	1	MH	FAST	14-30	1/2 - 2	0.585	6.0	4.1
3SW70HF	SPINNING/CASTING	7'	1	H	FAST	15-30	3/4 - 2	0.595	7.0	3.6
3SW76HF	SPINNING/CASTING	7'6"	1	H	FAST	15-30	3/4 - 2	0.605	7.0	4.2
3SW80HF	SPINNING/CASTING	78'	1	H	FAST	17-40	3/4 - 3	0.665	7.0	4.6
SC II / SC III GRAPHITE SURF - Color: Satin Black Finish										
2SRS70L	SPINNING	7'	1	L	MOD-FAST	4-8	1/4 - 5/8	0.570	5.0	2.4
2SRS70ML	SPINNING	7'	1	ML	MOD-FAST	6-10	3/8 - 3/4	0.600	6.5	2.9
2SRS70M	SPIN/CASTING	7'	1	M	MOD-FAST	8-17	1/2 - 2	0.575	7.5	3.4
2SRS80M	SPIN/CASTING	8'	1	M	MOD-FAST	6-17	1/2 - 2	0.645	8.0	4.8
2SRS86M2	SPIN/CASTING	8'6"	2	M	MOD-FAST	6-17	1/2 - 2	0.840	8.0	5.6
2SRS100M2	SPIN/CASTING	10'	2	M	MOD-FAST	6-20	3/4 - 4	0.815	8.0	8.3
2SRS106MH2	SPIN/CASTING	10'6"	2	MH	MOD-FAST	10-25	2-6	0.880	12	12.8
2SRS116MH2	SPIN/CASTING	11'6"	2	MH	MOD-FAST	10-25	2-6	0.990	12	13.7
2SRS106H2	SPIN/CASTING	10'6"	2	H	MOD-FAST	15-30	4-8	0.885	15	12.6
2SRC120XH2	CASTING	12'	2	XH	MOD-FAST	20-60	4-16	1.200	14	18.0
SC IV GRAPHITE SURF - Color: Belize Blue /1pc or Belize Blue/Satin Carbon Finish/2pc										
4SRS70MMF	SPINNING	7'	1	M	MOD-FAST	8-17	5/8 - 2	0.650	6.0	2.7
4SRS80MMF	SPINNING	8'	1	M	MOD-FAST	8-17	3/4 - 3	0.695	6.0	3.6
4SRS90MMF2	SPIN/CASTING	9'	2	M	MOD-FAST	10-20	1-4	0.740	7.0	4.9
4SRS90MM2	SPINNING	9'	2	M	MOD	10-20	3/4 - 4	0.740	7.0	4.8
4SRS100MMF2	SPIN/CASTING	10'	2	M	MOD-FAST	10-20	1-4	0.745	8.0	5.6
4SRS106MM2	SPINNING	10'6"	2	M	MOD	10-20	3/4 - 4	0.780	7.0	5.9
4SRS106MHF2	SPIN/CASTING	10'6"	2	MH	MOD-FAST	12-25	2-6	0.780	7.0	6.0
SC I GLASS CRANKBAIT & TROLLING - Color: Gloss Black Pearl Finish										
1C66MM	CRANKBAIT/BASS/WALLEYE	6'6"	1	M	MOD-FAST	10-17	1/4 - 3/4	0.590	5.0	2.5
1C70MM	CRANKBAIT/BASS/WALLEYE	7'	1	M	MOD-FAST	10-17	1/4 - 3/4	0.595	5.0	2.8
1C80MM	TROLLING	8'	1+	M	MOD.	10-20	-	0.660	7.5	4.0
SOLID CARBON ICE BLANK - Color: Matte Grey Finish										
SCB24UL	SPINNING	24"	1	UL	FAST	-	-	0.125	2.5	-
SCB28UL	SPINNING	28"	1	UL	FAST	-	-	0.125	2.5	-

Value Line GRAPHITE & FIBERGLASS BLANKS

Value is measured by the Quality & Price ratio, making it hard to beat Value Line Blanks.

MID MODULUS GRAPHITE

Provide a great value to the Custom Builder. Available in the more popular lengths and actions.


Color: Grey

No.	Power	Length	Line Wt.	Butt Dia.	Tip Dia.
CUIGVL50UL	1 Pc Ultra Lite	5'0"	2-6	0.320	5.0
CUIGVL56L	1 Pc Lite	5'6"	4-8	0.360	5.0
CUIGVL56M	1 Pc Med.	5'6"	6-12	0.420	5.0
CUIGVL60L	1 Pc Lite	6'0"	4-8	0.420	5.0
CUIGVL60M	1 Pc Med.	6'0"	6-12	0.450	5.5
CUIGVL60MH	1 pc M-Hev.	6'0"	10-20	0.450	6.0
CUIGVL66M	1 pc Med.	6'6"	6-12	0.450	5.0
CUIGVL66MH	1 pc M-Hvy.	6'6"	8-20	0.480	5.5
CUIGVL66H	1 pc Hvy.	6'6"	15-25	0.560	6.5
CUIGVL70M	1 pc Med.	7'0"	6-12	0.460	5.0
CUIGVL70MH	1 pc M-Hvy.	7'0"	8-20	0.480	5.5
CUIGVL70XH	1 pc X-Hvy.	7'0"	20-40	0.600	7.5

GRAPHITE FLY ROD BLANKS

CUIGVL76F	2pc	7'6"	3/4	0.320	4.5
CUIGVL80F	2pc	8'0"	4/5	0.340	5.0
CUIGVL86F	2pc	8'6"	5/6	0.360	5.0
CUIGVL90F	2pc	9'0"	8/9	0.380	5.5

All USA Materials.



BIG WATER FIBERGLASS

Power and Versatility. Heavy wall construction teamed with high-density lamination produces a high performance and durable heavy-duty blank. A powerful combination for heavy freshwater and light saltwater rods.

Color: Honey or Black(B)

No.	Power	Length	Line Wt.	Butt Dia.	Tip Dia.
CUIF2080	2 pc Hvy	8'0"	20-40	0.900	11.0
CUIF2090	2 pc Hvy	9'0"	20-40	1.100	12.0
CUIF2100	2 pc Hvy	10'0"	20-50	1.125	14.0
CUIF2120	2 pc Hvy	12'0"	25-50	1.180	14.0
CUIF1080	1 pc Hvy	8'0"	20-40	0.980	10.0
CUIF1070	1 pc Hvy	7'0"	20-40	0.750	10.0
CUIF1080B	1 pc Hvy	8'0"	20-40	0.980	10.0
CUIF1090	1 pc Hvy	9'0"	20-40	1.100	11.0
CUIF1090B	1 pc Hvy	9'0"	20-40	1.100	11.0
CUIF1100	1 pc Hvy	10'0"	20-50	1.300	12.0
CUIF1100B	1 pc Hvy	10'0"	20-50	1.300	12.0

EXTENSIONS

No.	Length
CUIEXT06	6"
CUIEXT12	12"
CUIEXT18	18"
CUIEXT24	24"
CUIEXT48	48"

HEAVY WALL FIBERGLASS

Great for bait fishing catfish. Light tip for easy layout of popular baits but powerful butt to handle the large ones. Honey color.

No.	Power	Length	Line Wt.	Butt Dia.	Tip Dia.
CUIF1F071	1 pc flex	7'0"	8-20	0.600	8.0
CUIF1F081	1 pc flex	8'0"	8-20	0.620	8.0

BENCHMARK by CUI


No.	Power	Length	LineWt	Butt Dia	Tip Dia
GRAPHITE CASTING ROD BLANKS					
CUIGC56L	1 pc Lite	5'6"	4-8	0.350	5.0
CUIGC56M	1 pc Med.	5'6"	6-12	0.400	5.0
CUIGC60M	1 pc Med	6'0"	6-12	0.425	5.0
CUIGC60MH	1 pc Med/Hvy	6'0"	8-15	0.435	5.5
CUIGC60H	1 pc Hvy	6'0"	12-20	0.440	6.0
CUIGC66M	1 pc Med.	6'6"	6-12	0.435	5.0
CUIGC66MH	1 pc Med/Hvy	6'6"	8-17	0.440	5.5
CUIGC66H	1 pc Hvy	6'6"	12-20	0.475	6.0
CUIGC70ML	1 pc Med/Lt	7'0"	6-12	0.435	5.0
CUIGC70M	1 pc Med	7'0"	8-15	0.450	5.5
CUIGC70MH	1 pc Med/Hvy	7'0"	10-20	0.485	6.0
CUIGC70H	1 pc Hvy	7'0"	15-30	0.520	6.5
GRAPHITE SPINNING ROD BLANKS					
CUIGS50UL	1 pc Ult.Lite	5'0"	2-6	0.290	5.0
CUIGS56L	1 pc Lite	5'6"	4-8	0.350	5.0
CUIGS56M	1 pc Med	5'6"	6-12	0.400	5.0
CUIGS60L	1 pc Lite	6'0"	4-8	0.375	5.0
CUIGS60M	1 pc Med	6'0"	6-12	0.420	5.0
CUIGS60MH	1 pc Med/Hvy	6'0"	8-17	0.435	5.5
CUIGS66M	1 pc Med	6'6"	6-12	0.435	5.0
CUIGS66MH	1 pc Med/Hvy	6'6"	8-17	0.440	5.5
CUIGS70ML	1 pc Med/Lt	7'0"	6-12	0.430	5.0
CUIGS70M	1 pc Med	7'0"	8-15	0.450	5.5
CUIGS70MH	1 pc Med/Hvy	7'0"	10-20	0.460	6.0
CUIGS70H	1 pc Hvy	7'0"	15-30	0.500	6.5

Mid Modullus (36ml) unidirectional graphite materials provides a highly functional general purpose Graphite Blank. Maximum strength and sensitivity through state-of-the-art technology at a reasonable cost.

Ice Fishing Blanks

GLASS ICE ROD BLANKS

Designed for strength and sensitivity, these solid fiberglass blanks have a straight taper. Painted blanks are black with international orange tip. Unpainted blanks are opaque white in color. Trim the tip and/or the butt to get the desired length and action.



PAINTED

No.	Length in. (mm)	Tip I.D.	Butt O.D.
SFG21	21 (53.3)	0.03 (0.75)	0.13 (3.3)
SFG32	32 (81.3)	0.05 (1.25)	0.19 (4.8)
SFG50	50 (127.0)	0.05 (1.25)	0.19 (4.8)

UNPAINTED

No.	Length in. (mm)	Tip I.D.	Butt O.D.
SFG21P	21 (53.3)	0.03 (0.75)	0.13 (3.3)
SFG32P	32 (81.3)	0.05 (1.25)	0.19 (4.8)
SFG50P	50 (127.0)	0.05 (1.25)	0.19 (4.8)

American Premier Blanks

SALTWATER BLANKS

ITEM	LGTH.	PCS.	ACTION	POWER	LINE	TIP	BUTT
<i>FIBERGLASS</i>							
"OCEAN TROPHY" SERIES COLOR:GLOSS BLACK							
MAROT270B	7'	1	MOD	ML	12-30	9	0.78
MAROT789B	6'6"	1	FAST	M	15-40	9	0.84
MAROT870B	7'	1	FAST	M	15-40	10	1.03
MAROT670B	7'	1	FAST	M	20-50	8	0.83
MAROT865XHB	6'6"	1	X-FAST	MH	25-60	11	1.05
MAROT6460HB	6'	1	X-FAST	H	30-80	11	1.03
<i>GRAPHITE COMPOSITE</i>							
"OCEAN TROPHY" GRAPHITE SERIES COLOR:LOWER HALF GLOSS/UPPER HALF MATTE BLACK							
MAROTG270B	7'	1	FAST	ML	12-30	8	0.78
MAROTG789B	6'6"	1	X-FAST	M	15-40	8	0.81
MAROTG870B	7'	1	X-FAST	M	15-40	10	1.01
MAROTG670B	7'	1	FAST	M	20-50	8	0.84
MAROTG865XHB	6'6"	1	X-FAST	MH	25-60	9	0.99
MAROTG6460HB	6'	1	X-FAST	H	30-80	12	0.93
"STANDUP" SERIES COLOR: GLOSS BLACK							
MAROHG5617B	5'6"	1	FAST	H	30-80	12	0.97
MAROHG5616B	5'6"	1	FAST	XH	50-130	14	0.99
"OCEAN TROPHY GRAPHITE INSHORE" SERIES COLOR:MATTE BLACK							
MAROTGI70LB	7'	1	MOD-FAST	ML	12-20	7	0.68
MAROTGI70MB	7'	1	MOD-FAST	M	15-25	7	0.69
MAROTGI70HB	7'	1	MOD-FAST	H	20-30	8	0.71
MAROTGI80LB	8'	1	MOD-FAST	ML	12-20	7	0.82
MAROTGI80MB	8'	1	MOD-FAST	M	15-25	8	0.83
MAROTGI80HB	8'	1	MOD-FAST	H	20-30	8	0.70

FRESHWATER BLANKS

ITEM #	LGTH.	PCS.	ACTION	POWER	LINE	TIP	BUTT
<i>GRAPHITE</i>							
"GRAPHITE LITE" (OCS) SERIES COLOR:GLOSS CHESTNUT BROWN							
MAROCS56B	5'6"	2	MOD-FAST	U L	1-6	5	0.28
MAROCS60B	6'	2	MOD-FAST	U L	2-6	5	0.31
MAROCS66B	6'6"	2	MOD-FAST	L	4-10	5	0.33
MAROCS70B	7'	2	MOD-FAST	L	4-10	5	0.34
MAROCS76B	7'6"	2	MOD-FAST	L	4-10	5	0.41
IM7 GRAPHITE / "OXC" SERIES COLOR:MATTE CHESTNUT BROWN							
MAROXC669MB	6'6"	1	FAST	M	12-20	6	0.48
MAROXC669MHB	6'6"	1	FAST	M	12-25	7	0.50
MAROXC710LB	7'	1	MOD-FAST	M	4-10	9	0.46
MAROXC710MB	7'	1	MOD-FAST	M	12-20	9	0.54
MAROXC710HB	7'	1	MOD-FAST	MH	12-30	9	0.55
"OXS" SERIES COLOR:MATTE CHESTNUT BROWN							
MAROXS66MB	6'6"	2	X-FAST	M	8-15	5.5	0.46
MAROXS70MB	7'	2	X-FAST	M	10-20	6	0.47
"FLY" SERIES COLOR:GLOSS BLACK							
MARPIM8065B	8'6"	2	FAST	-	#5	3.5	0.40
MARPIM9005B	9'	2	FAST	-	#5	4	0.41
MARPIM9006B	9'	2	FAST	-	#5	4	0.41
<i>GRAPHITE COMPOSITE</i>							
"NITE STICK" (ONG)SERIES COLOR:GLOSS WHITE							
MARONG929B	9'	2	MOD-FAST	M	10-30	11	0.90
MARONG1010B	10'	2	MOD-FAST	MH	20-40	15	0.93
MARONG1111B	11'	2	MOD-FAST	H	20-50	15	1.00
MARONG1211B	12'	2	MOD-FAST	H	20-50	15	1.11
MARONG1127B	11'	2	MOD-FAST	MH	20-40	15	1.00
MARONG1227B	12'	2	MOD-FAST	MH	20-40	15	1.13



See Policy Pages
FOR INFORMATION ON HOW TO QUALIFY
FOR BIGGER DISCOUNTS

XMG GRAPHITE

Lamiglas' newest high modulus, high tensile strength graphite. This high modulus, high tensile strength graphite allows us to make smaller diameter blanks with faster action. XMG50 utilizes a blend of high modulus carbon fibers to create a perfectly balanced, lightweight blank that is more sensitive than anything on the market today. We use this new material in our XMG50 Fly rods and Salmon/Steelhead series. Also XMG Magnum Action Spin/Cast, Spin & Jig and Popping rod blanks.

IM700 PRO GRAPHITE

Remarkably Lighter and Stronger
Our broadest selection of rod blanks. They employ an all-new smaller-diameter blank design with an improved resin system to produce a 15 percent lighter weight rod than comparable graphites on the market. These rod blanks exhibit properties found only in second and third generation graphites. Superior performance at a great price!

Lami Surf Blanks
9 ft. and up
\$2,000 - \$2,999
extra 5% discount
which will offset freight
Over \$3000 - Free Freight

G1000 GRAPHITE

Traditional, Classic-Style Action
This is our most distinguished series of rod blanks. We use first generation graphite coupled with an improved resin formula to reduce overall rod blank weight while maintaining "classic" moderately fast actions. This series spans a broad range of actions, line ratings and specialty models to cover most fishing applications.

FIBERGLASS

E-Glass Earned Its Place In History
This material is structurally the most durable of the fiberglass family. E-Glass is available in both L rod (light) and H rod (heavy) varieties. The glass properties are expressly matched to each unique application - such as cranking rod blanks for bass; mooching and downrigger rod blanks for salmon, shark, tuna, stripers and king mackerel. We use the same epoxy resins and composites material technology in these rod blanks as we do in our graphite models to offer you lighter weight and improved sensitivity over other manufacturers' fiberglass rod blanks.

"TRI-FLEX"

Exclusive Graphite/Fiberglass Composite
Features our proprietary Tri-wall construction. Unequaled, high quality E-Glass rod blanks are externally and internally reinforced through the butt and mid portion of the blank with graphite to reduce overall weight by 30-50% depending on the model. The tips are lightening fast and softer so they cast live bait as well as throw heavy iron, while the graphite reinforced portion of the rod blank gives tremendous fish fighting control and lifting power.

S-GLASS/GRAPHITE COMPOSITE

Classic Design Offshore Fly Blanks
A low modulus graphite core is covered by an outer layer of caramel colored S-Glass to create a blank that is incredibly strong and powerful yet still has the ability to cast larger saltwater patterns. Currently available are 4 pc. spigot ferruled fly blanks in 8-15 weights.

No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
XMG50 GRAPHITE FLY - Burgundy/Merlot Color Blanks - 2 pc/Fast Action, 4 pc/Extra Fast Action							
ET1084	9'	4	0.445	4.5	4	1½	N/A
ET1085	9'	4	0.428	4.5	5	1½	N/A
ET1086	9'	4	0.435	5	6	1¾	N/A
ET1087	9'	4	0.45	5	7	2	N/A
ET1088	9'	4	0.445	5	8	2 ³ / ₁₆	N/A
ET1089	9'	4	0.46	5.5	9	2 ⁵ / ₁₆	N/A
ET10810	9'	4	0.47	5	10	2 ³ / ₈	N/A
ET1147	9'6"	4	0.464	4.5	7	2 ¹ / ₈	N/A
ET10812	9'	4	0.575	6	12	3	N/A
XMG APPALACHIAN TRAVEL - Natural Graphite Polished							
ET783	6'6"	3	0.392	4	3	½	N/A
ET843	7'	3	0.285	4	3	¾	N/A
ET904	7'6"	3	0.34	4.5	4	¾	N/A
ET963	8'	3	0.385	4	3	1	N/A
ET965	8'	3	0.355	4.5	5	1 ³ / ₈	N/A
ET1025	8'6"	1	0.41	4.5	5	1 ³ / ₈	N/A
INTERNATIONAL GRAPHITE FLY - Natural Graphite Polished							
IFL10854	9'	4	0.4	5	5	1 ¹¹ / ₁₆	N/A
IFL10864	9'	4	0.43	5	6	1¾	N/A
IFL10884	9'	4	0.41	5	8	2	N/A
IFL10894	9'	4	0.44	5	9	2	N/A
IFL1085	9'	2	0.35	5	5	1 ⁵ / ₈	N/A
IFL1086	9'	2	0.37	5	6	1 ¹¹ / ₁₆	N/A
IFL1087	9'	2	0.39	5	7	1 ¹¹ / ₁₆	N/A
IFL1088	9'	2	0.41	6	8	2 ¹ / ₈	N/A
IFL1089	9'	2	0.4	6	9	2¼	N/A
IFL10810	9'	2	0.46	7	10	2¼	N/A



GRAPHITE BLANKS
Also available in:
Candy Apple Red
Translucent Red
Translucent Blue
Translucent Green
Translucent Brown
Pink

FIBERGLASS BLANKS
Also available in:
Candy Apple Red
Pink
Gloss Brown
Forest Green

Min. order: 1
Buy 12 of 1 blank in 1 color



No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
G1000 GRAPHITE FLY - Polished Finish							
GF1084	9'	2	0.42	4	4	1 ³ / ₈	N/A
GF1085	9'	2	0.44	4.5	5	1 ¹¹ / ₁₆	N/A
GF1086	9'	2	0.44	4.5	6	1 ³ / ₄	N/A
GF1087	9'	2	0.45	4.5	7	2 ¹ / ₈	N/A
GF1088	9'	2	0.45	5.5	8	2 ¹ / ₄	N/A
GF1089	9'	2	0.45	5	9	2 ¹ / ₈	N/A
GF10810	9'	2	0.51	5	10	2 ³ / ₈	N/A
GF10812	9'	2	0.548	7	12	3 ⁵ / ₈	N/A

FIBERGLASS FLY - Honey							
FL783	6'6"	2	0.345	4.5	3	1 ⁷ / ₈	N/A
FL843	7"	2	0.405	5.5	3	1 ⁵ / ₈	N/A
FL904	7'6"	2	0.445	5.5	4	1 ³ / ₄	N/A
FL9041	7'6"	2	0.42	5	5	1 ³ / ₈	N/A
FL965	8"	2	0.490	6	5	2	N/A
FL7833	6'6"	3	0.390	5.5	3	1 ¹ / ₄	N/A
FL8433	7"	3	0.405	5	3	1 ⁵ / ₈	N/A
FL9043	7'6"	3	0.44	5.5	4	1 ³ / ₈	N/A
FL9653	8"	3	0.45	5.5	5	2 ¹ / ₄	N/A
FL7836	6'6"	6	0.39	6	3	1 ³ / ₄	N/A
FL8436	7"	6	0.405	5	3	1 ⁵ / ₈	N/A
FL9046	7'6"	6	0.45	5.5	4	1 ³ / ₄	N/A
FL9656	8"	6	0.45	6	5	1 ⁷ / ₈	N/A

"XMG50" GRAPHITE SALMON & STEELHEAD - Polished Finish							
XMG1052MT	8'9"	2	0.456	4.5	10-20	2 ¹ / ₈	1 ² / ₂ - 3 ³ / ₈
XMG1102M	9'2"	2	0.576	5	8-15	3	1 ⁴ / ₄ - 5 ⁵ / ₈
XMG1142LL	9'6"	2	0.445	4	4-8	1 ¹¹ / ₁₆	1 ⁸ / ₈ - 3 ³ / ₈
XMG1142L	9'6"	2	0.456	5	6-10	2 ¹ / ₈	1 ⁴ / ₄ - 1 ² / ₂
XMG1142M	9'6"	2	0.550	4.5	6-12	2	3 ³ / ₈ - 3 ³ / ₄
XMG1202M	10'	2	0.600	4.5	8-15	2 ⁵ / ₁₆	3 ³ / ₈ - 3 ³ / ₄
XMG1262ML	10'6"	2	0.674	4	6-12	2 ¹³ / ₁₆	3 ³ / ₈ - 3 ³ / ₄

INDIAN RIVER TEXALIU/GRAPHITE - Bronze Finish							
TLP842	7"	1	0.520	4.5	4-10	1 ⁷ / ₈	1 ⁸ / ₈ - 3 ³ / ₈
TLP843	7"	1	0.551	4.5	6-15	2 ³ / ₈	1 ⁴ / ₄ - 1 ² / ₂
TLP844	7"	1	0.558	4.5	8-17	2 ⁵ / ₈	3 ³ / ₈ - 3 ³ / ₄
TLP903	7'6"	1	0.580	4	6-15	2 ³ / ₄	1 ⁴ / ₄ - 1 ² / ₂
TLP904	7'6"	1	0.585	4.5	8-17	2 ⁷ / ₈	3 ³ / ₈ - 3 ³ / ₄

GRAPHITE POPPING							
XP783	6'6"	1	0.460	4.5	4-8	1 ¹ / ₂	1 ¹ / ₁₆ - 1 ¹ / ₈

CERTIFIED PRO PITCHIN' & FLIPPIN' - Graphite Finish							
IMC905T	7'6"	1+	0.640	6	10-20	3 ¹ / ₈	1 ⁴ / ₄ - 1
IMC906t	7'6"	1+	0.650	6.5	15-30	3 ⁷ / ₈	3 ³ / ₈ - 2
IMC937T	7'9"	1+	0.670	9	15-30	3 ¹ / ₈	3 ³ / ₈ - 2
XC96HT	8"	8+	0.655	6.5	15-30	3 ¹ / ₂	3 ³ / ₈ - 2

DON IOVINO SERIES - Graphite Finish							
GW74ML	7'2"	1	0.515	5.5	6-15	1 ⁷ / ₈	1 ⁸ / ₈ - 3 ³ / ₈
GW74MH	7'2"	1	0.522	6	6-17	2 ³ / ₈	3 ³ / ₈ - 1

Ti2000/IM700 SALMON/STEELHEAD' - Hand Polished Natural / IM700 Graphite - Fast Action							
TIMSH1022MT	8'6"	2	0.605	5	8-17	3 ⁷ / ₈	3 ³ / ₈ - 1 ¹ / ₄
TIMSH1022H	8'6"	2	0.605	5.5	12-25	4	1 ² / ₂ - 3 ³ / ₄
TIMSH1142MT	9'6"	2	0.600	5	8-17	4 ⁷ / ₈	1 ⁴ / ₄ - 5 ⁵ / ₈

CERTIFIED PRO STEELHEAD/SALMON - Translucent Brown - Fast Action							
XSH1022M	8'6"	2	0.48	5.5	8-12	2 ¹ / ₄	3 ³ / ₈ - 3 ³ / ₄
XSH1022MT	8'6"	2	0.549	5	8-17	2 ⁷ / ₈	1 ⁴ / ₄ - 5 ⁵ / ₈
XSH1052MT	8'9"	2	0.606	5.5	10-20	2 ³ / ₄	1 ² / ₂ - 1 ³ / ₈

GRAPHITE BLANKS

Also available in:

**Candy Apple Red
Translucent Red
Translucent Blue
Translucent Green
Translucent Brown
Pink**

FIBERGLASS BLANKS

Also available in:

**Candy Apple Red
Pink
Gloss Brown
Forest Green**

Min. order: 1

Buy 12 of 1 blank in 1 color

No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
XSA1082H	9'	2	0.56	6.5	15-30	3½	1-2½
XSH1142LL	9'6"	2	0.46	4.5	4-8	1⅞	⅓ - ⅜
XSH1142L	9'6"	2	0.475	4.5	6-10	2⅛	⅓ - ½
XSH1142M	9'6"	2	0.49	5.5	8-12	2⅝	⅜ - ¾
XSH1142MT	9'6"	2	0.62	5	8-17	3⅝	¼ - ⅝
XSH1142MJ	9'6"	2	0.465	6.5	6-15	3⅜	¼ - ½
XSH1202M	10'	2	0.503	5.5	8-12	2⅞	⅜ - ¾
XSH1202MT	10'	2	0.66	5	8-17	4⅞	¼ - ⅝
XSH1202MH	10'	2	0.575	6.5	10-20	3¾	½ - 1½
XSH1262ML	10'6"	2	0.495	4.5	6-10	2⅝	¼ - ¾
XSH1262M	10'6"	2	0.51	5.5	8-12	2¾	⅜ - ¾
XSH1262MH	10'6"	2	0.64	6.5	10-20	3⅝	½ - 1½
XSH1262XH	10'6"	2	0.735	6.5	15-40	6⅞	2-6
XSH1322MH	11'	2	0.615	6.5	10-20	4	½ - 1¾
XSH1563L	13'	3	0.61	5	6-10	4⅜	¼ - ½
XSH1352M	11'3"	2	0.629	5.5	8-15	4⅜	⅜ - ¾
XLB961MT	8'	1	0.645	6.5	25	4½	½ - 2

G1000 STEELHEAD/SALMON SALTWATER SPINNING - Polished Finish

GSH902MT	7'6"	2	0.54	4.5	8-17	2⅞	¼ - ¾
GLB901M	7'6"	1	0.576	6.5	30	3⅞	¾ - 2¼
GLB902M	7'6"	2	0.625	7	30	3⅜	¾ - 3½
GLB931MH	7'9"	1	0.605	7	15-40	3⅜	2-8
GSH1022M	8'6"	2	0.493	5	8-12	2⅝	⅜ - ¾
GSH1022MH	8'6"	2	0.525	5.5	10-20	2⅞	½ - 1½
GSA1022H	8'6"	2	0.519	5.5	12-25	2¾	½ - 1¾
GSH1082L	9'	2	0.44	4.5	6-10	2⅞	⅓ - ½
GSH1082M	9'	2	0.55	5.5	8-12	3	⅜ - ¾
GLB902ML	7'6"	2	0.630	6.5	6-25	5⅞	½ - 2
GFP90MH	7'6"	1	0.580	6.5	8-17	2⅜	⅜ - 2
GLB1082ML	9'	2	0.703	6.5	15-40	5½	1-3
GLB1082MH	9'	2	0.787	7.5	30	6⅞	1-3
CGLB931MT	7'9"	1	0.624	5.5	12-30	4⅞	½ - 2½
GSH961MT	8'	1	0.612	5	10-20	3⅞	⅜ - 2
GSH1022MT	8'6"	2	0.555	5	8-17	2⅞	⅜ - 1½
GSH1022HX	8'6"	2	0.576	6.5	15-25	4⅞	½ - 2
GSH1022X	8'6"	2	0.655	6.5	12-30	4⅝	¾ - 2½
GSH1082H	9'	2	0.560	6	12-25	3⅞	½ - 1¾
GSH1082HX	9'	2	0.605	6.5	12-30	4½	1-6
GSH1142L	9'6"	2	0.470	4.5	4-10	2⅞	⅓ - ½
GSH1262MH	10'6"	2	0.596	6.5	10-20	3⅝	½ - 2½
GSH901MT	7'6"	1	0.585	5	8-17	3	¼ - ¾

ROGUE RIVER SALMON & STEELHEAD - Forest Green Gloss

RR902MT	7'6"	2	0.495	5	6-12	2¼	⅓ - ½
RR1022MT	8'6"	2	0.513	5.5	10-25	2¾	⅜ - 2
RR1022H	8'6"	2	0.585	6.5	12-30	4⅜	½ - 2½
RR1082ML	9'	2	0.44	4.5	6-10	2⅜	⅓ - ½

FIBERGLASS SALMON & STEELHEAD - Gloss Black Finish

BXCF1022M	8'6"	2	0.68	7	N/A	4⅞	⅜ - 1¼
BXCF1022H	8'6"	2	0.785	7	N/A	5¼	½ - 1¾
BXCF1082MH	9'	2	0.715	7	N/A	5⅞	½ - 1½
BSH1264F	10'6"	2	0.82	7	N/A	7¼	¼ - ¾
BSH1265F	10'6"	2	0.74	7	N/A	8	½ - 1
BSP961	8'	1	0.548	6	6-15	3½	¼ - ¾
BSP962	8'	1	.614	5	10-20	4	½ - 2
BMB961E	8'	1	0.880	6.5	12-30	4½	½ - 1½
BXCF1082H	9'	1	0.845	6.5	12-25	6⅞	½ - 2

TRI FLEX IGFA - HIGH GLOSS CLEAR COAT

CGRT30	5'3¼"	1	0.70	14	12-20	5⅜	N/A
CGRT50	5'3¼"	1	0.731	15	30-50	6⅜	N/A
CGRT80	5'7⅞"	1	0.862	16	50-80	10½	N/A



Lamiglas Promotional Items

YAKUTAT

Six-panel, structured jockey-shape cap with pre-curved visor and metal closure. Cotton twill crown, oilskin visor.



No.	Description
LAMCY	Camouflage

GRIZZLY FLEECE STOCKING CAP

Black.



No.	Description
LAMGFSC	

FISHERMAN

Bucket style, canvas crown and brim, inside pocket, chin strap.



No.	Description
LAMFH	

STORMBLOC FLEECE

High Performance, windproof, water resistant, non-piling fleece keeps the weather on the outside. Sage/Black, Navy/Black. M, L, XL, XXL, XXXL. With or without salmon icon.



No.	Price
KK160	

TSUNAMI ADVENTURE SHIRT

100% cotton field cloth, lock 'n loop closure pockets. Breathable back with polyester mesh liner. Light Aqua, Khaki. M, L, XL, XXL



No.	Price
18101	

LAMIGLAS T-SHIRTS

100% cotton short sleeve T-shirt. Logo on chest. Ash, Blue, White, Black. M, L, XL, XXL.



No.	Price
LSST	

LONG-SLEEVE T-SHIRT

90% cotton, 10% polyester. Preshrunk. Logo on Chest. Great for layering. Sports Gray. M, L, XL, XXL.



No.	Price
KK129	

ENGLISH STYLE DISTANCE CASTING SURF BLANKS

No.	Length	Pieces	Butt	Tip Size	Line	Weight oz.	Lure	Butt Length	Tip Length
STRIPER THIEF									
GSB1562H	13½'	2	.980	11	40-60	17½	8-12	5½'	8'
ROCKET									
GSB1802MH	15'	2	1.18	8	50	19	6-16	7½'	7½'



No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
XMG MAGNUM ACTION SPIN/CAST - Natural Polished							
LC862	7'2"	1	0.519	5	8-15	1 ⁷ / ₈	1/4 - 5/8
LMB843	7'	1	0.514	6	10-17	2 ⁵ / ₁₆	1/4 - 3/4
LMB845	7'	1	0.56	6.5	12-25	2 ¹¹ / ₁₆	5/8 - 1 1/4
LMB864	7'2"	1	0.557	6.5	12-20	2 ¹³ / ₁₆	1/4 - 1

No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
XMG FAST ACTION SPIN & JIG - Natural Polished							
LSJ781	6'6"	1	0.482	5	6-10	7/8	1/16 - 5/16
LSJ783	6'6"	1	0.482	5.5	6-15	1 ³ / ₁₆	3/8 - 3/4
LSJ842	7'	1	0.482	5.5	6-12	1 ⁹ / ₁₆	1/8 - 3/8
LSJ861	7'2"	1	0.482	5	6-10	1 ³ / ₁₆	1/16 - 5/16
LSJ862	7'2"	1	0.482	5.5	6-12	1 ³ / ₁₆	1/8 - 3/8

No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
XMG POPPING - Natural Polished							
LP842	7'	1	0.492	4.5	6-12	1 ¹ / ₈	1/8 - 1/2
LP843	7'	1	0.537	4.5	6-15	1 ¹¹ / ₁₆	1/4 - 1/2
LP844	7'	1	0.545	4.5	8-17	1 ¹³ / ₁₆	1/4 - 5/8

No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
SKEET REESE SERIES - * Fiberglass ** Graphite - Honey Gloss							
MB841E *	7'	1	0.775	6.5	8-20	3 ³ / ₈	1/2 - 1 1/2
MB901F *	7'6"	1	0.845	6.5	8-20	4	1/4 - 1
IMB968T **	8'	1	0.721	7	20-30	4	1/2 - 2
IMP883 **	7'4"	1	0.508	4.5	6-12	2 ¹ / ₈	1/8 - 3/8

No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
IM700 CASTING- Polished Finish - Fast Action							
IMC781	6'6"	1	0.47	5	6-17	1 ⁷ / ₈	1/4 - 5/8
IMC784	6'6"	1	0.487	5.5	10-20	1 ¹⁵ / ₁₆	3/4 - 1
IMC785	6'6"	1	0.55	5.5	12-25	2 ¹ / ₄	3/8 - 1 1/2
IMC845	7'	1	0.595	5.5	12-25	2 ³ / ₄	3/8 - 1 1/2
IMC864	7'2"	1	0.551	5.5	8-17	3	1/4 - 1
IMC865	7'2"	1	0.597	7	12-25	3 ⁵ / ₈	3/8 - 1 1/2
DTIMC84M	7'	1	0.536	5.5	10-20	2 ³ / ₁₆	1/4 - 1

No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
IM700 SPINNING - Polished Finish - Fast Action							
IMS781	6'6"	1	0.485	5	6-17	1 ⁷ / ₈	1/4 - 5/8
IMS783	6'6"	1	0.530	5	8-20	2	3/8 - 3/4
IMS843	7'	1	0.520	5	10-20	2 ³ / ₈	3/8 - 3/4

No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
IM6 COMPETITOR SPIN/CAST - Matte Black Finish - Fast Action							
CS78ML	6'6"	1	0.4	5	4-10	1 ¹¹ / ₁₆	1/8 - 3/8
CS78M	6'6"	1	0.407	5	6-12	1 ⁷ / ₈	1/4 - 3/4
CS80ML	6'6"	1	0.41	5	4-10	1 ¹³ / ₁₆	1/8 - 3/8
CS84ML	7'	1	0.435	5	4-10	2	1/8 - 3/8
CC78ML	6'6"	1	0.4	4.5	6-15	1 ¹³ / ₁₆	1/4 - 1/2
CC78M	6'6"	1	0.41	5	8-20	2 ³ / ₈	3/8 - 1
CC78MH	6'6"	1	0.425	5	10-25	2 ⁵ / ₁₆	3/8 - 1 1/2
CC84M	7'	1	0.42	5	6-17	2 ¹ / ₂	1/4 - 3/4
CC84MH	7'	1	0.43	5	12-25	2 ⁷ / ₈	3/8 - 1 1/2
CC84H	7'	1	0.432	5	12-30	3	1/2 - 2
CFC80MH	6'8"	1	0.54	5	8-20	3 ¹¹ / ₁₆	3/8 - 1 1/2

LAMIGLAS PATCH & SURF JACKET

Dry Top. Waterproof, breathable, polyester outer shell, microporous layer, tricot layer inside jacket, Lamiglas logo, waterproof zipper pocket. Sizes: M - L - XL - XXL - XXXL

No.
DRY TOP JACKET
LAMLDT-(size)
PATCH
LAMPATCH



DECALS

No. **Description**
 Small Decal
 Large Decal
 Boat Decal (logo only)
 Boat Decal (with Rod)

ROD RACKS

All-wood. Free-standing. Large Capacity.

No **Description**
LRR32 Floor rack for 32 rods
LRRB12 Peg board wall rack for 12 rods



MAKOI ELITE LONG DISTANCE GRAPHITE SURF BLANKS



No.	Length	Pieces	Line	Butt Diam.	Tip	Weight oz.
GME1502F	12'6"	2	20-30	.92	10	20 ³ / ₄
GME1502MF	12'6"	2	20-30	.90	10	20 ⁵ / ₈
GME1502M	12'6"	2	20-30	.88	10	20 ⁷ / ₁₆
GME1562F	13'	2	20-30	.94	10	21
GME1562MF	13'	2	20-30	.92	10	20 ⁷ / ₈
GME1562M	13'	2	20-30	.90	10	20 ⁷ / ₈
GME1622F	13'6"	2	20-30	.94	10	23 ¹ / ₈
GME1622MF	13'6"	2	20-30	.92	10	22 ¹⁵ / ₁₆
GME1622M	13'6"	2	20-30	.90	10	22 ¹⁹ / ₁₆

CLEAR PLASTIC ZIPPER BAGS

Standard Duty 2.0 mil. 100 per pack.

No.	Size "	per 100	No.	Size "	per 100
Z22	2x2		Z66	6x6	
Z33	3x3		Z69	6x9	
Z44	4x4		Z810	8x10	
Z48	4x8		Z1012	10x12	
Z58	5x8		Z1212	12x12	

Special order sizes available in bulk packs of 1000. Call for details.





No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
G1000 FRESHWATER/LIGHT SALTWATER SPINNING - Polished Finish - Moderate Action							
GUL662	5'6"	2	0.310	4.5	2-6	—	1/8 - 3/8
GFW722L	6'	2	0.310	4.5	2-8	—	1/16 - 1/4
GFW782ML	6'6"	2	0.335	5	4-10	1	1/8 - 1/2
GFW782M	6'6"	2	0.42	5	6-12	1 7/8	1/4 - 3/4
GFW842ML	7'	2	0.38	5	4-10	1 1/8	1/4 - 1/2
GFW842M	7'	2	0.4	5.5	6-12	1 3/8	1/4 - 3/4
GFW902M	7'6"	2	0.490	5	6-12	2 1/8	1/8 - 5/8
GFW932UL	7'9"	2	0.353	4	4-8	1 3/16	1/8 - 1/4

GRAPHITE BOAT/TROLLING - High Gloss Clear Coat							
GBT781XH	6'6"	1	0.825	11	80	5 1/8	N/A
GBT841L	7'	1	0.685	7	20	3 3/4	N/A
GBT841M	7'	1	0.725	7.5	40	5 1/2	N/A
GBT841XH	7'	1	0.835	11	80	6	N/A
GBT901M	7'6"	1	0.745	6.5	40	6	N/A

IM700 POPPING							
IMP843	7'	1	0.485	4.5	8-15	1 1/2	1/4 - 1/2
IMP844	7'	1	0.5	5	8-17	2 1/8	3/8 - 3/4
IMP903	7'6"	1	0.505	4.5	8-15	1 3/4	1/4 - 1/2
IMP904	7'6"	1	0.5	5	8-17	2 1/4	3/8 - 3/4

GRAPHITE MUSKIE - Polished Finish							
LGM841MH	7'	1	0.705	7.5	15-35	4 1/2	3/4 - 3
LGM841H	7'	1	0.8	8	17-40	3 7/8	1-6
LGM841XH	7'	1	0.74	9	20-50	6 5/8	2-8
LGM901H	7'6"	1	0.76	7.5	17-40	6 3/8	1-8
LGM961H	8'	1	0.63	6.5	15-40	4 1/8	1-8
LGM961XH	8'	1	0.645	7.5	20-50	4 3/4	1-8
LGM1021XH	8'6"	1	0.675	7.5	20-50	5 3/8	1-8
CGBT1081M	9'	1	0.764	9	15-30	11 1/2	N/A

G1000 LIVE BAIT - High Gloss Clear Coat - Moderate/Fast Action							
GLB841L	7'	1	0.53	6	15	2 1/2	1/2 - 1 1/2
GLB841M	7'	1	0.575	6.5	20	3 1/8	3/4 - 2 1/4
GLB901M	7'6"	1	0.576	6.5	30	3 3/8	3/4 - 2 1/4
GLB901MT	7'6"	1	0.6	6.5	30	3 3/8	1/2 - 2 1/4
GLB902ML	7'6"	2	0.630	6.5	10-25	3 3/8	1/2 - 2
GLB902M	7'6"	2	0.62	7	30	3 3/16	3/4 - 3 1/2
GLB931MT	7'9"	1	0.625	5.5	12-30	3 1/2	1/2 - 2 1/2
GLB931MH	7'9"	1	0.605	7	15-40	3 3/8	2-8
GLB961L	8'	1	0.59	6	20	3	1/2 - 1 1/2
GLB961M	8'	1	0.61	6.5	30	3 5/8	3/4 - 2 1/4
GLB1081M	9'	1	0.69	6.5	25	5	3/4 - 2 1/4
GLB1081MH	9'	1	0.76	7.5	30	5 3/16	1 - 3 1/2
GLB1082ML	9'	2	0.713	6.5	20	5 3/16	1 - 2 1/2
GLB1082MH	9'	2	0.787	7.5	30	6 1/8	1 - 3

TARPON BLANKS CASTING & SPINNING - Fiberglass - Gloss Black Finish							
TT905001	9'	1	0.775	13	50	14	—
TT905002	9'	1	0.780	13	50	14	—
TT905029	9'	1	0.850	13	50	14	—

TRI-FLEX GRAPHITE INSHORE - Clear Gloss Finish							
TXC841ML	7'	1	0.699	8	12-20	4 1/16	1/2 - 2 1/2
TFC8430	7'	1	0.720	9	8-20	5 5/8	1/2 - 2 1/2
TFC8440	7'	1	0.742	8	8-20	6 13/16	1/2 - 2 1/2
GTF841M	7'	1	0.708	7.5	15-30	5 13/16	3/4 - 3
TXC841M	7'	1	0.700	8	15-30	4 7/8	3/4 - 3
GTF901MH	7'6"	1	0.770	7.5	20-50	6 13/16	6-16
TXC921ML	7'8"	1	0.750	8	12-20	4 7/8	1/2 - 2 1/2
TXC921M	7'8"	1	0.760	8	15-30	5	3/4 - 3
TXC961ML	8'	1	0.780	8	12-20	5 1/2	1/2 - 2 1/2
TXC961M	8'	1	0.800	8	15-30	6	3/4 - 3

EVA 1/4" BUTT CAPS & TRIM RINGS/FORECAPS FOR HANDLE TUBES

No.	Description
GH-850BC	Butt cap for 874 tubes
GH-950BC	Butt cap for 980 tubes
GH-874-1	Trim ring for 874 tubes
GH-980-1	Trim ring for 980 tubes

NEOPRENE FERRULE PLUGS

12 per package

No.	Size
RP-A	1/16" x 3/16" x 1/2"
RP-B	1/8" x 1/4" x 3/4"
RP-C	3/16" x 5/16" x 3/4"



No.	Description
GA24	Graphite arbor (fits .874" tube)
GA26	Graphite arbor (fits .980" tube)
LCM1	Cork mushroom caps (fits .874" tube)
LCM2	Cork mushroom caps (fits .980" tube)

TEXALUM TUBE HANDLE*

Texalium is a 2X2 twill woven material with Aluminum powder coating on one side designed by Hexcel. It provides excellent hoop strength so it resists crushing. These tubes will be available in the same sizes as the current graphite woven tubes. Reel seat sold separately.

No.	I.D. (in.)	Length
TXT874-60	.874	60"
TXT980-60	.980	60"



* Fiberglass with aluminum coating

Color Chart

- BL = Blue
- GR = Green
- BU = Burgundy/Red
- BRN = Brown
- CCS = Clear Coat



No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
TEXALUM INSHORE - Translucent Blue Finish							
TEX841ML	7"	1	.717	7.5	12-20	6	1/2-2 1/2
TEX841M	7"	1	.706	7.5	15-30	5 1/2	3/4-3
TEX921ML	7'8"	1	.762	7.5	12-20	6 1/2	1/2-2 1/2
TEX921MML	7'8"	1	.779	8	12-25	6 13/16	1/2-2 3/4
TEX921M	7'8"	1	.751	7.5	15-30	6	3/4-3
TEX961ML	8'	1	.807	7.5	12-20	7	1/2-2 1/2
TEX961M	8'	1	.796	7.5	15-30	6 1/2	3/4-3

TRAVEL SERIES - Graphite							
IMP8433	7'	3	0.500	5	6-5	1 3/4	1/4- 1/2
IMP8443	7'	3	0.505	5	8-17	1 1/8	3/8- 3/4
CGBT843M	7'	3	0.720	3	15-30	6 1/4	1/2-1 1/2
XT8425	7'	3	0.535	6	12-25	2 13/16	3/8- 1 1/2
XT1023H	8'6"	3	0.665	6	12-25	3 3/16	1/2- 1 3/4
GSB1204M	10'	4	0.878	9	12-25	8 13/16	2-4

FIBERGLASS MOOCHING & LIVE BAIT							
Honey							
MB841E	7"	1	0.775	6.5	N/A	3 3/8	1/2-1 1/2
MB842F	7"	1	0.775	7	N/A	3 1/2	3/4-2 1/4
MB901F	7'6"	1	0.845	6.5	N/A	4 1/2	1/4-1
MB963M	8'	1	0.85	7	N/A	5 3/4	1-3
MB1083M	9'	1	0.935	7	N/A	6	1-3
MB1083M2	9'	2	0.85	9	N/A	6 3/4	1-3
MB1143F	9'3"	1	0.97	7	N/A	9 1/2	1-3 1/2
Black							
BMB841E	7"	1	0.775	6.5	N/A	3 3/8	1/2-1 1/2
BMB842F	7"	1	0.775	7	N/A	3 1/2	3/4-2 1/4
BMB903F	7'6"	1	0.840	7	N/A	6	1/2-1 1/2
BMB961E	8'	1	0.880	6.5	N/A	4 1/2	1/2-1 1/2
BMB963M	8'	1	0.85	7	N/A	5 3/4	1-3
BMB965M	8'	1	0.93	11	N/A	10 1/2	3-5
BMB1083M	9'	1	0.935	7	N/A	6	1-3
BMB1143F	9'3"	1	0.94	9	N/A	9 3/4	1-3 1/2
White							
WMB841E	7"	1	0.775	6.5	N/A	3 3/8	1/2-1 1/2
WMB842F	7"	1	0.775	7	N/A	3 1/2	3/4-2 1/4
WMB963M	8'	1	0.85	7	N/A	5 3/4	1-3
WMB1083M	9'	1	0.935	7	N/A	6	1-3

FIBERGLASS BOAT/TROLLING							
Honey							
BT857S	7'	1	0.785	16	40	7 1/4	NA
BT963M	8'	1	0.765	8	30	7 1/8	NA
BT1083M	9'	1	0.846	9	30	9 1/4	NA
Black							
BBT857S	7'	1	0.785	16	40	7 1/4	NA
BBT963M	8'	1	0.765	8	30	7 1/8	NA
BBT1083M	9'	1	0.846	9	30	9 1/4	NA
White							
WBT622M	5'	1	0.47	8	20	2 1/8	NA
WBT857S	7'	1	0.785	16	40	7 1/4	NA
WBT963M	8'	1	0.765	8	30	7 1/8	NA
WBT1083M	9'	1	0.846	9	30	9 1/4	NA

GRAPHITE BLANKS
 Also available in:
 Candy Apple Red
 Translucent Red
 Translucent Blue
 Translucent Green
 Translucent Brown
 Pink

FIBERGLASS BLANKS
 Also available in:
 Candy Apple Red
 Pink
 Gloss Brown
 Forest Green

Min. order: 1
 (upcharge of \$14)

Buy 12 of 1 blank in 1 color
 (no upcharge)

We are never undersold!

"SIMULATED" S-GLASS - Caramel Color							
No.	Length	Pieces	Butt	Tip	Weight	Lure	
S-GLASS FRESHWATER							
MUL601F	5'	1	.330	5	1 5/16	1/16 - 1/4	
MUL681F	5'6"	1	.570	5.5	1 5/16	1/8 - 3/8	
S-GLASS MOOCHING & LIVE BAIT							
MMB841E	7'	1	.750	7	2 5/8	1/2 - 1 1/2	
MMB842F	7'	1	.750	8	3 1/2	3/4 - 2 1/4	
MMB963M	8'	1	.860	8	4	1-3	
MMB1083M	9'	1	.905	8	5 1/4	1-3 1/2	
MMB1143F	9'6"	1	.970	7	9 1/2	1-3 1/2	
S-GLASS SURF & BAR							
MSB1362M	11'6"	1 & 2	1.00	11	6	3-5	
MSB1363M	11'6"	1 & 2	1.03	13	11	4-8	
MSB1362F	11'6"	1	1.06	12	10	2-5	

"Simulated" S-Glass is an amazingly sophisticated type of fiberglass that approaches graphite in lightness of weight and sensitivity at about half the cost of graphite. It has 25% higher modulus than regular fiberglass which gives it faster recovery with lighter rod weight. S-Glass Blanks are one of the finest values in blanks today; lightweight, sensitive, economical. An excellent blank for building a fine fishing instrument when you want more than standard fiberglass.



No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
TRI-FLEX BOAT & TROLLING - High Gloss Clear Coat							
CGBT781L	6'6"	1	0.681	7.5	20	4 ³ / ₁₆	N/A
CGBT781ML	6'6"	1	0.728	8	25	5 ³ / ₄	N/A
CGBT781M	6'6"	1	0.725	9	30	5 ¹ / ₂	N/A
CGBT781MH	6'6"	1	0.79	9	20-40	6 ¹ / ₄	N/A
CGBT841L	7'	1	0.715	7.5	20	4 ¹ / ₄	N/A
CGBT841ML	7'	1	0.732	8	25	5 ³ / ₈	N/A
CGBT841M	7'	1	0.75	9	30	6 ³ / ₄	N/A
CGBT841MH	7'	1	0.812	9	20-40	7 ³ / ₈	N/A
CGBT96H	8'	1	0.815	15	40	13 ¹ / ₄	N/A
CGBT96XH	8'	1	0.986	25	50	8 ³ / ₈	N/A
CGBT964M	8'	1	0.850	12	50	8	N/A
CGBT1081M	9'	1	0.764	9	15-30	11.5	1-8

GRAPHITE/FIBERGLASS BLANKS (comp.) - High Gloss Clear Coat

GFC72XH	6'	1	0.76	10	30-80	9	N/A
GFC84MH	7'	1	0.87	9	10-25	9 ³ / ₄	N/A
GFC84H	7'	1	0.965	9	20-50	10	N/A

RON ARRA SURF SERIES - Translucent Brown - Fast Action

XRA961M	8'	1	0.608	7	10-20	3 ⁵ / ₈	1/2 - 2
XRA1022M	8'6"	2	0.67	6	12-25	4 ¹ / ₂	1/2 - 2
XRA1083	9'	1	0.719	6	12-17	5 ⁵ / ₈	1/2 - 2 ¹ / ₄
XRA1084	9'	1	0.73	7	15-30	7 ¹ / ₂	1 - 4
XRA10832	9'	1	0.630	6.5	12-17	5 ¹ / ₂	1/2 - 2 ¹ / ₄
XRA10842	9'	2	0.71	7.5	15-30	6 ⁵ / ₈	1 - 4
XRA12032	10'	2	0.8	10	12-20	7 ⁵ / ₈	3/4 - 2 ¹ / ₂
XRA1204	10'	1	0.8	7	12-20	9	7/8 - 2 ¹ / ₂
XRA1205	10'	1	0.845	10	15-30	10 ¹ / ₄	1 - 5 ¹ / ₂
XRA1261MH	10'6"	1	0.85	12	15-40	11 ¹ / ₂	4 - 6
XRA1321	11'	1	0.83	10	12-20	8 ⁷ / ₈	7/8 - 3
XRA1322	11'	1	0.91	10	15-30	11 ¹ / ₄	1 - 5
XRA13222	11'	2	0.789	10	15-30	11 ³ / ₈	1 - 5
XRA13212	11'	2	0.723	10	12-30	9 ³ / ₈	7/8 - 3
XRA1381H	11'6"	1	0.89	14	15-40	16	4-12

BUTT EXTENSIONS

6' butt extension fits Lamiglas model numbers GSB120's and GSB132's.

No.
GSBBUTT

G1000 GRAPHITE SURF/BAR - High Gloss Clear Coat

GSB1081L	9'	1	0.690	6.5	30	5	1/2-2 ¹ / ₂
GSB1081M	9'	1	0.76	7.5	30	5 ³ / ₁₆	1-3
GSB1201L	10'	1	0.765	10	30	6 ³ / ₈	2-6
GSB1201M	10'	1	0.79	11	40	11 ³ / ₄	4-12
GSB1202L	10'	2	0.775	7.5	30	4 ⁵ / ₈	2-5
GSB1202M	10'	2	0.870	8	40	5.5	4-12
GSB1204M	10'	4	0.878	9	40	5 ¹ / ₁₆	4-12
GSB1221MH	10'2"	1	1.045	17	40	8 ⁷ / ₈	6-12
GSB1321L	11'	1	0.835	10	30	8 ¹ / ₄	2-6
GSB1322L	11'	2	0.820	10	30	7 ³ / ₈	2-5
GSB1321M	11'	1	0.840	11	40	9 ¹ / ₈	4-12
GSB1322M	11'	2	0.845	11	40	10 ¹ / ₈	4-10
GSB1361MH	11'6"	1	1.115	17	50	10 ¹ / ₄	6-16
GSB1442MH	12'	2	1.000	10	50	11	6-16
GSB1502MH	12'6"	2	1.085	9	50	12 ⁷ / ₈	6-16
GSB1621MH	13'6"	1	1.23	14	50	14 ¹ / ₈	6-16
GSB1802M	15'	2	1.089	13	40	14	4-8
GSB1802MH	15'	2	1.176	7.5	50	19 ³ / ₈	6-12

"TRI - FLEX" SURF SERIES - High Gloss Clear Coat - Moderate/Fast Action

CSB1022L	8'6"	2	0.695	9	10-17	6 ¹ / ₂	1/2 - 2 ¹ / ₄
CSB1082M	9'	2	0.828	8	10-30	5 ⁵ / ₈	1-3
CSB1142M	9'6"	2	0.845	8	12-30	6	1-3
CSB1202M	10'	2	0.9	9	12-30	6 ³ / ₄	3-8
CSB1261M	10'6"	1	0.812	11	20	11.5	1-4

INSHORE CLASSIC GRAPHITE

IC78MH	6'6"	1	0.645	6.5	8-17	3 ¹ / ₄	1/2 - 2
IC78H	6'6"	1	0.635	7.5	15-30	3 ³ / ₄	3/4 - 3
IC84ML	7'	1	0.52	5.5	10-20	2 ¹ / ₄	1/2 - 1 ¹ / ₂
IC84M	7'	1	0.583	6.5	12-20	3 ¹ / ₈	1/2 - 2
IC84MH	7'	1	0.69	7	12-25	3 ³ / ₄	1/2 - 3
IC84H	7'	1	0.71	7	15-30	5 ¹ / ₄	1 - 4

GRAPHITE BLANKS

Also available in:
Candy Apple Red
Translucent Red
Translucent Blue
Translucent Green
Translucent Brown
Pink

FIBERGLASS BLANKS

Also available in:
Candy Apple Red
Pink
Gloss Brown
Forest Green

Min. order: 1
(upcharge of \$14)

Buy 12 of 1 blank in 1 color
(no upcharge)



No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
IC90MH	7'6"	1	0.690	5.5	12-25	2 ⁵ / ₈	1/2 - 3
IC90H	7'6"	1	0.705	5.5	12-25	2 ⁷ / ₈	1/2 - 3
IC96H	8'	1	0.61	6.5	12-25	3 ³ / ₄	1/2 - 2 1/2

KAYAK SERIES - Triflex Graphite - Clear Gloss Finish

TF8630	7'2"	1	0.557	6.5	15-30	3 ¹ / ₁₆	1-3
TF9015	7'6"	1	0.648	6.5	6-15	3 ³ / ₁₆	1/4 - 1
TF9020	7'6"	1	0.692	6.5	8-20	4 ¹ / ₂	1/2 - 1 1/2
TF9025	7'6"	1	0.662	6.5	12-25	4 ¹³ / ₁₆	3/4 - 3
TF9040	7'6"	1	0.680	6.5	20-40	5 ⁷ / ₈	1-4

GRAPHITE 2 PIECE OUTRIGGER BLANK

GO1262	10'6"	2	0.645	12	N/A	9 ⁷ / ₈	N/A
--------	-------	---	-------	----	-----	-------------------------------	-----

FIBERGLASS SURF

Honey

SB1213M	10'	1	0.995	14	N/A	11 ³ / ₄	4-6
SB1215M	10'	1	1.035	18	N/A	16 ⁷ / ₈	8-12
SB1362M	11'6"	1	1.095	11	N/A	9 ¹ / ₄	3-5
SB1362M2	11'6"	2	1.025	12	N/A	8 ¹ / ₂	3-5
SB1362F	11'6"	1	1.06	12	N/A	13 ¹ / ₄	2-5
SB1362F2	11'6"	2	1.050	12	N/A	13 ¹ / ₂	2-5
SB1363M	11'6"	1	1.8	13	N/A	13 ⁵ / ₈	4-8
SB1363M2	11'6"	2	1.025	12	N/A	13	4-8
SB1364M	11'6"	1	1.11	12	N/A	17 ¹ / ₈	6-12
SB1604M	13'6"	1	1.2	13	N/A	20 ⁵ / ₈	6-12
SB1606M	13'6"	1	1.330	18	N/A	41	12-20

Black

BSB1213M	10'	1	0.995	14	N/A	11 ³ / ₄	4-6
BSB1363M	11'6"	1	1.8	13	N/A	13 ⁵ / ₈	4-8
BSB1363M2	11'6"	2	1.025	12	N/A	13	4-8
BSB1604M	13'6"	1	1.2	13	N/A	20 ⁵ / ₈	6-12
BSB1606M	13'6"	1	1.33	18	N/A	28 ¹ / ₂	12-20

"E" GLASS - FIBERGLASS REGULATION IGFA & STAND UP

Black

BRT20	5'2 1/2"	1	0.75	14	20	5 ⁷ / ₈	N/A
BRT30	5'2 1/2"	1	0.76	15	30	7	N/A
BRT50	5'3"	1	0.885	16	50	10 ¹ / ₈	N/A
BRT80	5'6"	1	0.995	24	80	17 ¹ / ₄	N/A
BRT130	5'6"	1	1.185	26	130	21 ³ / ₄	N/A

White

WRT20	5'2 1/2"	1	0.75	14	20	5 ⁷ / ₈	N/A
WRT30	5'2 1/2"	1	0.76	15	30	7	N/A
WRT50	5'3"	1	0.825	16	50	10 ¹ / ₈	N/A
WRT80	5'6"	1	0.995	24	80	17 ¹ / ₄	N/A
WRT130	5'6"	1	1.185	26	130	21 ³ / ₄	N/A

GRAPHITE 1PC "SWIMBAIT" AND "FLIPPIN" BLANKS - Polished Finish

XLB901MH	7'6"	1	0.597	7	15-30	3 ⁵ / ₈	1-6
IM925F	7'8"	1	0.570	6.5	10-20	2 ¹³ / ₁₆	3/8 - 1 1/2
IM926F	7'8"	1	0.583	7	12-25	3 ¹¹ / ₁₆	1/2 - 2
IM927F	7'8"	1	0.590	6.5	15-30	4 ¹ / ₁₆	3/4 - 3
IM956F	7'11"	1	0.576	6.5	12-25	3 ¹ / ₂	1/2 - 2
XC967	8'	1	0.640	7	15-30	4	1-6

COMPOSITE CRANKBAIT - High Gloss Clear Coat—Fiberglass/Graphite Composite

CCB844M	7"	1	0.609	6.5	6-15	2 ¹³ / ₁₆	1/4 - 1
CCB844MF	7"	1	0.614	6.5	6-15	2 ⁷ / ₈	1/4 - 1
CCB845M	7"	1	0.778	6	8-20	2 ⁵ / ₁₆	3/8 - 1 1/2
CCB864M	7'2"	1	0.616	6	12-25	3	1/4 - 3/4
CCB865MF	7'2"	1	0.612	6	15-30	3	1/4 - 1
GFP90MH	7'6"	1	0.580	6.5	8-17	2 ¹³ / ₁₆	3/8 - 2

FIBERGLASS CRANKIN' - Gloss Black Finish

BXC785F	6'6"	1	0.670	6	12-25	2 ⁷ / ₈	3/8 - 3/4
BXC845F	7"	1	0.680	6	12-25	3 ¹ / ₄	3/8 - 3/4
BMB841E	7"	1	0.775	6.5	8-20	3 ³ / ₈	1/2 - 1 1/2

FIBERGLASS FRESHWATER SPIN - Honey

FW792M	6'6"	1	0.43	6.5	N/A	1 1/2	1/8 - 3/8
FW851F	7"	1	0.645	6.5	N/A	2 1/2	1/8 - 1/2

Note: Outrigger prices are for each. You will need to order two for a pair.



FISHING ROD REPAIR KITS

Made by Lamiglas, works with any brand blank. Contains assorted (6") pieces of rod blanks ready to be used for repairing broken rods, making glass to glass ferrules, etc. 12 per bag.

No. RRK1

BUTT KITS

18" butt section for making a butt extension. RRK2 can also be used as a practice piece when wrapping threads, or as a thread pattern display model for customers.

No. RRK2



Assorted graphite or fiberglass

FERRULE & BUTT PLUGS

Molded tapered black plastic for a neat cosmetic finish.

No. GOL8068



International Series



No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
INTERNATIONAL STEELHEAD & SALMON - Graphite - Matte Black							
ISS1022M	8'6"	2	0.51	5	N/A	3	3/8 - 3/4
ISS1022MH	8'6"	2	0.52	6	N/A	3 3/8	1/2 - 1 1/2
ISS1022H	8'6"	2	0.53	7	N/A	3 1/4	1/2 - 1 3/4
ISS1142ML	9'6"	2	0.49	6	N/A	2 3/4	1/8 - 1/2
ISS1262ML	10'6"	2	0.51	5	N/A	2 5/8	1/8 - 1/2
INTERNATIONAL CLASSIC GLASS - Glass - Dark Brown Gloss							
ICG982DR	8'2"	2	0.64	7	8-20	4 5/8	3/8 - 1
ICG1022MH	8'6"	2	0.67	7	10-20	5 3/8	3/8 - 1
ICG1052MH	8'9"	2	0.74	8	15-30	6 1/4	3/4 - 4
ICG1082DR	9'	2	0.76	6	15-30	6 1/4	3/4 - 4
INTERNATIONAL FRESHWATER - Graphite - Matte Black							
IFW662L	5'6"	2	0.31	5	2-6	7/8	1/8 - 1/4
IFW722L	6'	2	0.31	5	2-8	1	1/8 - 3/8
IFW78UL	6'6"	1	0.35	5	2-8	1 3/4	1/2 - 3/8
IFW782L	6'6"	2	0.34	6	4-10	1 3/8	1/8 - 1/2
IFW842UL	7'	2	0.35	5	2-8	1 3/8	1/8 - 1/2
IFW842L	7'	2	0.38	5	4-10	1 1/4	1/8 - 1/2
INTERNATIONAL GRAPHITE POPPING - Matte Black							
IP843	7'	1	0.465	5	8-15	1 3/8	1/4 - 1/2
IP844	7'	1	0.5	6	8-17	2	3/8 - 3/4
IP903	7'6"	1	0.48	5	8-15	1 3/4	1/4 - 1/2
IP904	7'6"	1	0.495	5	8-17	1 3/4	3/8 - 3/4
INTERNATIONAL GRAPHITE SURF - Matte Black							
ISU961M	8'	1	0.71	8	10-17	3 5/8	1/2-2
ISU1082M	9'	2	0.64	8	10-17	4 7/8	5/8-2
ISU1202M	10'	2	0.76	11	14-30	4 3/8	2-4
ISU1202MH	10'	2	0.9	9	17-40	6 1/2	3-8
ISU1322MH	11'	2	0.92	9	17-40	7 1/4	3-8
INTERNATIONAL SALTWATER - Glass - Matte Black							
ISW60XXHST	5'	1	0.73	11	50-100	8 5/16	N/A
ISW66HST	5'6"	1	0.752	10	30-50	7 13/16	N/A
ISW66XXH	5'6"	1	0.76	12	50-100	9 7/8	N/A
ISW66XXHST	5'6"	1	0.760	12	50-100	9 7/8	N/A
ISW66XXHMFST	5'6"	1	0.786	12	50-100	8 3/8	N/A
ISW66XXHFST	5'6"	1	0.822	12	50-100	13 5/8	N/A
ISW72XH	6'	1	0.76	12	30-80	11 1/8	N/A
ISW78H	6'6"	1	0.79	9	20-50	8 3/8	N/A
ISW78XH	6'6"	1	0.87	10	30-80	15 1/4	N/A
ISW84MH	7'	1	0.79	8	12-30	6 1/8	N/A
ISW84H	7'	1	0.85	9	20-50	10 3/8	N/A
ISW96MH	8'	1	0.74	9	12-30	6 1/4	N/A
INTERNATIONAL SARDINA - Glass - Gloss Black							
I655H	5'6"	1	0.845	11	N/A	10 1/2	N/A
I665	6'6"	1	0.88	9	N/A	9	N/A
I665H	6'6"	1	0.9	10	N/A	10 1/2	N/A
I270	7'	1	0.89	8	N/A	9	N/A
I670	7'	1	0.85	10	N/A	9 1/4	N/A
I870	7'	1	0.845	9	N/A	8 7/8	N/A
HEAVY JIGGING & SALTWATER - Composite - Clear Gloss							
CHJ6630	5'6"	1	0.975	9	20-40	4 1/2	N/A
CHJ6650	5'6"	1	0.775	11	8-16	5 5/8	8-16
CHJ6680	5'6"	1	0.846	13	12-20	11 3/4	12-20
GFC72XXH	6'	1	0.850	13	80	11 2/3	N/A
GFC84H	7'	1	0.870	7	20-50	11	1-4
NZ842M	7'"	2	0.6	7	1-3	3 1/8	1-3
NZ902XH	7'6"	2	0.72	10	4-10	9	4-10
NC962H	8'	2	0.75	7.5	20-40	8	1-4
NZ1022XH	8'6"	2	0.815	10	6-12	10 3/8	6-12

Pick up Surf Blanks at our Long island, NY distribution Center.

SAVE ON SHIPPING

ALL LAMI GLAS
CLOTHING IS
AVAILABLE.
HATS - JACKETS -
SHIRTS - ETC.
CALL US



Pick up blanks at two locations to save shipping.

Super Surf

No.	Length	Pieces	Butt	Tip	Line	Weight	Lure
SUPER SURF GRAPHITE - Translucent Light Blue Gloss							
SSU1081M	9'	1	0.755	7.5	15-30	5 1/8	N/A
SSU1082ML	9'	2	0.725	6.5	12-20	4 3/8	12-20
SSU1201L	10'	1	0.76	10	15-30	6 1/8	2-5
SSU1201M	10'	1	0.78	11	20-40	11 1/2	3-10
SSU1201MH	10'	1	1.03	16	20-40	8 1/2	4-12
SSU1202MH	10'	2	0.968	7.5	17-40	7 1/16	N/A
SS1262MH	10'6"	2	1.018	8	20-40	9 3/16	N/A
SSU1321MH	11'	1	0.83	10	20-40	9	4-12
SSU1322MH	11'	2	1.080	8	20-40	10 13/16	N/A
SSU1081L	9'	1	0.695	6.5	12-17	5 1/2	1/2-2 1/2
SSU1212MH	10'	2	0.562	8	17-40	11 3/16	2-6
SSU1252MH	10'5"	2	0.574	8	17-40	12	2-6
SSU1282MH	10'8"	2	0.595	8	17-40	12 7/16	2-6
SSU1332MH	11'	2	0.649	8	17-40	13 3/8	4-8
SSU1372MH	11'5"	2	0.670	8	17-40	14 1/2	4-8
SSU1402MH	11'8"	2	0.688	8	17-40	15 1/8	4-8
SSU1212H	39**	Butt Only	0.562	0.385	N/A	7	N/A
SSU1252H	44**		0.574	0.385	N/A	7 7/16	N/A
SSU1282H	47**		0.595	0.385	N/A	8 3/8	N/A
SSU1332H	39**		0.649	0.45	N/A	8	N/A
SSU1372H	44**		0.670	0.45	N/A	9 1/8	N/A
SSU1402H	47**		0.688	0.45	N/A	9 7/16	N/A

* can fit the butt to your customer



TWILI-TIP

The coil wire tip, sold under the trademark TWILI-TIP, features a stainless steel spring to resist corrosion and a bright yellow body to improve tip visibility. Designed to fit most popular rod sizes; six inserts, sizes #5 through #16, are packaged with each tip. Installation is simple requiring only Super-Glue™.

No.
TWILITIP



REVERSIBLE VEST

Water Repellent, wind resistant Drift Tech® nylon reversible to non-piling Grizzly® fleece. Heavy-duty zipper, side pockets. Black/Charcoal. M, L, XL, XXL, XXXL. With or without salmon icon.
No.
KK159



FLATS II SHIRT

100% Cool Tek, quick-dry micro-nylon. Vertical back vents and breathable mesh liner. Adjustable rod loop. Sage, Fossil, Cornsilk. M, L, XL, XXL
No.
11605



SWEATSHIRT

50/50 cotton/polyester, medium weight, 1/4 zip, long sleeve sweatshirt. Navy Blue. M, L, XL, XXL.
No.
KK116



KENAI GUIDE JACKET

Durable 3 layer laminated nylon shell. Waterproof, breathable and fully seam sealed. Olive. M, L, XL. With or without salmon icon.
No.
KK158



LIGHT WINDSHIRT

All-Seasons Microfiber shell, nylon lined. Water repellent. Wind resistant. V-neck. Navy. M, L, XL, XXL, XXXL. With or without salmon icon.
No.
KK135



POLY-DRI MOCK TEE

Poly-Dri's uniquely textured microfiber knit fabric wicks perspiration rapidly away from the skin. Supreme comfort under all conditions. White. M, L, XL, XXL, XXXL. With or without salmon icon.
No. Size
KK155 M, L, XL
 XXL
 XXXL



HOODED SWEATSHIRT

80/20 Cotton/Poly, Heavyweight hooded sweatshirt. Charcoal Gray. M, L, XL, XXL.
No.
KK165





Note: Warranty from the manufacturer

ENGLISH SURF

Great Britain, which has no space program, must channel all her frustration into surf casting. Over there baits are big, the fish lie far from shore, and English surf casters continue to dominate distance casting. Featuring level butt sections, zoned action tips and machined graphite spigot ferrules, the Cono-flex assortment ranges from conventional style surf cannons built for casts up to 600 feet—to sleek spin sticks that feel perfect for winging 3oz. ballistics.

No.	Description	Length Butt/Tip	Butt Dia.	Tip 64th's	Lure Weight	Action	Weight oz.
GRAPHITE/KEVLAR SURF BLANKS							
CON1	Injection	5'7"4"=12'	1.000	9.5	6oz.+bait	Fast	18.2
CON2	Cobra	5'7"4"=12'	.970	9.5	5oz.+bait	Fast	14.0
CON3	Super Bass	4'7"4"=11'	.875	10.0	4oz.+bait	Fast	10.0
CON4	Sea Match	4'6"4"=10'	.665	6.5	3/4oz-2 1/2oz.	Medium	7.0
CON5	Sea Match II	4'6"4"=10'	.665	8.0	1-3oz.	Medium	7.0
X-WEAVE GRAPHITE BLANKS							
CON6	Mirage	4'8"4"=12'	.943	7.5	2 1/2oz-4 1/2oz.	Fast	11.4
CON7	Nevada	6'6"4"=12'	.709	7.5	1-3oz.	Medium	9.3
CON8	Cast N' Snatch	3 1/2'5 1/2"=9'	.715	7.0	2-4oz.	Extra-Fast	7.7
CON9	Cast N' Snatch II	5 1/2'5 1/2"=11'	.715	7.5	2-4oz.	Extra-Fast	9.6
CON10	Flounder Basher	4'4"6"10"=11'9"	.880	8.5	1-3oz.	Extra-Fast	14.0

SCORPION IGFA SERIES X-WEAVE BOAT RODS

- All blanks 8 feet
- All made of X-Weave extra tough graphite
- 2 Piece blanks spigotted and reinforced in center
- All medium-fast action

No.	Description	Blank	Pieces	Butt Dia.	Tip Dia.	Weight oz.
CON11	Scorpion 50lb. 1pc.	50lb.	1	.951	9	8.16
CON12	Scorpion 50lb. 2pc.	50lb.	2	N/A	N/A	N/A
CON13	Scorpion 30lb. 1pc.	30lb.	1	.940	8	7.6
CON14	Scorpion 30lb. 2pc.	30lb.	2	.940	8	8.3
CON15	Scorpion 20lb. 1pc.	20lb.	1	.915	8	6.0
CON16	Scorpion 20lb. 2pc.	20lb.	2	.910	8	7.1
CON17	Scorpion 12/16lb. 1pc.	12/16lb.	1	.885	7	6.0
CON18	Scorpion 12/16lb. 2pc.	12/16lb.	2	.875	7	6.9

**Call
for
Price**

XFAST TIP ACTIONS, HEAVY POWER, MODERATE TAPERS



CLEAR POINT BLANKS

Solid unbreakable clear fiberglass tip on a combination of high density graphite core, covered by longitudinal glass fibers.

All blanks are 7' in length. Finished in black spiral with clear tip.

No.	Butt Size	Tip Size	Line Wt.
BWSML	.633	7	10-12
BWCL	.770	8	12-15
BWS	.775	7	15-20
BWSH	.840	10	20-30



GREAT VALUE BLANKS

Available in a great selection of colors! Choose from *Pink, Purple, Lime and Blue!*

All blanks are graphite, 7 ft. Trim butts for shorter lengths.

No.	Power	Line	Butt	Tip
COLGVL70M	1 pc MED	6-12	.460	5.0
COLGVL70MH	1 pc M-HVY	8-20	.480	5.5
COLGVL70XH	1 pc X-HVY	20-40	.600	7.5



In Color

BRONCO® Blanks by Lamiglas

only available through **Merrick Tackle**

State of the Art: light, strong and increased sensitivity. Finished in luxurious translucent brownish black.
All are Fiberglass

No.	Type	Length	Pieces	Butt	Tip	Wt.	Line	Lure
CLASSIC STIX								
XBT1083M	Striper special	9'	1	.845	8	9 ³ / ₄	20-30	7/8-3
XMB1083M	Jetty Jockey	9'	1	.950	7	7	15-25	3/4-2
XMB963E	Live Bait Special	8'	1	.890	7	7	15-25	3/4-2 1/2
XMB842F	Spinfisher	7'	1	.775	6.5	3 1/4	10-25	1/2-1 1/2

No.	Type	Length	Pieces	Butt	Tip	Wt.	Line	Lure
SURF STIX								
XSB1215M	Bomber	10'	1	1.030	18	17 1/2	30-50	4-12
XSB1213M	Beachmaster	10'	1	1.000	13	14	20-40	3-6
X1164	Class Cutta	11 1/2'	1	1.060	14	14 7/8	17-30	2-5
X1163	Spin Cutta	11 1/2'	1	1.090	14	9 1/2	17-30	3-5
X1165	Super Cutta	11 1/2'	1	1.035	12	13 3/4	20-40	2-5
X1166	Super X Cutta	11 1/2'	1	1.13	14	18	20-50	6-12

No.	Type	Length	Pieces	Butt	Tip	Wt.	Line	Lure
BUNKER SPOON - Umbrella								
X963M	Spoon Sweeper	8'	1	.843	12	10	30-60	—

No.	Type	Length	Pieces	Butt	Tip	Wt.	Line	Lure
JIG & GAME - Medium Action								
XJG631M	Salt Spray I	5'	1	.465	14	4	—	—
XJG632M	Salt Spray II	5'	1	.595	18	6 1/2	—	—
XJG633M	Salt Spray III	5'	1	.640	18	6 5/8	—	—
XJG634M	Salt Spray IV	5'	1	.620	20	6 5/8	—	—
XJG675M	Salt Spray V	5'	1	.755	13	12 1/2	—	—
XJG676M	Salt Spray VI	5'	1	.830	18	17 1/4	—	—
XJG677M	Salt Spray VII	5'	1	1.005	24	23 1/2	—	—
XJG678M	Salt Spray VIII	5'	1	.995	24	23	—	—

Note: change the length by extending the butt

No.	Type	Length	Pieces	Butt	Tip	Wt.	Line	Lure
NORTHEAST BOAT OR SPIN - Fluke, Flounder, Weakfish, Blackfish, Blues								
XR631M	Salty Dog	5'	1	.560	5.5	1 3/4	14-20	—
XR632F	Back Bay Special	5'	1	.575	6	2	12-25	—
XR691F	Super Spin I	5'6"	1	.620	6.5	2 3/8	14-30	—
XR692F	Super Spin II	5'6"	1	.600	6	4	14-25	—
XR791F	Stinger	6'6"	1	.715	7	3	12-30	—

Note: Fast taper great hook setting power. Cut the tip for boat rods to get desired weight.
Works best with a separate butt (wood, Mooseskin®, etc.).

No.	Type	Length	Pieces	Butt	Tip	Wt.	Line	Lure
STAND UP - Tuna & Sharks								
XSU665E	Ocean Special	5'6"	1	1.06	12	13 1/4	50-130	—
XSU724E	Ocean Swell	6'	1	1.02	10	14 3/4	30-80	—

No.	Type	Length	Pieces	Butt	Tip	Wt.	Line	Lure
BOAT								
XBT622M	Bottom Bouncer	5'	1	.460	8	2 1/8	15-20	—
XBT682F	Bay Runner	5'6"	1	.530	9	4	15-30	—
XBT842M	Weakfish Winner	7'	1	.625	10	5 1/2	20-30	—
XBT841E	Blues Buster	7'	1	.920	9	10	15-30	—
XBT963E	Striper Thief	8'	1	1.175	9	21 1/2	20-30	—



See our website for complete color catalogs from the manufacturers.

Note: Warranty from the manufacturer



Fast tipped,
heavy power

Premier English blanks. Zziplex has a true understanding of how and why materials and designs integrate, which is essential in producing these state-of-the-art products. With the development of higher spec production machinery by CDI USA Zziplex has produced blanks to even higher specifications fully unleashing the true power of Carbon Fibre.

No.	Description	Overall Length	Tip Length	Tip Dia. 64th's	Butt Length	Butt Dia. (in.)	Lure Weight-oz.
<i>Color: Dark Smoke Gray</i>							
ZIP0036	3500	12'8"	7'	9/64	6'0"	0.938	2-5
ZIP0150	F5000	13'2"	7'6"	11/64	6'0"	1.000	2-6
ZIP0075	4500	13'0"	7'4"	9/64	6'0"	0.938	2-6
ZIP0363	Primo Synchro	13'2"	7'6"	11/64	6'0"	1.000	3-6
ZIP0367	Dymic HST	13'2"	7'6"	11/64	6'0"	1.000	4-6 1/4
ZIP0380	Dymic LT13	13'0"	7'6"	11/64	5'4"	1.000	2-6 1/4
ZIP0382	Dymic LT14	14'0"	8'0"	11/64	6'4"	1.000	2-6 1/4
ZIP0390	Dymic LT Bullet	14'0"	8'0"	11/64	6'4"	1.000	4-8
ZIP0170	XTR Groundcaster	13'8"	8'0"	12/64	6'0"	1.062	4-7
ZIP0200	V Max F1	13'2"	7'2"	11/64	6'4"	1.000	3 1/4-6
ZIP0202	V Max F2	14'0"	8'0"	11/64	6'4"	1.000	3-6
ZIP0204	V Max F3	13'2"	7'2"	9/64	6'4"	1.000	2-5 1/4
ZIP0011	Sea Raider II	10'0"	7'0"	9/64	3'4"	0.812	6
ZIP0026	Powertex Bass	12'8"	8'0"	9/64	5'0"	0.875	1-4 1/4
ZIP0130	LDC Carp	12'6"	6'3"	8/64	6'3"	0.875	1-4
<i>Color: Green</i>							
ZIP0361	Primo Phase Taper	12'8"	7'0"	9/64	6'0"	1.000	3-6
ZIP0132	Quattra Carp	12'6"	6'3"	8/64	6'3"	0.750	1-3

Call
for
Price

Black Magic Blanks

Blanks are unfinished black spiral and easy to wrap.

FORMERLY GATORGLASS LAMINATING U.S.A.

ITEM#	LENGTH	TIP	DESCRIPTION	ITEM#	LENGTH	TIP	DESCRIPTION
GG6702R	7'	9	10-17 lb. Plug/Spin	GGKC30	5'3"	16	IGFA 30 lb.
GG6702L	7'	8	8-15 lb. Plug/Spin	GGKC50	5'6"	20	IGFA 50 lb.
GG6702H	7'	9	12-20 lb. Plug/Spin	GGKC80	5'6"	24	IGFA 80 lb.
GGB1030	7'	7.5	10-30 lb. X Fast Live Bait	GGKC130	5'6"	28	IGFA 130 lb.
GGB1240	7'	8.5	12-40 lb. Fast Live Bait	GGUNLIMITED	5'8"	30	Unlimited
GGB1550	7'	9.5	15-50 lb. Fast Live Bait	GGTUNA72	6'	30	Unlimited
GGBS580	6'6"	9	12-20 lb. Plug/Spin	GGKC3084	7'	16	IGFA 30 lb.
GGBS586	7'	9	12-20 lb. Plug/Spin	GGKC5086	7'2"	18	IGFA 50 lb.
GGBS592	7'6"	9	12-20 lb. Plug/Spin	GGKC5096	8'	18	IGFA 50 lb.
GGBS596	8'	9	12-20 lb. Plug/Spin	GGT70L	7'	12	15-30 lb. Boat
GGFT586	7'	7	6-12 lb. Spin	GGT70XH	7'	16	20-50 lb. Boat
GGFT700	7'	8	10-17 lb. Spin	GGT80L	8'	12	15-30 lb. Boat
GGGATOR	5'10"	12	30-50 lb. Fast Stand Up	GGT80H	8'	14	15-40 lb. Boat
GGGATOR55	4'7"	12	30-50 lb. Fast Stand Up	GGT80XH	8'	16	20-50 lb. Boat
GGGATOR74	6'2"	12	30-50 lb. Fast Stand Up	GGT90L	9'	12	15-30 lb. Boat
GGGATOR80	6'6"	12	30-50 lb. Fast Stand Up	GGT90H	9'	14	15-40 lb. Boat
GGGATORH	5'10"	14	50-80 lb. Fast Stand Up	GGT90XH	9'	16	20-50 lb. Boat
GGGATORH55	4'7"	14	50-80 lb. Fast Stand Up	GGU674H	6'2"	10	15-30 lb. Troll
GGGATORH80	6'6"	14	50-80 lb. Fast Stand Up	GGU674XH	6'2"	11	20-50 lb. Troll
GGGATORL	5'10"	9	16-30 lb. Fast Stand Up	GGU686L	7'2"	9	12-25 lb. Spin/Conv.
GGGATORL55	4'7"	9	16-30 lb. Fast Stand Up	GGU686H	7'2"	10	15-30 lb. Spin/Conv.
GGGATORL80	6'6"	9	16-30 lb. Fast Stand Up	GGU686XH	7'2"	11	20-50 lb. Troll
GGGATORXH	5'10"	16	60-100 lb. Fast Stand up	GGU690H	7'6"	10	15-30 lb. Spin/Conv.
GGGATORXH55	4'7"	16	80-100 lb. Fast Stand Up	GGU696L	8'	9	12-25 lb. Spin/Conv.
GGKC12	5'3"	10	IGFA 12 lb.	GGU696H	8'	10	15-30 lb. Spin/Conv.
GGKC20	5'3"	12	IGFA 20 lb.	GGU696XH	8'	11	20-50 lb. Spin/Conv.



EURO-SPEY SERIES - Gloss Plum

No.	Length	Line	Pieces	Action	Tip	Butt	Weight
3PC. SPEY							
PACEUROF1307083	13'	7/8	3	MOD-FAST	4.5	0.60	4.8
PACEUROF1309103	13'	9/10	3	MOD-FAST	5	0.58	4.8
PACEUROF1408093	14'	8/9	3	MOD-FAST	4.5	0.63	4.8
PACEUROF1409103	14'	9/10	3	MOD-FAST	5	0.64	5.6

CARP SERIES - Matte Grey

No.	Length	Line	Pieces	Action	Tip	Butt	Weight
1PC. CARP							
PACCARP1225	12'	2.5	2	LIGHT-MED	7.5	0.583	5.74
PACCARP12275	12'	2.75	2	MED	7.5	0.689	7.79
PACCARP1230	12'	3	2	MED-HEAVY	7.5	0.698	8.46
PACCARP1325	13'	2.5	2	LIGHT-MED	7.5	0.620	5.74
PACCARP13275	13'	2.75	2	MED	7.5	0.713	7.79
PACCARP1330	13'	3	2	MED-HEAVY	7.5	0.713	8.46

TRADITIONAL II SERIES - Matte Grey

No.	Length	Line	Pieces	Action	Tip	Butt	Weight
FLY 2-PIECE							
PACT2F662	6'6"	2	2	SLOW	3.5	0.268	0.705
PACT2F704	7'	4	2	MOD.	4.5	0.272	0.987
PACT2F764	7'6"	4	2	MOD.	4.5	0.277	1.09
PACT2F765	7'6"	5	2	MOD.	5	0.318	1.50
PACT2F793	7'9"	3	2	MOD.	3.5	0.329	1.20
PACT2F804	8'	4	2	MOD-FAST	4	0.314	1.20
PACT2F805	8'	5	2	MOD-FAST	5	0.318	1.26
PACT2F806	8'	6	2	MOD-FAST	5	0.34	1.55
PACT2F865	8'6"	5	2	MOD-FAST	4	0.347	1.50
PACT2F866	8'6"	6	2	MOD-FAST	5	0.91	1.90
PACT2F904	9'	4	2	MOD-FAST	4.5	0.336	1.65
PACT2F905	9'	5	2	MOD-FAST	4.5	0.364	1.55
PACT2F906	9'	6	2	MOD-FAST	5	0.375	1.80
PACT2F907	9'	7	2	MOD-FAST	5	0.385	1.86
PACT2F908	9'	8	2	MOD-FAST	5.5	0.396	2.04
PACT2F909	9'	9	2	MOD-FAST	5.5	0.411	2.04
PACT2F9010	9'	10	2	MOD-FAST	5.5	0.489	2.82
PACT2F9012	9'	12	2	MOD-FAST	5.5	0.531	3.59
PACT2F1005	10'	5	2	MOD.	4.5	0.397	1.90
PACT2F1008	10'	8	2	MOD.	5.5	0.453	2.29
PACT2F1009	10'	9	2	MOD.	5.5	0.462	2.53
FLY 3-PIECE							
PACT2F90103	9'	10	3	MOD-FAST	5.5	0.489	2.82
PACT2F90123	9'	12	3	MOD-FAST	5.5	0.531	3.59
PACT2F10053	10'	5	3	MOD-FAST	4.5	0.397	1.90
PACT2F10083	10'	8	3	MOD-FAST	5.5	0.453	2.29
FLY 4-PIECE							
PACT2F7644	7'6"	4	4	MOD-FAST	4.5	0.352	1.26
PACT2F8044	8'	4	4	MOD-FAST	4	0.314	1.20
PACT2F8054	8'	5	4	MOD-FAST	4.5	0.355	1.34
PACT2F8654	8'6"	5	4	MOD-FAST	4.5	0.375	1.55
PACT2F9044	9'	4	4	MOD-FAST	4.5	0.348	1.86
PACT2F9054	9'	5	4	MOD-FAST	4.5	0.392	1.90
PACT2F9064	9'	6	4	MOD-FAST	4.5	0.401	1.97
PACT2F9074	9'	7	4	MOD-FAST	4.5	0.405	2.00
PACT2F9084	9'	8	4	MOD-FAST	4.5	0.4	2.08
PACT2F9094	9'	9	4	MOD-FAST	4.5	0.436	2.25



No.	Length	Line	Lure	Action	Pieces	Power	Tip	Butt
SPIN								
PACT2SP600	5'	1-4	1/32-1/8	SLOW	1	ULTRA-LGT.	4	0.249
PACT2SP601	5'	2-4	1/32-3/16	MOD	1	ULTRA-LGT.	4	0.277
PACT2SP6612	5'6"	2-6	1/32-3/16	MOD	2	ULTRA-LGT.	4	0.299
PACT2SP7212	6'	2-6	1/8-1/4	MOD	2	X-LIGHT	4	0.327
PACT2SP7232	6'	8-15	3/8-3/4	FAST	2	MEDIUM	5.0	0.492
PACT2SP780	6'6"	2-6	1/16-1/4	MOD	1	X-LIGHT	4.5	0.307
PACT2SP7812	6'6"	2-6	1/8-1/4	MOD	2	X-LIGHT	4.5	0.322
PACT2SP7822	6'6"	4-8	1/8-5/16	MOD	2	LIGHT	4.5	0.322
PACT2SP7842	6'6"	6-15	1/4-5/8	FAST	2	MEDIUM	7.5	0.497
PACT2SP8432	7'	4-10	1/8-3/8	FAST	2	MED-LGT	4.5	0.377
PACT2SP10852	9'	8-20	1/2-2 1/2	FAST	2	MED-HVY	5.5	0.525
PACT2SP10862	9'	15-25	1-3	FAST	2	HEAVY	6.0	0.537
PACT2SP10882	9'	15-30	1-4	FAST	2	X-HEAVY	6.5	0.637
SPIN JIG								
PACT2SJ720	6'	4-8	1/32-5/16	FAST	1	X-LIGHT	4.5	0.475
PACT2SJ721	6'	6-10	1/16-5/16	FAST	1	LIGHT	4.5	0.426
PACT2SJ722	6'	6-12	1/8-3/8	FAST	1	MEDIUM	4.5	0.485
PACT2SJ723	6'	8-15	3/16-5/8	FAST	1	MED-HVY	5.0	0.495
PACT2SJ781	6'6"	6-10	1/16-5/16	FAST	1	LIGHT	4.5	0.342
PACT2SJ782	6'6"	6-12	1/8-3/8	FAST	1	MEDIUM	4.5	0.468
PACT2SJ783	6'6"	8-15	3/16-5/8	FAST	1	MED-HVY	5.5	0.466
PACT2SJ845	7'	10-17	1/4-1 1/4	FAST	1	HEAVY	5.5	0.566
STEELHEAD/SALMON								
PACT2SH9932	8'3"	6-10	1/4-1/2	FAST	2	MED-LIGHT	5.0	0.49
PACT2SH10242	8'6"	8-12	3/8-3/4	FAST	2	MEDIUM	4.5	0.518
PACT2SH10252	8'6"	8-17	3/8-1	FAST	2	MED-HVY	6.0	0.496
PACT2SH10812	9'	4-8	1/16-3/8	MOD.	2	LIGHT	4.0	0.434
PACT2SH10842	9'	8-12	1/4-1/2	FAST	2	MEDIUM	4.5	0.501
PACT2SH11432	9'6"	6-12	3/8-3/4	MOD-FAST	2	MEDIUM	4.5	0.552
PACT2SH12632	10'6"	8-15	3/8-3/4	MOD-FAST	2	MEDIUM	5.0	0.537
PACT2SH13822	11'6"	10-17	1/4-1/2	MOD.	2	LIGHT	4.5	0.500
PACT2SH15613	13'	6-10	1/4-1/2	MOD.	3	LIGHT	4.5	0.519
BASS CAST								
PACT2C721	6'	6-12	3/16-1/2	FAST	1	LIGHT	4.5	0.431
PACT2C722	6'	8-15	1/4-5/8	FAST	1	MEDIUM	5.5	0.442
PACT2C723	6'	10-17	1/4-3/4	FAST	1	MED-HVY	5.5	0.420
PACT2C724	6'	12-20	1/4-1	FAST	1	HEAVY	5.5	0.417
MAG BASS								
PACT2MBC782	6'6"	8-14	1/4-5/8	FAST	1	MEDIUM	5.0	0.468
PACT2MBC783	6'6"	10-17	1/4-3/4	FAST	1	MED-HVY	5.5	0.561
PACT2MBC784	6'6"	12-20	1/4-1	FAST	1	MED-HVY	6.0	0.558
PACT2MBC785	6'6"	12-25	3/8-1 1/4	FAST	1	HEAVY	6.5	0.564
PACT2MBC843	7'	10-17	1/4-3/4	FAST	1	MED-HVY	5.5	0.587
PACT2MBC844	7'	12-20	1/4-1	FAST	1	MED-HVY	5.5	0.559
PACT2MBC845	7'	12-25	3/8-1 1/4	FAST	1	HEAVY	5.5	0.606
PACT2MBC846	7'	15-30	1/2-1 1/2	FAST	1	HEAVY	6.0	0.618
FLIPPIN								
PACT2F905T	7'6"	12-25	1/4-1 1/4	MOD-FAST	1	HEAVY	6.5	0.671
POPPING								
PACT2P842	7'	6-12	1/4-1/2	FAST	1	MED-LIGHT	5.0	0.433
PACT2P844	7'	8-17	1/4-5/8	MOD-FAST	1	MEDIUM	5.0	0.492
PACT2P902	7'6"	6-12	1/4-1/2	FAST	1	MED-LIGHT	5.0	0.519
PACT2P904	7'6"	8-17	1/4-5/8	MOD-FAST	1	MEDIUM	5.5	0.535



PBX II SERIES - Midnight Blue Speckle

Constructed of durable E-Glass and patterned after Pacific Bay's original fiberglass blanks, they offer additional value to an already proven line of popular actions. Also offered in this line-up are PBX Graphite blanks consisting of an ideal range of blanks specifically designed for saltwater applications.

No.	Length	Line	Lure	Action	Pieces	Power	Tip	Butt	Weight
LIVE BAIT									
PACX2LB60L-B	6'	10-25	1/4-3/4	MOD.	1	LIGHT	7	0.728	4.7
PACX2LB60ML-B	6'	12-30	1/2-1 1/2	FAST	1	MED-LIGHT	8.5	0.807	6.4
PACX2LB60MH-B	6'	15-50	3/4-3	X-FAST	1	MED-HVY	8.5	0.825	9.6
PACX2LB66MH-B	6'6"	15-50	3/4-3	X-FAST	1	MED-HVY	9	0.912	11.3
PACX2LB70L-B	7'	10-17	3/8-1 1/4	MOD.	1	LIGHT	7	0.833	6.6
PACX2LB70LML-B	7'	12-25	1/4-3/4	MOD.	1	LIGHT	7	0.791	5.5
PACX2LB70ML-B	7'	12-30	1/2-1 1/2	FAST	1	MED-LIGHT	8	0.82	6.6
PACX2LB70M-B	7'	15-40	3/4-3	FAST	1	MEDIUM	8	0.976	10.2
PACX2LB70H-B	7'	30-50	1-6	FAST	1	HEAVY	8	0.893	10.5

JIG STICK

PACX2JS80M-B	8'	20-30	3/4-3	MOD-FAST	1	MEDIUM	9	0.881	12.1
--------------	----	-------	-------	----------	---	--------	---	-------	------

STAND-UP TUNA

PACX2ST50XH-B	5'	50-80	2-8	FAST	1	X-HEAVY	14	0.818	11.6
PACX2ST56H-B	5'6"	30-60	2-8	FAST	1	HEAVY	13	0.775	8.5
PACX2ST56XH-B	5'6"	50-80	2-10	FAST	1	X-HEAVY	14	0.826	9.6
PACX2ST56XXH-B	5'6"	60-130	2-12	FAST	1	XX-HEAVY	15	0.921	16.8
PACX2ST60MH-B	6'	20-40	3/4-3	FAST	1	MED-HEAVY	9	0.748	6.9
PACX2ST60H-B	6'	30-60	2-8	FAST	1	HEAVY	11	0.877	11.7
PACX2ST60XH-B	6'	50-80	2-10	FAST	1	X-HEAVY	13	0.920	14.6

"STAND-UP TUNA ""SHORTS"

PACX2ST56HS-B	48.5"	30-60	2-8	FAST	1	HEAVY	13	0.740	6.8
PACX2ST56XHS-B	48.5"	50-80	2-10	FAST	1	X-HEAVY	15	0.740	7.3
PACX2ST56XXHS-B	48.5"	60-130	2-12	FAST	1	XX-HEAVY	15	0.865	8.1
PACX2ST60HS-B	54.5"	30-160	2-8	FAST	1	HEAVY	13	0.750	8.5
PACX2ST60XHS-B	54.5"	50-80	2-10	FAST	1	X-HEAVY	15	0.878	9

WIRELINE TROLLING

PACX2WT66M-B	6'6"	20-30	—	SLOW	1	MEDIUM	16	0.801	7.2
PACX2WT70H-B	7'	30-50	—	SLOW	1	HEAVY	16	0.87	8.8

I.G.F.A. REG. TROLLING

No.	Length	Line	Pieces	Tip	Butt	Weight	Rec. Alum.	
							Butt	Butt
PACX2RT12-B	62.5"	12	1	9	0.74	4.3	1	
PACX2RT12-W	62.5"	12	1	9	0.74	4.3	1	
PACX2RT20-B	62.5"	20	1	14	0.74	5.5	1	
PACX2RT20-W	62.5"	20	1	14	0.74	5.5	1	
PACX2RT30-B	62.5"	30	1	15	0.865	12.3	2	
PACX2RT30-W	62.5"	30	1	15	0.865	12.3	2	
PACX2RT50-B	63"	50	1	20	0.865	12.1	2	
PACX2RT50-W	63"	50	1	20	0.865	12.1	2	
PACX2RT80-B	66"	80	1	26	0.99	16.1	4	
PACX2RT80-W	66"	80	1	26	0.99	16.1	4	
PACX2RT130-B	66"	130	1	28	1.175	27.5	6	
PACX2RT130-W	66"	130	1	28	1.175	27.5	6	
PACX250STUBBIE-B	43"	50	1	20	0.865	5.8	2	
PACX250STUBBIE-W	43"	50	1	20	0.865	5.8	2	
PACX280STUBBIE-B	43"	80	1	22	0.99	13	4	
PACX280STUBBIE-W	43"	80	1	22	0.99	13	4	

GRAPHITE SPIN

No.	Length	Line	Lure	Action	Pieces	Power	Tip	Butt	Weight
PACX2GSSP70L	7'	12-20	1/2-3	MOD.	1	LIGHT	4.5	0.62	2.9
PACX2GSSP70M	7'	15-25	1-4	MOD.	1	MEDIUM	6	0.661	4.5
PACX2GSSP70MH	7'	20-30	1-4	MOD.	1	MED-HVY	7	0.657	4.6



No.	Length	Line	Lure	Action	Pieces	Power	Tip	Butt	Weight
GRAPHITE									
PACX2G56XXH	5'6"	80-130	2-8	FAST	1	XX-HEAVY	12	0.862	11.5
PACX2G60H	6'	30-60	1-6	FAST	1	HEAVY	8.5	0.83	8.9
PACX2G66MH	6'6"	15-50	3/4-3	X-FAST	1	MED-HVY	8	0.848	9.9
PACX2G66H	6'6"	30-60	1-6	FAST	1	MEDIUM	9	0.881	10.2
PACX2G70L	7'	12-25	1/2-3	MOD.	1	LIGHT	6	0.813	6.3
PACX2G70ML	7'	12-30	1/2-1 1/2	FAST	1	MED-LIGHT	7	0.870	8.8
PACX2G70M	7'	15-40	3/4-3	FAST	1	MEDIUM	7	0.885	9.6
PACX2G70MH	7'	15-50	3/4-3	X-FAST	1	MED-HVY	8	0.881	9.9
PACX2G80L	8'	12-25	1/4-3/4	MOD.	1	LIGHT	6.5	0.881	7.0
PACX2G80H	8'	30-60	1-6	FAST	1	MEDIUM	8	0.937	10.5
PACX2G80ML	8'	12-30	1/2-1 1/2	FAST	1	MED-LIGHT	7	0.935	10.3

GRAPHITE SURF

PACX2GSU110M2	11'	15-30	1-4	MOD.-FAST	2	MEDIUM	6.5	0.637	9.0
PACX2GSU110H2	11'	20-40	2-6	MOD.-FAST	2	HEAVY	7.5	0.769	9.3

RAIN FORESTS II SERIES - Dark Hunter Green

No.	Length	Line	Lure	Action	Pieces	Power	Tip	Butt	Weight
SPIN JIG									
PACRF2SJ720	6'	4-8	1/32-5/16	FAST	1	X-LIGHT	4.5	0.457	1.4
PACRF2SJ721	6'	6-10	1/16-5/16	FAST	1	LIGHT	4.5	0.426	1.7
PACRF2SJ722	6'	6-12	1/8-3/8	FAST	1	MEDIUM	4.5	0.485	2.1
PACRF2SJ723	6'	8-15	3/16-5/8	FAST	1	MED-HVY	5	0.495	2.2
PACRF2SJ781	6'6"	6-10	1/16-5/16	FAST	1	LIGHT	4.5	0.342	1.5
PACRF2SJ782	6'6"	6-12	1/8-3/8	FAST	1	MEDIUM	4.5	0.468	1.9
PACRF2SJ783	6'6"	8-15	3/16-5/8	FAST	1	MED-HVY	5.5	0.466	2.5
PACRF2SJ845	7'	10-17	1/4-1 1/4	FAST	1	HEAVY	5.5	0.566	2.9

STEELHEAD/SALMON

PACRF2SH9932	8'3"	6-10	1/4-1/2	FAST	2	MED-LGT	5	0.490	2.5
PACRF2SH10242	8'6"	8-12	3/8-3/4	FAST	2	MEDIUM	4.5	0.518	2.8
PACRF2SH10252	8'6"	8-17	3/8-1	FAST	2	MED-HVY	5	0.496	2.9
PACRF2SH10812	9'	4-8	1/16-3/8	MOD.	2	LIGHT	4	0.434	2.7
PACRF2SH10842	9'	8-12	1/4-1/2	FAST	2	MEDIUM	4.5	0.501	2.7
PACRF2SH11432	9'6"	6-12	3/8-3/4	MOD-FAST	2	MEDIUM	4.5	0.522	3.1
PACRF2SH12632	10'6"	6-12	3/8-3/4	MOD-FAST	2	MEDIUM	5	0.537	3.5
PACRF2SH13822	11'6"	6-10	1/4-1/2	MOD.	2	MEDIUM	4.5	0.500	3.0
PACRF2SH15613	13'	6-10	1/4-1/2	MOD.	3	LIGHT	4.5	0.519	4.2

CASTING

PACRF2C721	6'	6-12	3/16-1/2	FAST	1	LIGHT	4.5	0.431	1.51
PACRF2C722	6'	8-15	1/4-5/8	FAST	1	MEDIUM	5.5	0.442	1.83
PACRF2C723	6'	10-17	1/4-3/4	FAST	1	MED-HVY	5	0.42	1.69
PACRF2C724	6'	12-20	1/4-1	FAST	1	HEAVY	4.5	0.444	2.06

MAG BASS

PACRF2MBC782	6'6"	8-14	1/4-5/8	FAST	1	MEDIUM	5	0.468	2.0
PACRF2MBC783	6'6"	10-17	1/4-3/4	FAST	1	MED-HVY	5.5	0.561	2.35
PACRF2MBC784	6'6"	12-20	1/4-1	FAST	1	MED-HVY	6	0.558	2.7
PACRF2MBC785	6'6"	12-25	3/8-1 1/4	FAST	1	HEAVY	6.5	0.640	3.35
PACRF2MBC843	7'	10-17	1/4-3/4	FAST	1	MED-HVY	5.5	0.870	2.5
PACRF2MBC844	7'	12-20	1/4-1	FAST	1	MED-HVY	5.5	0.559	2.9
PACRF2MBC845	7'	12-25	3/8-1 1/4	FAST	1	HEAVY	5.5	0.606	3.88
PACRF2MBC846	7'	15-30	1/2-1 1/2	FAST	1	HEAVY	6	0.618	3.66

POPPING

PACRF2P842	7'	6-12	1/4-1/2	FAST	1	MED-LGT	5	0.433	2.22
PACRF2P844	7'	8-17	1/4-5/8	MOD-FAST	1	MEDIUM	5	0.492	2.29
PACRF2P902	7'6"	6-12	1/4-1/2	FAST	1	MED-LGT	5	0.519	2.29
PACRF2P904	7'6"	8-17	1/4-5/8	MOD-FAST	1	MEDIUM	5.5	0.535	2.82

FLIPPIN' STICK

PACRF2FS905T	7'6"X"	12-25	1/4-1 1/4	MOD-FAST	1+	HEAVY	6.5	0.671	3.63
--------------	--------	-------	-----------	----------	----	-------	-----	-------	------



RAIN FORESTS II SERIES - Dark Hunter Green

No.	Length	Line	Pieces	Action	Tip	Butt	Weight
2PC FLY							
PACRF2F662	6'6"	2	2	SLOW	3.5	0.268	0.705
PACRF2F704	7'	4	2	MOD.	4.5	0.272	0.987
PACRF2F764	7'6"	4	2	MOD.	4.5	0.277	1.09
PACRF2F765	7'6"	5	2	MOD.	5.0	0.318	1.50
PACRF2F793	7'9"	3	2	MOD.	3.5	0.329	1.20
PACRF2F804	8'	4	2	MOD-FAST	4.0	0.314	1.20
PACRF2F805	8'	5	2	MOD-FAST	4.5	0.318	1.26
PACRF2F806	8'6"	6	2	MOD-FAST	5.0	0.34	1.55
PACRF2F865	8'6"	5	2	MOD-FAST	4.5	0.347	1.50
PACRF2F866	9'	6	2	MOD-FAST	5.0	0.391	1.90
PACRF2F904	9'	4	2	MOD-FAST	4.5	0.336	1.65
PACRF2F905	9'	5	2	MOD-FAST	4.5	0.364	1.55
PACRF2F906	9'	6	2	MOD-FAST	4.5	0.375	1.80
PACRF2F907	9'	7	2	MOD-FAST	5.0	0.385	1.86
PACRF2F908	9'	8	2	MOD-FAST	5.0	0.396	2.04
PACRF2F909	9'	9	2	MOD-FAST	5.5	0.411	2.04
PACRF2F9010	9'	10	2	MOD-FAST	5.5	0.489	2.82
PACRF2F9012	9'	12	2	MOD-FAST	5.5	0.531	3.59
PACRF2F1005	10'	5	2	MOD.	4.5	0.397	1.90
PACRF2F1008	10'	8	2	MOD.	5.5	0.453	2.29
PACRF2F1009	10'	9	2	MOD.	5.5	0.462	2.53

Pick up Surf Blanks at our Long island, NY distribution Center.
NO SHIPPING

3PC FLY							
PACRF2F90103	9'	10	3	MOD-FAST	5.5	0.489	2.82
PACRF2F90123	9'	12	3	MOD-FAST	5.5	0.531	3.59
PACRF2F10053	10'	5	3	MOD-FAST	4.5	0.397	1.90
PACRF2F10083	10'	8	3	MOD-FAST	5.5	0.453	2.29

4PC FLY							
PACRF2F7644	7'6"	4	4	MOD-FAST	4.5	0.352	1.26
PACRF2F8044	8'	4	4	MOD-FAST	4.0	0.314	1.20
PACRF2F8054	8'	5	4	MOD-FAST	4.5	0.356	1.34
PACRF2F8654	8'6"	5	4	MOD-FAST	4.5	0.375	1.55
PACRF2F9044	9'	4	4	MOD-FAST	4.5	0.348	1.86
PACRF2F9054	9'	5	4	MOD-FAST	4.5	0.392	1.90
PACRF2F9064	9'	6	4	MOD-FAST	4.5	0.401	1.97
PACRF2F9074	9'	7	4	MOD-FAST	4.5	0.405	2.00
PACRF2F9084	9'	8	4	MOD-FAST	5.0	0.425	2.08
PACRF2F9094	9'	9	4	MOD-FAST	5.0	0.435	2.25

No.	Length	Line	Lure	Action	Pieces	Power	Tip	Butt	Weight
SPINNING									
PACRF2SP600	5'	1-4	1/32-1/8	SLOW	1	ULTRA-LGT.	4	0.249	0.6
PACRF2SP601	5'	2-4	1/32-3/16	MOD.	1	ULTRA-LGT.	4	0.277	0.7
PACRF2SP6612	5'6"	2-6	1/32-3/16	MOD.	2	ULTRA-LGT.	4	0.299	0.8
PACRF2SP7212	6'	2-6	1/4-1/4	MOD.	2	X-LIGHT	4	0.327	1.12

No.	Length	Line	Lure	Action	Pieces	Power	Tip	Butt	Weight
PACRF2SP7232	6'	8-15	3/8-3/4	FAST	2	MEDIUM	5	0.492	2.0
PACRF2SP780	6'	2-6	1/16-1/4	MOD.	1	X-LIGHT	4.5	0.307	0.95
PACRF2SP7812	6'6"	2-6	1/8-1/4	MOD.	2	X-LIGHT	4.5	0.322	1.41
PACRF2SP7822	6'6"	4-8	1/8-5/16	MOD.	2	LIGHT	4.5	0.322	0.95
PACRF2SP7842	6'6"	6-15	1/4-5/8	FAST	2	MED-LGT	7.5	0.497	1.8

No.	Length	Line	Lure	Action	Pieces	Power	Tip	Butt	Weight
PACRF2SP8432	7'	4-10	1/4-3/8	FAST	2	MED-LGT	4.5	0.377	1.9
PACRF2SP10852	9'	8-20	1/2-2 1/2	FAST	2	MED-HVY	5.5	0.525	3.4
PACRF2SP10862	9'	15-25	1-3	FAST	2	HEAVY	6	0.537	4.0
PACRF2SP10882	9'	15-30	1-4	FAST	2	X-HEAVY	6.5	0.637	6.2



FIBERGLASS BLANKS

The fiberglass blank of choice by custom rod builders. More Yellow Fin Tuna over 200lbs. have been landed on these blanks than any other. These traditional high quality rod blanks have set the performance standard for anglers worldwide.

SPECIFY COLOR: (B) BLACK or (H) HONEY after the blank number

ITEM	MODEL #	LGTH.	TIP	BUTT	LINE
CALT120512	T120	5½'	5½	0.59	2-6
CALT130612	T130	6½'	5½	0.67	4-12
CALT1307	T130	7'	5½	0.68	4-12
CALT1956	T195	6'	6	0.79	8-20
CALT195H6	T195H	6'	7	0.815	10-25
CALT195XH6	T195XH	6'	8	0.825	15-30
CALT1966	T196	6'	6	0.86	10-25
CALT1966612	T196	6½'	6	0.91	10-25
CALT196L7	T196	7'	6	0.875	8-20
CALT1967	T196	7'	6	0.965	10-25
CALT196L8	T196L	8'	6	0.96	8-20
CALT1968	T196	8'	6	0.98	10-25
CALT210712	T210	7½'	7	0.925	10-30
CALT220812	T220	8½'	7	0.96	15-30
CALT2706	T270	6'	7	0.87	10-30
CALT270L7	T270L	7'	7	0.92	12-30
CALT2707	T270	7'	7	0.92	12-30
CALT2708	T270	8'	7	0.97	12-30
CALT270H8	T270H	8'	8	1.015	15-40
CALT3307	T330	7'	12	0.8	20-30
CALT5007	T500	7'	8	0.95	20-30
CALT5309	T530	9'	9	1.25	15-40
CALT54010	T540	10'	9	1.3	20-50
CALT5509	T550	9'	10	1.04	20-80
CALT6077	T607	7'	6	0.84	8-20
CALT6088	T608	8'	6	0.825	8-20
CALT6107	T610	7'	8	1.06	25-60
CALT610H7	T610H	7'	10	1.075	30-80
CALT6455L512	T6455L	5½'	8	0.975	12-30
CALT6455512	T6455	5½'	9	1	20-50
CALT6455H512	T6455H	5½'	10	1.025	30-80
CALT6455XH512	T6455XH	5½'	12	1.05	50-100
CALT6455XXH512	T6455XXH	5½'	14	1.09	50-120
CALT6460L6	T6460L	6'	8	0.95	15-40
CALT64606	T64660	6'	9	1.04	20-50
CALT6460H6	T64660H	6'	10	1.065	30-80
CALT6460XH6	T64660XH	6'	12	1.085	40-100
CALT6460XXH6	T64660XXH	6'	13	1.105	50-100
CALT6465L612	T6465L	6½'	8	1	15-40
CALT6465612	T6465	6½'	9	1.08	20-50
CALT6465H612	T6465H	6½'	10	1.12	30-80
CALT6465XH612	T6465XH	6½'	12	1.15	40-100
CALT6465XXH612	T6465XXH	6½'	14	1.16	50-100
CALT64707	T6470	7'	9	1.115	20-50
CALT64808	T6480	8'	9	1.13	30-60
CALT6480L8	T6480L	8'	9	1.07	20-40
CALT6485L812	T6485L	8½'	9	0.83	20-40
CALT655L512	T655L	5½'	8	1.1	12-30

CALSTAR are
NOT shipped
to California.

FIBERGLASS BLANKS

SPECIFY COLOR: (B) BLACK or (H) HONEY after the blank number



CALSTAR are
NOT shipped
to California.

ITEM	MODEL #	LGTH.	TIP	BUTT	LINE
CALT655512	T655	5½'	9	0.915	20-50
CALT655H512	T655H	5½'	10	0.95	30-50
CALT655XH512	T655XH	5½'	14	0.98	40-100
CALT655XXH512	T655XXH	5½'	14	1.115	50-120
CALT655TSSL512	T655TSSL	5½'	12	1.05	50-100
CALT655TSS512	T655TSS	5½'	14	1.13	60-130
CALT660L6	T660L	6'	9	0.88	20-40
CALT6606	T660	6'	9	0.94	20-50
CALT660H6	T660H	6'	10	0.97	30-80
CALT660XH6	T660XH	6'	12	0.99	40-100
CALT660XXH6	T660XXH	6'	14	1.03	50-100
CALT665L612	T665L	6½'	9	0.895	20-40
CALT665612	T665	6½'	9	0.965	20-50
CALT665H612	T665H	6½'	10	0.985	30-80
CALT665XH612	T665XH	6½'	12	1.05	40-100
CALT670L7	T670L	7'	9	0.91	20-40
CALT6707	T670	7'	9	1.01	20-50
CALT670H7	T670H	7'	10	1.035	30-80
CALT670XH7	T670XH	7'	12	1.05	40-100
CALT6708	T670	8'	9	1.05	20-50
CALT670XH812	T670XH	8½'	12	1.16	30-100
CALT6865612	T6865	6½'	9	1.06	20-40
CALT68707	T6870	7'	9	1.04	20-40
CALT690J9	T690J	9'	9	1.125	20-40
CALT865612	T865	6½'	8	0.975	15-40
CALT865H612	T865H	6½'	8	0.99	20-50
CALT865XH612	T865XH	6½'	9	1.02	25-60
CALT8707	T870	7'	8	1.005	15-40
CALT870H7	T870H	7'	8	1.025	20-50
CALT90J9	T90J	9'	9	1.125	30-60
CALT9707	T970	7'	8	0.98	20-40
CALBABY512	BABY BOOMER	5½'	10	1.105	30-80
CALBOOMERJR512	BOOMER JR.	5½'	12	1.125	50-100
CALBAJA512	BAJA BOOMER	5½'	14	1.175	60-130
CALT775612	T775	6½'	18	0.94	30-100
CALT7757	T775	7'	18	0.98	30-100
CALT775712	T775	7½'	18	1	30-100
CALRT12512	RT12	5½'	10	0.645	12
CALRT20512	RT20	5½'	12	0.655	20
CALRT30512	RT30	5½'	14	0.73	30
CALRT50512	RT50	5½'	16	0.925	50
CALRT80512	RT80	5½'	20	1.005	80
CALRT130512	RT130	5½'	26	1.08	130
CALRT130612	RT130	6½'	26	1.105	130
CALRT180512	RT180	5½'	28	1.1	180
CALGAFF4	GAFF	4'	-	1.3	-
CALGAFF6	GAFF	6'	-	1.3	-
CALGAFF8	GAFF	8'	-	1.3	-

GRAFIGHTER BLANKS

The Graphite/"E" glass composite blanks are light in weight, yet have strength and performance for landing big fish.

Color: Grey

ITEM	MODEL #	LGTH	TIP	BUTT	LINE
CALGF600XL6	GF600XL	6'	6	0.76	10-25
CALGF700XL7	GF700XL	7'	6	0.82	10-25
CALGF700L7	GF700L	7'	7	0.85	15-30
CALGF700ML7	GF700ML	7'	7	0.895	20-40
CALGF700M7	GF700M	7'	8	0.885	20-50

GRAFIGHTER BLANKS

Color: Grey

ITEM	MODEL #	LGTH	TIP	BUTT	LINE
CALGF700H7	GF700H	7'	8	0.9	30-80
CALGF700XH7	GF700XH	7'	9	0.925	40-100
CALGF755H512	GF755H	5½'	12	0.86	40-80
CALGF755XH512	GF755XH	5½'	12	0.86	50-100
CALGF755XXH512	GF755XXH	5½'	14	0.88	60-UNL
CALGF760L6	GF760L	6'	9	0.84	30-80
CALGF760M6	GF760M	6'	10	0.885	40-100
CALGF760H6	GF760H	6'	12	0.895	50-130
CALGF765XL612	GF765XL	6½'	8	0.85	20-50
CALGF765L612	GF765L	6½'	9	0.87	30-80
CALGF765ML612	GF765ML	6½'	7	0.88	40-80
CALGF765M612	GF765M	6½'	10	0.935	40-100
CALGF765H612	GF765H	6½'	12	0.94	50-130
CALGF800XL8	GF800XL	8'	6	0.865	10-25
CALGF800L8	GF800L	8'	7	0.93	15-30
CALGF800M8	GF800M	8'	8	0.93	20-40
CALGF800H8	GF800H	8'	8	0.93	30-60
CALGF850L812	GF850L	8½'	7	0.94	15-30
CALGF850M812	GF850M	8½'	8	0.94	20-40
CALGF850H812	GF850H	8½'	8	0.94	30-60
CALGF900XL9	GF900XL	9'	6	0.88	10-25
CALGF900L9	GF900L	9'	7	0.94	15-30
CALGF900M9	GF900M	9'	8	0.94	20-40
CALGF900H9	GF900H	9'	8	0.94	30-60
CALGX77	GX7	7'	6½'	0.725	8-20
CALGX88	GX8	8'	7	0.74	8-20



Pick up Surf Blanks at our Long island, NY distribution Center.

AL'S EAST COAST SPECIALS

CALGFX800L	—	8'	7	.810	10-30
CALGFX800M	—	8'	8	.820	15-40
CALGFX700L	—	7'	7	.787	10-30
CALGFX700M	—	7'	8	.800	15-40

JAPANESE VERTICAL JIGGING BLANKS

The hottest rage in Japan are these jigging blanks. Match the weight of the jig you are using to the blank.

"FIXER JAPAN" SPECIAL BLANKS FOR VERTICAL JIGGING (GRAPHITE/GLASS COMPOSITE)

No.	Length	Line	Jig Weight	Piece	Color	Action
FXJ62	6'2"	40 lb	Max 7 oz.	1	Matte Black	Fast
FXJ60	6'0"	60 lb	Max 13 oz.	1	Matte Black	Fast

Directly From Japan!

"FEEDER JAPAN" SPECIAL BLANKS FOR VERTICAL JIGGING (PURE GRAPHITE)

No.	Length	Line	Jig Weight	Piece	Color	Action
FDJ592F	5'9"	20 lb	Max 2 oz.	1*	Clear	Fast
FDJ593F	5'9"	25 lb	Max 3 oz.	1*	Clear	Fast
FDJ594F	5'9"	30 lb	Max 4 oz.	1*	Clear	Fast
FDJ595F	5'9"	40 lb	Max 5 oz.	1*	Clear	Fast

* These blanks are designed to be used with a handle extention allowing you to remove the handle easily.

"FLICKER JAPAN" SLOW ACTION SPECIAL BLANKS FOR VERTICAL JIGGING (PURE GRAPHITE)


These slow action blanks are used in a special way. The jig weight is heavier then what would normally be used for the line weight.

Flicker Blanks are specially designed for what is called a "Long Jig" in Japan. Long Jigs are very slim shaped but very long in length.

This jigging style is now very new and popular in Japan.

No.	Length	Line	Jig Weight	Piece	Color	Action
FLJ545S	5'4"	25 lb	Max 5 oz.	1*	Clear	Slow
FLJ547S	5'4"	30 lb	Max 7 oz.	1*	Clear	Slow
FLJ549S	5'4"	35 lb	Max 9 oz.	1*	Clear	Slow
FLJ5411S	5'4"	40 lb	Max 11 oz.	1*	Clear	Slow

* These blanks are designed to be use with a handle extention allowing you to remove the handle easily.





BLANK#	LGTH	PCS	TIP	BUTT	LINE	LURE	POWER	ACTION
SALMON BLANKS								
ROGSM8072	8'	2	5.0	0.615	12-25	1/2-4	HEAVY	FAST
ROGSM827	8'2"	1	5.0	0.618	12-25	1/2-5	X-HEAVY	FAST
ROGSM828	8'2"	1	6.0	0.615	15-30	1-5	X-HEAVY	FAST
ROGSM867	8'6"	1	5.5	0.635	12-25	1/2-4	HEAVY	FAST
ROGSM8672	8'6"	2	5.5	0.640	12-25	1/2-4	HEAVY	FAST
ROGSM8682	8'6"	2	6.0	0.625	15-30	1-5	X-HEAVY	FAST
ROGSM9072	9'	2	6.0	0.614	12-25	1/2-4	HEAVY	FAST
ROGSM937	9'3"	1	5.5	0.676	12-25	1/2-4	HEAVY	FAST
ROGSM938	9'3"	1	5.5	0.676	12-25	1/2-4	HEAVY	FAST
MOOCHING BLANKS								
ROGSM10642	10'6"	2	5.0	0.584	6-12	3/16-1/2	LT-MED	MOD.
ROGSM10652	10'6"	2	5.0	0.727	8-17	1/2-2	MEDIUM	MOD.
ROGSM10672	10'6"	2	5.5	0.730	12-25	1/2-4	HEAVY	MOD.
ROGSM10682	10'6"	2	6.0	0.753	15-30	1-5	X-HEAVY	MOD.
ROGSM12082	12'	2	6.0	0.707	20-40	2-8	X-HEAVY	MOD.
HOTSHOT BLANKS								
ROGHS795	7'9"	1	5.5	0.546	8-17	1/4-1/2	MEDIUM	FAST
ROGHS797	7'9"	1	5.5	0.591	12-25	1/2-5	HEAVY	FAST
ROGHS826	8'2"	1	5.5	0.610	10-20	3/8-4	MED-HVY	X-FAST
ROGHS827	8'2"	1	5.5	0.613	12-25	1/2-5	HEAVY	X-FAST
BACK BOUNCING BLANKS								
ROGBB796	7'9"	1	5.5	0.598	12-25	1-4	HEAVY	X-FAST
ROGBB807	8'	1	7.0	0.624	15-30	1-6	X-HEAVY	X-FAST
ROGBB808	8'	1	7.0	0.624	20-40	2-10	X-HEAVY	X-FAST
SPLIT SHOT/SIDE DRIFTING BLANKS								
ROGSS9032	9'	2	4.5	0.400	4-8	1/8-3/8	LGT-MED	MOD.
ROGSS9042	9'	2	4.5	0.425	6-10	1/4-1/2	MEDIUM	MOD.
ROGSS9632	9'6"	2	4.5	0.437	4-8	1/8-3/8	LGT-MED	MOD.
ROGSS10632	10'6"	2	4.5	0.445	4-8	1/8-3/8	LGT-MED	MOD.
ROGSS10642	10'6"	2	4.5	0.452	6-10	1/4-1/2	MEDIUM	MOD.
STEELHEAD BLANKS								
ROGSH7942	7'9"	2	5.5	0.550	6-12	3/16-1/2	LGT-MED	FAST
ROGSH7952	7'9"	2	5.5	0.576	8-17	1/4-5/8	MEDIUM	FAST
ROGSH8642	8'6"	2	5.0	0.588	6-12	3/16-1/2	LGT-MED	MOD
ROGSH8652	8'6"	2	5.0	0.597	8-17	1/4-5/8	MEDIUM	MOD
ROGSH8662	8'6"	2	5.0	0.637	10-20	3/8-3/4	MED-HVY	MOD
ROGSH9042	9'	2	5.0	0.625	6-12	3/16-1/2	LGT-MED	MOD
ROGSH9642	9'6"	2	5.0	0.518	6-12	3/16-1/2	LGT-MED	MOD-FAST
ROGSH9652	9'6"	2	5.0	0.516	8-17	1/4-5/8	MEDIUM	MOD
ROGSH12052	12'	2	5.5	0.655	8-17	1/4-5/8	MEDIUM	MOD
CASTING BLANKS								
ROGC562	5'6"	1	4.5	0.446	6-12	3/16-1/2	LIGHT	FAST
ROGC563	5'6"	1	5.0	0.460	8-17	1/4-5/8	MEDIUM	FAST
ROGC564	5'6"	1	6.0	0.463	10-20	1/4-1	MED-HVY	FAST
ROGC602	6'	1	4.5	0.489	6-12	3/16-1/2	LIGHT	FAST
ROGC603	6'	1	5.0	0.480	8-17	1/4-5/8	MEDIUM	FAST
ROGC604	6'	1	6.0	0.485	10-20	1/4-1	MED-HVY	FAST

MERRICK TACKLE

SALT WATER GRAPHITE BLANKS


97% graphite, light weight, sensitive fast action one piece blank. Fast taper for better tip action. With clear finish showing the weave of the graphite material, that is gray in color. Individually placed in cellophane bags.

No.	Length	Tip Size	Butt Size
SWG601M	6'	6	.425
SWG601H	6'	6	.525
SWG661M	6'6"	6	.455
SWG661H	6'6"	6	.530
SWG701M	7'	7	.460
SWG701H	7'	8	.525
SWG761M	7'6"	8	.525
SWG761H	7'6"	8	.623



VERTICAL JIGGING BLANKS

No.	Length	Tip Size	Butt Size
STI270H	5'8"	12	.612
STI500XH	5'8"	10	.572





BLANK#	LGTH	PCS	TIP	BUTT	LINE	LURE	POWER	ACTION
SPINNING BLANKS								
ROGSP461	4'6"	1	4.5	0.286	1-4	1/32-3/16	UL-LIGHT	FAST
ROGSP501	5'	1	4.5	0.307	1-4	1/32-3/16	UL-LIGHT	FAST
ROGSP561	5'6"	1	4.5	0.353	1-4	1/32-3/16	UL-LIGHT	FAST
ROGSP562	5'6"	1	4.5	0.368	2-6	1/32-1/4	UL-LIGHT	FAST
ROGSP601	6'	1	4.5	0.357	1-4	1/32-3/16	UL-LIGHT	FAST
ROGSP602	6'	1	4.5	0.395	2-6	1/32-1/4	UL-LIGHT	FAST
ROGSP662	6'6"	1	4.5	0.435	2-6	1/32-1/4	UL-LIGHT	FAST
ROGSP663	6'6"	1	4.5	0.442	4-8	1/16-7/16	LIGHT	FAST
ROGSP6632	6'6"	2	4.5	0.351	4-8	1/16-7/16	LIGHT	FAST
ROGSP6642	6'6"	2	5.0	0.368	6-10	1/8-1/2	MEDIUM	FAST
ROGSP702	7'	1	5.0	0.470	2-6	1/32-1/4	UL-LIGHT	FAST
ROGSP703	7'	1	4.5	0.478	4-8	1/16-7/16	LIGHT	FAST
ROGSP7032	7'	2	5.0	0.382	4-8	1/16-7/16	LIGHT	FAST
ROGSP7042	7'	2	5.0	0.390	6-10	1/8-1/2	MEDIUM	FAST
MAGNUM BASS BLANKS								
ROGMB663	6'6"	1	4.5	0.590	6-12	1/4-5/8	MEDIUM	FAST
ROGMB664	6'6"	1	5.0	0.595	8-17	1/4-3/4	MED-HVY	FAST
ROGMB665	6'6"	1	5.5	0.605	12-20	1/4-1	HEAVY	FAST
ROGMB666	6'6"	1	6.0	0.602	15-25	3/8-1 1/4	X-HEAVY	FAST
ROGMB703	7'	1	4.5	0.632	6-12	1/4-5/8	MEDIUM	FAST
ROGMB704	7'	1	5.0	0.640	8-17	1/4-3/4	MED-HVY	FAST
ROGMB705	7'	1	6.0	0.660	12-20	1/4-1	HEAVY	FAST
ROGMB706	7'	1	6.0	0.660	15-25	3/8-1 1/4	X-HEAVY	FAST
ROGMB764	7'6"	1	6.5	0.590	8-17	1/4-3/4	MED-HVY	FAST
ROGMBH664	6'6"	1	5.0	0.609	8-17	1/4-3/4	MED-HVY	FAST
ROGMBH665	6'6"	1	6.5	0.620	12-10	1/4-1	HEAVY	FAST
ROGMBH666	6'6"	1	7.0	0.630	15-25	3/8-1 1/4	X-HEAVY	FAST
ROGMBH704	7'	1	5.0	0.655	8-17	1/4-3/4	MEDIUM	FAST
ROGMBH705	7'	1	6.5	0.665	12-20	1/4-1	MED-HVY	FAST
ROGMBH706	7'	1	7.0	0.701	15-25	3/8-1 1/4	HEAVY	FAST
POPPING BLANKS								
ROGP703	7'	1	5.0	0.481	6-12	1/4-1/2	LGT-MED	FAST
ROGP705	7'	1	5.5	0.497	8-17	1/4-5/8	MEDIUM	X-FAST
ROGP765	7'6"	1	5.5	0.536	8-17	1/4-5/8	MEDIUM	X-FAST
FLIPPING STICK BLANKS								
ROGFS767X	7'6"	1+1	6.0	0.743	12-25	1/4-1 1/2	MEDIUM	FAST
ROGFS768X	7'6"	1+1	6.5	0.743	15-30	1/4-1 1/2	MED-HVY	FAST
ROGFS766X	7'6"	1+1	5.0	0.725	10-20	1 3/8-1 1/4	MED-HVY	FAST
LIGHT DUTY SW/BAY BLANKS								
ROGSWE664	6'6"	1	7.0	0.630	12-25	1/2-3	MED-HVY	FAST
ROGSWE665	6'6"	1	7.0	0.709	15-30	1 1/2-5	HEAVY	FAST
ROGSWE666	6'6"	1	12.0	0.687	20-40	1 1/2-6	X-HEAVY	FAST
ROGSWE704	7'	1	7.5	0.687	12-25	1-3	MED-HVY	FAST
ROGSWE705	7'	1	8.5	0.685	15-30	1 1/2-5	HEAVY	FAST
ROGSWE706	7'	1	12.5	0.700	20-40	1 1/2-6	X-HEAVY	FAST
ROGSWE765	7'6"	1	9.0	0.710	15-30	1 1/2-5	X-HEAVY	MOD
ROGSWW865	8'6"	1	7.0	0.770	15-30	1 1/2-5	HEAVY	FAST
ROGSWW866	8'6"	1	12.0	0.800	20-40	2-10	X-HEAVY	FAST
SPIN JIG BLANKS								
ROGSJ562	5'6"	1	4.5	0.446	6-12	3/16-1/2	LIGHT	FAST
ROGSJ563	5'6"	1	5.0	0.464	8-17	1/4-5/8	MEDIUM	FAST
ROGSJ564	5'6"	1	6.0	0.463	10-20	1/4-3/4	MED-HVY	FAST
ROGSJ602	6'	1	4.5	0.483	6-12	3/16-1/2	LIGHT	FAST
ROGSJ603	6'	1	5.0	0.480	8-17	1/4-5/8	MEDIUM	FAST
ROGSJ604	6'	1	6.0	0.485	10-20	1/4-3/4	MED-HVY	FAST
ROGSJ663	6'6"	1	4.5	0.590	8-17	1/4-5/8	MEDIUM	FAST
ROGSJ664	6'6"	1	5.0	0.595	10-20	1/4-3/4	MED-HVY	FAST
ROGSJ665	6'6"	1	5.5	0.605	12-25	1/4-1	HEAVY	FAST
ROGSJ702	7'	1	5.0	0.477	6-10	1/16-5/16	LIGHT	FAST



BLANK#	LGTH	PCS	TIP	BUTT	LINE	LURE	POWER	ACTION
ROGSJ703	7'	1	4.5	0.632	8-17	1/4-5/8	MEDIUM	FAST
ROGSJM703	7'	1	4.5	0.632	8-17	1/4-5/8	MEDIUM	MOD
ROGSJ704	7'	1	5.0	0.640	10-20	1/4-3/4	MED-HVY	FAST
ROGSJM763	7'6"	1	5.5	0.536	8-17	1/4-5/8	MEDIUM	MOD

SURF BLANKS

ROGSU803	8'	1	5.5	0.602	10-20	1-2	MED-HVY	FAST
ROGSU804	8'	1	7.0	0.630	12-25	1 1/2-2 1/2	MED-HVY	FAST
ROGSU843	8'4"	1	5.0	0.630	10-20	1-2	MED-HVY	FAST
ROGSU844	8'4"	1	6.5	0.646	12-25	1 1/2-2 1/2	MED-HVY	FAST
ROGSU864	8'6"	1	7.0	0.773	12-25	1 1/2-4	HEAVY	X-FAST
ROGSU8642	8'6"	2	5.0	0.588	12-25	1 1/2-4	HEAVY	X-FAST
ROGSU865	8'6"	1	10.0	0.785	15-30	2-5	X-HEAVY	FAST
ROGSU9042	9'	2	6.0	0.670	12-25	1-3	HEAVY	FAST
ROGSU905	9'	1	7.5	0.785	15-30	2-5	X-HEAVY	FAST
ROGSU10642	10'6"	2	8.0	0.800	15-30	1-4	HEAVY	MOD.

BLANK#	LGTH	PCS	LINE	TIP	BUTT	WGT	ACTION
2 PIECE FLY BLANKS							
ROGRX6622	6'6"	2	2	4.5	0.262	1.05	MOD.
ROGRX7332	7'3"	2	3	4.5	0.279	1.20	MOD.
ROGRX7642	7'6"	2	4	4.5	0.295	1.25	MOD.
ROGRX8032	8'	2	3	4.5	0.310	1.22	MOD.
ROGRX8042	8'	2	4	4.5	0.336	1.28	FAST
ROGRX8642	8'6"	2	4	5.0	0.347	1.50	FAST
ROGRX8652	8'6"	2	5	5.0	0.345	1.55	FAST
ROGRX8662	8'6"	2	6	5.0	0.343	1.60	FAST
ROGRX9032	9'	2	3	4.5	0.365	1.40	MOD.
ROGRX9042	9'	2	4	5.0	0.370	1.45	PROGRESSIVE FAST
ROGRX9052	9'	2	5	5.5	0.375	1.65	PROGRESSIVE FAST
ROGRX9062	9'	2	6	5.5	0.400	1.85	PROGRESSIVE FAST
ROGRX9072	9'	2	7	6.0	0.405	1.95	PROGRESSIVE FAST
ROGRX9082	9'	2	8	5.0	0.383	2.20	PROGRESSIVE FAST
ROGRX9092	9'	2	9	5.0	0.397	2.30	POWER FAST
ROGRX9682	9'6"	2	8	4.5	0.450	2.20	PROGRESSIVE FAST
ROGRX90102	9'	2	10	5.5	0.445	3.00	POWER FAST
ROGRX90122	9'	2	12	5.5	0.450	4.10	POWER FAST
ROGRX10652	10'6"	2	5-6	5.0	0.475	2.00	POWER FAST
ROGRX10672	10'6"	2	7-8	5.0	0.491	2.30	POWER FAST
ROGRX10692	10'6"	2	9-10	4.5	0.445	3.00	POWER FAST

1 PIECE FLY BLANKS

ROGRX798	7'9"	1	8-10	5.5	0.598	2.93	FAST
ROGRX7910	7'9"	1	10-12	5.5	0.598	2.96	FAST

BLANK#	LGTH	PCS	TIP	BUTT	LINE	LURE	POWER	ACTION
KOKANEE TROLLING								
ROGK762	7'6"	1	5.0	0.495	4-8	3/16-1/2	LIGHT	X-FAST
ROGK7632	7'6"	2	5.0	0.495	4-10	3/16-3/8	LIGHT	X-FAST

SWIM BAIT

ROGSB796	7'9"	1	5.5	0.598	12-25	1-4	HEAVY	X-FAST
ROGSB807	8'	1	7.0	0.624	15-30	1-8	HEAVY	X-FAST
ROGSB808	8'	1	8.0	0.652	20-40	2-10	X-HEAVY	X-FAST

7-11 BASS

ROG711CB2C	7'11"	1	—	0.555	16-12	3/16-1/2	MEDIUM	FAST
ROG711CB3C	7'11"	1	—	0.563	8-17	1/4-5/8	MEDIUM	FAST
ROG711MB3C	7'11"	1	—	0.738	8-17	1/4-5/8	MEDIUM	FAST
ROG711MB4C	7'11"	1	—	0.736	10-20	1/4-3/4	MED-HVY	FAST
ROG711SJ2S	7'11"	1	—	0.734	6-12	3/16-1/2	LIGHT	FAST
ROG711SJ3S	7'11"	1	—	0.745	8-17	1/4-5/8	MEDIUM	FAST
ROG711FS7C	7'11"	1	—	—	12-25	1/2-1 1/2	MED-HVY	FAST

DROP SHOT

ROGDS662	6'6"	1	4.0	0.448	4-8	3/16-3/8	LIGHT	X-FAST
ROGDS693	6'6"	1	4.5	0.472	6-12	1/4-1/2	LIGHT	X-FAST
ROGDS704	7'	1	5.5	0.506	8-17	5/16-5/8	MEDIUM	FAST

TIGER EYE BLANKS

A strong, yet light and sensitive blank with fast – to moderately fast action. These blanks are also made from the highest quality graphite and their design provides a unique combination of strength, durability and performance. All blanks are finished in translucent “Tiger-Eye” brown color.

No.	Length	Action	Tip	Butt
1 PIECE SPIN/CAST				
TIGGS481UL	4'8"	ULT-LIGHT	4	0.275
TIGGS501UL	5'	ULT-LIGHT	4.5	0.335
TIGGS561M	5'6"	MEDIUM	6	0.410
TIGGS601L	6'	LIGHT	4.5	0.300
TIGGS601ML	6'	MED-LIGHT	5	0.330
TIGGS601M	6'	MEDIUM	6	0.440
TIGGS601MH	6'	MED-HVY	6	0.455
TIGGS661M	6'6"	MEDIUM	5.5	0.460
TIGGS661MH	6'6"	MED-HVY	6.5	0.475
TIGGS701L	7'	LIGHT	4.5	0.440
TIGGS701ML	7'	MED-LIGHT	6	0.480
TIGGS701M	7'	MEDIUM	6.5	0.470
TIGGS701MH	7'	MED-HVY	7	0.495
TIGGS761H	7'6"	HEAVY	9	0.670
2 PIECE SPIN/CAST				
TIGGS502UL	5'	ULT-LIGHT	4.5	0.285
TIGGS562L	5'6"	LIGHT	4	0.280
TIGGS602UL	6'	ULT-LIGHT	5	0.280
TIGGS602L	6'	LIGHT	5	0.350
TIGGS602M	6'	MEDIUM	5.5	0.365
TIGGS662ML	6'6"	MED-LIGHT	5	0.380
TIGGS662M	6'6"	MEDIUM	6	0.380
TIGGS662MH	6'6"	MED-HVY	6	0.395
TIGGS702M	7'	MEDIUM	5.5	0.400
TIGGS702MH	7'	MED-HVY	6	0.415
TIGGS762L	7'6"	LIGHT	5	0.310
TIGGS762M	7'6"	MEDIUM	5.5	0.410
TIGGS762MH	7'6"	MED-HVY	6	0.540
TIGGS802M	8'	MEDIUM	5.5	0.565
TIGGS802MH	8'	MED-HVY	6	0.570
TIGGS862M	8'6"	MEDIUM	6.5	0.430
TIGGS862MH	8'6"	MED-HVY	6	0.580
TIGGS902MH	9'	MED-HVY	7.5	0.540
TIGGS1002MH	10'	MED-HVY	7.5	0.550



BRONCO BLANKS

Safari Sticks — Camo —

No.	Length	Description
CAMO COLOR - Specify color when ordering		
STIBL55XXH-	5.5'	80 - 130#
STIBL60XH-	6'	50 - 80#
STIBL66MH-	6.5'	30 - 60#
STIBL70H-	7'	20 - 40#
STIBL66M-	6.5'	30 - 60#
STIBL70ML-	7'	15 - 30#

Camo Color Chart

- E** = Green/Brown camo
- B** = Black/Grey camo

