

**All  
Lamiglas  
rods  
are  
available.**

**24-48  
hour  
shipping.**





### GRAPHITE SURF & JETTY

These super-durable graphite rods are ideal for slick rocky shores and pounding waves. Soft tips aid in the right presentation, and the rods have plenty of power to put the brakes on when fish head for the rocks. The distinctive high-gloss, clear-coated design with black wraps and gold accents makes a bold statement. Final touches include Fuji guides, Fuji graphite reel seats and attractive, functional EVA and cork-tape handles.

No.	Length	SEC	Lure Wt.	Line Wt.	Handle	Action
XS71MS	7'	1	¾-2	10-17	5	Moderate
XS81MS	8'	1	½-2	10-17	4	Moderate
XS91MHS	9'	1	1-3	14-20	7	Moderate
XS9MHS	9'	2	1-3	14-20	7	Moderate
XS10MS	10'	2	2-4	14-30	8	Moderate
XS10MHC	10'	2	3-8	17-40	6	Moderate
XS10MHS	10'	2	3-8	17-40	8	Moderate
XS101MS	10'	1	2-5	14-30	8	Moderate
XS11MS	11'	2	2-4	14-30	8	Moderate



### TRI-FLEX SURF

Lamiglas Tri-Flex rods use proprietary tri-wall construction technology with lightweight graphite base, fiberglass overwrap, and then a second graphite reinforcement through the butt and mid section. The result is a superior blank with incredible strength and durability, and an extremely fast recovery rate. Smooth. Fast. And light. Components include Fuji reel seats, Fuji aluminum oxide guides, cork tape rear grips, EVA foam fore grips, black wraps with metallic green trim.

No.	Length	SEC	Lure Wt.	Line Wt.	Handle	Action
TS86MS	8'6"	2	⅝-2	10-17	9	Moderate
TS9MHS	9'	2	1-3	12-30	10	Moderate
TS96MHS	9'6"	2	1-3	12-30	10	Mod/Fast
TS10MHS	10'	2	1-3	12-30	14	Moderate



### SURF KING SERIES

The Surf King Series represents a value unequalled in surf rods. Premium graphite blanks, the finest Lamiglas tapers, aluminum oxide guides and cork tape grips, finished with our electric blue and silver wraps.

No.	Length	SEC	Lure Wt.	Line Wt.	Handle	Action
SK9MS	9'	2	⅝-2	10-17	15	Mod/Fast
SK10MS	10'	2	2-4	14-30	15	Mod/Fast
SK10MHC	10'	2	3-8	17-40	16	Mod/Fast
SK11MHS	11'	2	3-8	17-40	15	Mod/Fast



**All Lamiglas Rods are available.  
24-48 hour shipping.  
Call for a color catalog.**



**G200 GRAPHITE FLY**

The G200 series – high performance without a high price tag. These moderately fast-action rods feature a gorgeous high-gloss deep blue finish, cork grips, custom wood-barreled aluminum reel seats and single foot snake guides. Lamiglas One Year Limited Warranty.

No.	Length	SEC	Line Wt.	Handle	Action
MBF905	9'	2	4/5	3	Mod/Fast
MBF906	9'	2	5/6	3	Mod/Fast
MBF908	9'	2	7/8	6	Mod/Fast
MBF909	9'	2	8/9	6	Mod/Fast
MBF910	9'	2	9/10	6	Mod/Fast



**RON ARRA SURF PRO**

Designed with guidance from four-time national distance casting champion and renowned surf fisherman, Ron Arra, these fast-action surf rods are a lure fisherman's dream, producing incredible power, distance and control. Unique handle designs maximize grip and comfort. Fuji aluminum oxide guides and reel seats perfect the tools.

No.	Length	SEC	Lure Wt.	Line Wt.	Handle	Action
XSRA961	8'	2	1/2-2	8-20	1	Mod/Fast
XSRA10222	8'6"	2	1/2-2	12-25	1	Mod/Fast
XSRA1083	9'	1	3/8-2 1/4	12-17	1	Mod/Fast
XSRA10832	9'	2	3/8-2 1/4	12-17	1	Mod/Fast
XSRA1084	9'	1	1-4	15-30	1	Mod/Fast
XSRA12052	10'	2	1-4	15-30	4	Mod/Fast
XSRA13222	11'	2	1-5	15-30	3	Mod/Fast



**TRI-FLEX SALTWATER**

Tri-Flex is a proprietary technology that starts with a graphite base, then a fiberglass overwrap, finishing off with another layer of graphite to reinforce the butt and mid sections. Unequaled in strength, durability and structural integrity.

No.	Length	SEC	Line Wt.	Handle	Action
BL6620C	6'6"	1	10-20	1	Mod/Fast
BL6625C	6'6"	1	12-25	1	Mod/Fast
BL6630C	6'6"	1	15-30	1	Mod/Fast
BL7020C	7'	1	10-20	1	Mod/Fast
BL7025C	7'	1	12-25	1	Mod/Fast
BL7030C	7'	1	15-30	1	Mod/Fast
BL7040C	7'	1	20-40	1	Moderate



**GRAPHITE INSHORE CLASSIC SERIES**

These premiere casting models are available in a variety of lengths and power. If calico, yellowtail, albacore, stripers, and blues are your quarry, this is the rod series to own. Translucent pearl/blue blanks and Fuji components.

No.	Length	SEC	Lure Wt.	Line Wt.	Handle	Action
IC66MH	6'6"	1	1/2-2	8-17	8	Fast
IC66H	6'6"	1	3/4-3	15-30	8	Fast
IC70MH	7'	1	1/2-2 1/2	12-25	8	Fast
IC70H	7'	1	3/4-3	15-30	8	Fast

