



SPECTRON® “STRENGTH OF STEEL”

Braided with space age fibers. Spectron combines a revolutionary low stretch, polyethylene fiber with Cortland’s unsurpassed braiding technology. Features include: Incredibly low diameter to strength ratio • 50lb test is the same as 12lb monofilament • Approx. 4% stretch • Extremely low stretch creates unbelievable hook setting power • Superior abrasion resistance • Increased line capacity • Due to its low diameter you can hold significantly more line on your reel than with monofilament • The polyethylene fiber is naturally hydrophobic • It not only won’t absorb water - it repels it! • Amazingly limp • This is a superb bait casting and spinning line with absolutely no memory • Powerful casting performance • Its slick finish reduces drag/friction on your rod guides, adding greater casting distance • Highly sensitive resulting in more positive hook ups.



SUPER BRAID-BLACKSPOT

White line with black spots.

150 YARD

No.	Test
173002	35
173019	50
173026	80

300 YARD


173033	35
173040	50
173057	80

600 YARD

191211	35
191228	50
191235	80

1200 YARD

173064	35
173071	50
173088	80
181571	130
181557	200



CORTLAND

DACRON PLANER BOARD TOW LINE

This tough tow line is designed for large and small side planers. Strong and durable. Won’t twist or kink.

HI-VIS YELLOW 300FT. SPOOL


No.	Lb. Test	Feet
141025	135	300
141056	200	300

HI-VIS ORANGE 300FT. SPOOL

141087	135	300
141117	200	300

BRAIDED NYLON LINE

Cortland Braided Nylon offers small diameter, low stretch and excellent castability.



HI-VIS BIG GAME DACRON

Being able to see your line can sometimes give you a great advantage in landing more fish. This Hi-Vis Yellow IGFA rated line allows you to easily locate where your bait is or where your fish is taking you. Gives you better fish fighting control. 1200 YARD.

No.	Test
167193	50
167254	80
167292	130

I.G.F.A. DACRON TROLLING LINE

Coreless precision braid allows for easy splicing to retain 100% of original strength. Minimum stretch for hook-setting power, control and feel. Small diameter reduces drag. Specify Green or Black item number.



Black No.	Green No.	Lb. Test	Yds/Spool
117198	115194	50	600
117259	115255	80	600
117297	115293	130	600
120198	118195	50	800
120259	118256	80	800
120297	118294	130	800
—	121102	20	1200
—	121133	30	1200
123199	121195	50	1200
123250	121256	80	1200
123298	121294	130	1200
123311		200	1200

CORTLAND

FLEA-FLICKER™ MONO

Many years ago spiny water fleas invaded the Great Lakes water shed and made life miserable for trollers in three states! As the water warmed in late summer, billions of these exotics appeared, attaching themselves to any fishing line that came by! We started working with charter captains and avid anglers in Lake Ontario and soon developed a revolutionary premium grade light green mono with a special shape and high slip additive that is proven to reduce or eliminate the problem of water flea attachment to troller’s lines.

No.	Test	Yards
287143	20 lb	300 yds
287150	30 lb.	300 yds
287167	20 lb.	2,500 yds
287174	30 lb	2,500 yds



MIRACLE™ MONO

A miracle in performance and value! High impact strength and superior knot strength make this line a great value.

Color: Clear
100 Yards

No.	Test
251021	4 lb.
251038	6 lb.
251045	8 lb.
251052	10 lb.
251069	12 lb.





ICE FISHING LINE

Specialty crafted to resist kinking. Cortland waterproofed braided ice line won't freeze or harden under extreme ice fishing conditions.

ICE BRAID-BLACK 50YD.

No.	Lb. Test	Yards
142282	27	50
142299	36	50
142305	45	50

ICE BRAID-BLACK 100YD.

142312	27	100
142329	36	100
142336	45	100



GREAT LAKES "READ-TO-TROLL" LEAD CORE

Available in 5 color (150') and 10 color (300') lead core with pre-knotted mono and backing.

Tests:

5 color 18, 27 and 36 lb.
10 color - 18, 27 and 36 lb.



5 COLOR

150' (50' - 20 lb. Mono / 150' - Lead Core / 300' - 30 lb. Backing)

Albright knot used between each line

No.	Test
132405	18 lb.
132412	27 lb.
132429	36 lb.

10 COLOR

150' (50' - 20 lb. mono / 300' - Lead Core / 300' - 30 lb. Backing)

Albright knot used between each line

No.	Test
132436	18 lb.
132443	27 lb.
132450	36 lb.

KERPLUNK LEAD CORE

Tough, abrasion-resistant braided nylon over lead core insures quick sinking. Specially dyed colors change every 10 yards to determine the amount of line out and striking depth. Color: Multi-color.


No.	Lb. Test	Yds/Spool
132061	14	100
132092	18	100
132122	27	100
132153	36	100
132184	45	100
132214	60	100



DOLPHIN ECONOMY PRICED MONO SERVICE SPOOLS - 2 LB.

Color: Clear. *Yardages are approximate.*

No.	Lb. Test	Yards
FJNML2LB-10	10	9,000
FJNML2LB-12	12	7,200
FJNML2LB-15	15	6,100
FJNML2LB-20	20	4,550
FJNML2LB-30	30	3,050
FJNML2LB-40	40	2,250
FJNML2LB-50	50	1,800
FJNML2LB-60	60	1,500
FJNML2LB-80	80	1,050
FJNML2LB-100	100	800



EXTRA-HEAVY DIAMETER SPOOLS - 2 LB.

Color: Clear. *Yardages are approximate.* These diameters are made up using a special blend of raw materials to produce an extra strong monofilament suitable for a wide range of fishing situations.

No.	Lb. Test	Yards
FJNMLJLB-150	150	580
FJNMLJLB-225	225	390
FJNMLJLB-300	300	260

LINE DISPENSER

Keep your line from unwinding and tangling with the line dispenser. You will always have easy tangle free access to your line by simply strapping the line dispenser around your spool and pulling it through.



No.
DALDP3



SPECTRA CONNECTION SYSTEM

No.	Description
SWISA	1/2 oz. Spectra Adhesive
SWIAUCK	Appex Uni-Link Connection Kit
SWIAUS	Appex Uni-Link Small Link Refill
SWIAUM	Appex Uni-Link Medium Link Refill
SWIAUL	Appex Uni-Link Large Link Refill



POWER "L" LINE NIPPERS

The W&M Line Nipper with its Power "L"™ design fits naturally in your hand and is automatically positioned to make a perfect cut without having to rotate your hand or arm to properly position the cutting end of the nipper.

- Super sharp, stainless steel blades make accurate cuts time after time on both monofilament and the popular new braided lines.
- Nail knot tool included.
- Convenient, hook eye needle is safely protected at the end of the tool.
- Durable swivel is included to allow for easy attachment to a retractor or vest.

No.
WMEPLN



CORTLAND

C16 SUPERBRAID

Constructed using high-tech Spectra® fibers in a 16 carrier construction for an extremely small diameter to strength ratio. C16's 16 carrier braid construction and uniformed pick count (wraps per inch) is the perfect match for allowing you to quickly splice a few feet of mono, while maintaining line strength between the braid and the top shot. Cortland has also treated C16 with their proprietary "FIBER TECH" Superbraid Protection that dramatically increased the braid's durability and ensures consistent performance over time.

Color: White

No.	Test	Length
158009	80 lb.	600 yards
158016	100 lb.	600 yards
158023	130 lb.	600 yards
158030	200 lb.	600 yards
158047	80 lb.	1200 yards
158054	100 lb.	1200 yards
158061	130 lb.	1200 yards
158078	200 lb.	1200 yards
158085	80 lb.	2500 yards
158092	100 lb.	2500 yards
158108	130 lb.	2500 yards
158115	200 lb.	2500 yards



MASTER BRAID - "STIFF SUPER BRAID"

With almost 100 years of braiding experience and technology, Cortland Line is proud to offer the next generation of "Premium Super Braid"—Master Braid. A premium super braid constructed using all the best features of Cortland's legendary Spectron braided line, but with a unique coating that makes the braid permanently stiff.



Master Braid is constructed in a way that makes it rounder, which means less twist, greater accuracy, longer casts and extended life. A proprietary Cortland process bonds the color and finish into the fibers of the braid eliminating fading or flaking of the color and stiffening agent. With only 4% stretch, small diameter pound/test ratio and a unique hydrophobic coating that slices through the water and comes back dry, this new Master Braid delivers greatly enhanced fishing qualities and performance. Master Braid is very easy to use and works equally well on both spinning and conventional reels.

STIFF SUPER BRAID - Targeted Elongation 4%				
Master Braid Green, Yellow, Bronzeback Brown				
Break Strength	Avg. Mono Equiv.	Average Dia. In.	Average Dia. mm	Average Picks/In.
10	2	.0100	.254	24
15	4	.0110	.279	21
20	6	.0120	.305	22
30	8	.0135	.3429	18
50	12	.0190	.482	20
80	18	.0210	.533	21
130	25	.0290	.737	25
200	50	.0420	1.06	20



GREEN / YELLOW / BRONZEBACK BROWN / WHITE

150 YARDS

Test	Green	Yellow	Bronzeback Brown	White
10 lb.	158597	160569	160804	N/A
15 lb.	158603	160576	160811	N/A
20 lb.	158610	160583	160828	N/A
30 lb.	158627	160590	160835	N/A
50 lb.	158634	160606	160842	N/A

300 YARDS

Test	Green	Yellow	Bronzeback Brown	White
10 lb.	158665	160644	160880	N/A
15 lb.	158672	160651	160897	N/A
20 lb.	158689	160668	160903	N/A
30 lb.	158696	160675	160910	N/A
50 lb.	158702	160682	160927	N/A

600 YARDS

Test	Green	Yellow	Bronzeback Brown	White
15 lb.	158764	159082	159167	N/A
20 lb.	158771	159099	159174	N/A
30 lb.	158788	159105	159198	N/A
50 lb.	158795	159112	159204	158412
65 lb.	158801	159051	159181	158429
80 lb.	158818	159129	159211	158436

1200 YARDS

Test	Green	Yellow	Bronzeback Brown	White
10 lb.	158856	161191	161276	N/A
15 lb.	158863	161207	161283	N/A
20 lb.	158870	161214	161290	N/A
30 lb.	158887	161221	161306	N/A
50 lb.	158894	161238	161313	158474
65 lb.	158900	161368	161351	158481
80 lb.	158917	161245	161320	158498
100 lb.	158924	161375	161412	158504
130 lb.	158931	161252	161337	158511
200 lb.	158948	161269	161344	158528

POWER PRO

- Better handling characteristics
- Smoother handling characteristics
- Smoother casting
- Better knot performance
- Near zero stretch
- Ultra sensitive
- 10X stronger than steel
- No reel memory



BRAIDED LINE CUTTER

Designed to easily cut braided lines this tweezers-type nipper is made of strong, lightweight plastic with a razor sharp stainless steel blade. Safe and easy to use, this cutter features a hole for attaching a lanyard.



No.
DALCB

Moss Green	White	Hi-Vis Yellow	Red	Lb. Test	Yardage
INN8G-150	INN8W-150	INN8Y-150	INN8R-150	8	150
INN8G-300	INN8W-300	INN8Y-300	INN8R-300	8	300
INN10G-150	INN10W-150	INN10Y-150	INN10R-150	10	150
INN10G-300	INN10W-300	INN10Y-300	INN10R-300	10	300
INN15G-150	S/O	S/O	S/O	15	150
INN15G-300	INN15W-300	INN15Y-300	INN15R-300	15	300
INN15G-500	INN15W-500	INN15Y-500	INN15R-500	15	500
INN15G-1500	INN15W-1500	INN15Y-1500	INN15R-1500	15	1500
INN20G-150	S/O	S/O	S/O	20	150
INN20G-300	INN20W-300	INN20Y-300	INN20R-300	20	300
INN20G-500	INN20W-500	INN20Y-500	INN20R-500	20	500
INN20G-1500	INN20W-1500	INN20Y-1500	INN20R-1500	20	1500
INN30G-150	S/O	S/O	S/O	30	150
INN30G-300	INN30W-300	INN30Y-300	INN30R-300	30	300
INN30G-500	INN30W-500	INN30Y-500	INN30R-500	30	500
INN30G-1500	INN30W-1500	INN30Y-1500	INN30R-1500	30	1500
INN40G-150	S/O	S/O	S/O	40	150
INN40G-300	INN40W-300	INN40Y-300	INN40R-300	40	300
INN40G-500	INN40W-500	INN40Y-500	INN40R-500	40	500
INN40G-1500	INN40W-1500	INN40Y-1500	INN40R-1500	40	1500
INN50G-150	S/O	S/O	S/O	50	150
INN50G-300	INN50W-300	INN50Y-300	INN50R-300	50	300
INN50G-500	INN50W-500	INN50Y-500	INN50R-500	50	500
INN50G-1500	INN50W-1500	INN50Y-1500	INN50R-1500	50	1500
INN65G-150	S/O	S/O	S/O	65	150
INN65G-300	S/O	S/O	S/O	65	300
INN65G-500	INN65W-500	INN65Y-500	INN65R-500	65	500
INN65G-1500	INN65W-1500	INN65Y-1500	INN65R-1500	65	1500
INN80G-500	INN80W-500	INN80Y-500	INN80R-500	80	500
INN80G-1500	INN80W-1500	INN80Y-1500	INN80R-1500	80	1500
INN100G-500	INN100W-500	INN100Y-500	INN100R-500	100	500
INN100G-1500	INN100W-1500	INN100Y-1500	INN100R-1500	100	1500
INN150G-500	INN150W-500	INN150Y-500	INN150R-500	150	500
INN150G-1500	INN150W-1500	INN150Y-1500	INN150R-1500	150	1500
INN200G-500	INN200W-500	INN200Y-500	INN200R-500	200	500
INN200G-1500	INN200W-1500	INN200Y-1500	INN200R-1500	200	1500
INN250G-500	INN250W-500	INN250Y-500	INN250R-500	250	500
INN250G-1500	INN250W-1500	INN250Y-1500	INN250R-1500	250	1500

S/O = Special Order

FJ NEIL LINE

Blister carded, 100 yard spools - 1 spool per card

No.	Lb. Test
FJNCD100-4	4
FJNCD100-6	6
FJNCD100-8	8
FJNCD100-10	10
FJNCD100-12	12
FJNCD100-15	15
FJNCD100-20	20
FJNCD100-25	25
FJNCD100-30	30



1/4 lb. (net) Spool - shrink packed - "Clear Color"

No.	Lb. Test
FJNML14C-10	10
FJNML14C-12	12
FJNML14C-15	15
FJNML14C-20	20
FJNML14C-25	25
FJNML14C-30	30
FJNML14C-40	40
FJNML14C-50	50

SUPER BRAID CUTTER

Ultra sharp cutter for Mono/Braid line, superior cutter up to 60lbs wire

No.
BRA32908



BRAIDED LINE "SUPER CUT" SCISSORS

Effortlessly Cuts The Finest Micro-Threads Of Braided Lines! "Super Cut" scissors can only be described as "AMAZING" in the way they effortlessly cut through even the "finest" micro-threads of today's high-tech braided lines. Other scissors that make similar claims CAN'T COMPARE! Scissors are made from stainless steel, have durable high-impact handles, and include a handy soft padded sheath with attachment loop.

No.
NR5000006



Handy soft holster case included

M & M SUPER CUTTER

Super cutters for braided line with case..

No.
JENMT3170





HI-VIS MONSTER YELLOW

Ande Premium Extra Strong Hi-Vis Monster Yellow is the strongest line ANDE has ever produced! It is not an IFGA line. Monster Yellow is for trolling and for targeting large, mean fish. Available in 20, 30, 50, 60, 80, 100 and 125 lb. tests on 3 lb. spools only. It's a hard line with outstanding knot strength and abrasion resistance. It's a one-purpose line and that is to land large fish like tuna, marlin and sharks.

No.	Test (lb.)
ANDMY3-20	20
ANDMY3-30	30
ANDMY3-50	50
ANDMY3-60	60
ANDMY3-80	80
ANDMY3-100	100
ANDMY3-125	125



100% Fluorocarbon Leader on 50 yard wrist spools from 10 to 150 lb. test




FLUOROCARBON

Ande 100% fluorocarbon leader material has recently been introduced. 100% fluorocarbon at competitive prices. Manufactured with some of the leading edge technology available today. Compare to realize that no other product offered is any less visible, stronger or more abrasion resistant. Top quality, excellent knot strength at a great value. Available in sizes from 10 to 150 test in 50 yard spool.

No.	No.
ANDFLO10-50	ANDFLO50-50
ANDFLO12-50	ANDFLO60-50
ANDFLO15-50	ANDFLO80-50
ANDFLO20-50	ANDFLO100-50
ANDFLO25-50	ANDFLO120-50
ANDFLO30-50	ANDFLO150-50
ANDFLO40-50	

ANDE PREMIUM


Test	Diameter inches	Approx Yds Per pound
2	.007	18,300
4	.008	11,300
6	.010	7,400
8	.011	6,300
10	.012	5,400
12	.014	4,000
15	.016	3,000
20	.018	2,400
25	.020	2,000
30	.022	1,600
40	.024	1,400
50	.028	1,000
60	.031	800
80	.035	600
100	.039	500
125	.051	300
150	.055	250
200	.063	200
250	.071	150
300	.075	135
400	.079	125



PREMIUM FINISH

9 Lb. line is available as special order.

Medium soft monofilament with excellent tensile and knot strength and it is very abrasion resistant. Please be sure to specify the Lb. Test.



No.	Lb Test Available
AND14-	10,12,15,20,25,30,40,50
AND1-	15,20,25,30,40,50
AND2-	20,25,30,40,50,60
AND3-	80,100,125
AND3-	150,200
AND14C-	15,20,25,30,40,50
AND2C-	15,20,25,30,40,50
AND3C-	80,100,125
AND3C-	150,200



Spool Size	Color
1/4lb.	Pink
1 lb.	Pink
2 lb.	Pink
3 lb.	Pink
3 lb.	Pink
1/4lb.	Clear
2 lb.	Clear
3 lb.	Clear
3 lb.	Clear

LEADER MATERIAL

50 YARD SPOOL / Color: CLEAR

No.	Lb test
ANS20	20
ANS30	30
ANS40	40
ANS50	50
ANS60	60
ANS80	80



FILLER SPOOL/330 YARDS

The new ANDE filler spool is a product designed for small to medium sized reels—both spinning and bait casters. It is available in tests 4 to 20 in moss green only.


No.
ANDF4
ANDF6
ANDF8
ANDF10

No.
ANDF12
ANDF15
ANDF20

LEADER MATERIAL

100 Yard Skein (zip-loc bagged)
Color: Clear

No.	Lb test
ANS100	100
ANS150	150
ANS200	200
ANS300	300
ANS400	400



LEADER MATERIAL

100 Yard Skein
Color: Dark Green

No.	Lb test
ANS100-DG	100
ANS150-DG	150
ANS200-DG	200
ANS300-DG	300

LEADER MATERIAL

100 Yard Skein, Color: Gun Metal

No.	Lb test
ANS150-GM	150
ANS200-GM	200
ANS300-GM	300

Color: Black - great for outriggers

No.	Lb test
ANS400-B*	400

HI-SEAS



All Grand Slam products are available. Call for prices.

- High-Impact Strength • Wears Like Iron
- Quattro Performance in 5 Solid Colors



Hi-Seas popular Quattro Plus camouflage fishing line provides excellent performance while retaining all the qualities that anglers have come to love, especially its ability to disappear underwater! Better than fluorocarbon at a fraction of the cost, Quattro Plus does for fishing line what camouflage clothes do for a hunter—it breaks up visual patterns so it blends into the background. Its unique formulation gives it incredible linear and impact strength with excellent abrasion resistance. It's one line that won't give up on you during the hottest bite. That's why Quattro Plus is the choice of so many top pros on the SKA Tournament Trail!

- Unique Low-Vis 4-Color Camo Line
- Super Strong, Virtually Abrasion-Proof
- Disappears Underwater
- Choice of Top SKA Tournament Pros



No.	Lb. Test	Yards
1 LB. SPOOL		
HIGSQ1-10	10	5400
HIGSQ1-12	12	4000
HIGSQ1-15	15	3200
HIGSQ1-20	20	2600
2 LB. SPOOL		
HIGSQ2-30	30	3200
HIGSQ2-40	40	2800
HIGSQ2-50	50	2000
HIGSQ2-60	60	1560
HIGSQ2-80	80	1200
HIGSQ2-100	100	960
HIGSQ2-130	130	700

FLUOROCARBON

HI-SEAS Fluorocarbon is made from 100% polyvinylidene fluoride and extruded using cutting edge technology that gives it just the right combination of properties to make it the finest leader material you can buy.

- Matches light refractivity of water
- Virtually invisible underwater
- Abrasion resistant
- Faster sink-rate than mono
- Excellent UV protection



No.	Lb. Test	Yards	Dia. in
HICFCB2520	20	25	.016
HICFCB2530	30	25	.019
HICFCB2540	40	25	.024
HICFCB2550	50	25	.028
HICFCB2560	60	25	.030
HICFCB2580	80	25	.035
HICFCC25100	100	25	.039
HICFCC25130	130	25	.047
HICFCC25175	175	25	.053
HICFCC25220	220	25	.059



Black Widow has been a favorite with fresh and saltwater anglers since its introduction over ten years ago. It's a thin-diameter, premium co-polymer monofilament that incorporates multicolor extrusion technology developed by Hi-Seas polymer chemists so fish don't see it. But that's only one of the reasons you'll love it. Black Widow is a supple line that lies beautifully on any reel and casts with near zero friction. It has low memory, so it won't coil up after sitting on the reel for extended periods, and it's a tough line that provides solid fish-fighting performance. For the record-conscious angler, it's I.G.F.A. True-Test rated. Whether you jig for smallmouths, troll for walleyes, plug stripers, or chunk tuna, Black Widow is a proven performer that won't let you down when the fishing heats up.



- Micro-Thin Diameter – No Memory
- I.G.F.A. True Test Rated
- Unique 3-Color Camo
- A Favorite For Fresh & Salt Water
- Unmatched Casting Performance

No.	Lb. Test	Yards
1 LB. SPOOL		
HIBWT1-10	20	3900
HIBWT1-15	30	2400
2 LB. SPOOL		
HIBWT2-24	50	3000
HIBWT2-37	80	1580
HIBWT2-60	130	740



Red Devil isn't just another hi-vis line, it's the brightest, easiest to see line you can use under any light conditions. Its fluorescent red color stands out above the water, but fades to near invisibility below. Yet, that's only part of the reason it is the biggest leap forward in monofilament line in a decade! This "next generation" monofilament is a unique blend of the most advanced polymers with silicone. The result is a softer line with a silky feel that is easier to tie and provides unparalleled knot strength. Its abrasion resistant qualities rival any of the stiff, hard-shell lines of the past. Red Devil offers today's angler a level of performance that leaves the competition back at the dock.



- Great for casting and trolling
- Glows above - disappears below
- Feels like silk - tough as nails
- Super-tough, no memory, extra soft
- Co-Polymer & Silicon formulation

No.	Lb. Test	Yards	Dia. in / mm	Spool
HIRD1-15	15	3440	.016 / 0.40	1 lb.
HIRD1-20	20	2640	.018 / 0.45	1 lb.
HIRD1-30	30	1760	.022 / 0.55	1 lb.
HIRD1-40	40	1480	.024 / 0.60	1 lb.
HIRD2-50	50	2120	.028 / 0.70	2 lb.
HIRD2-80	80	1320	.035 / 0.90	2 lb.
HIRD2-130	130	740	.047 / 1.20	2 lb.

HI-SEAS



TWIST-ON LINE SINKERS

Designed for convenience, these lead strips easily twist on and off your line. Simply tear a strip out as you would a match and wrap it around line or hook. Attach one or more or even a partial strip to achieve the weight desired. Packed 1 matchbook dispenser per polybag with insert card.



No.
DATOLS

PREMIUM LEADER

High strength Mono Leader

For everyday use in fresh or salt water, there's Premium Leader, the leader that's as at-home bottom fishing as it is trolling for tuna. An advanced monofilament extruded with properties that make it supple, yet extra tough – Grand Slam Premium Leader performs! Unsurpassed for tying rigs for everything from flounder fishing to deep dropping for monster grouper. Grand Slam Premium can be used as leader material for offshore trolling as well.

No.	Test	Diameter	Diameter	Length	Package	Color
	lbs.	Inch	mm	Meters		
HICB20CL	20	.018	0.45	46	Bracelet	Clear
HICB30CL	30	.022	0.55	46	Bracelet	Clear
HICB40CL	40	.024	0.60	46	Bracelet	Clear
HICB50CL	50	.028	0.70	46	Bracelet	Clear
HICB60CL	60	.031	0.80	46	Bracelet	Clear
HICB80CL	80	.035	0.90	46	Bracelet	Clear
HIC1100CL	100	.039	1.00	91	Coil	Clear
HIC1150CL	150	.051	1.30	91	Coil	Clear
HIC1200CL	200	.059	1.50	91	Coil	Clear
HIC1300CL	300	.075	1.90	91	Coil	Clear



WHITE LIGHTNING

Advanced Co-Polymer

• Micro thin diameter • True-test rated • Supple, low memory • Reduced stretch • Great casting line

White Lightning is a true-test rated, fluorescent-clear, micro-thin diameter monofilament with sensitivity that rivals braid. White Lightning narrows the performance gap between mono and braid. It's engineered from a new copolymer matrix making it incredibly thin, remarkably strong, and yielding less stretch than many other mono lines. White Lightning has incredible knot strength using common knots, and its supple texture lays perfectly on spinning and conventional reels while flowing-off smoothly without tangles. Its diameter to strength ratio makes it a stand out, capable of handling big fish. White Lightning is perfect for freshwater applications – from ultralight outfits for trout and panfish, to heavier tests for fishing bass and walleyes. Its improved sensitivity means you'll feel the subtlest pick up and set the hook with power to spare. White Lightning is the line you can count on to provide the sensitivity you demand and the performance you deserve. Color: fluorescent clear.

No.	Test	True Test	Diameter	Diameter	Length	Length
	lbs.	Kgs.	Inch	mm	Yards	Meters
FILLER SPOOL						
HIWLF300-04	4	1.8	.006	0.16	300	274
HIWLF300-06	6	2.7	.008	0.20	300	274
HIWLF300-08	8	3.6	.009	0.23	300	274
HIWLF300-10	10	4.5	.010	0.26	300	274
HIWLF300-12	12	5.4	.011	0.28	300	274
HIWLF300-15	15	6.8	.012	0.31	300	274
HIWLF300-17	17	7.7	.013	0.33	300	274
HIWLF300-20	20	9.0	.015	0.37	300	274
HIWLF300-30	30	13.6	.019	0.47	300	274
1 LB. SPOOL						
HIWL1-04	4	1.8	.006	0.16	20,800	19,020
HIWL1-06	6	2.7	.008	0.20	13,500	12,340
HIWL1-08	8	3.6	.009	0.23	10,000	9,144
HIWL1-10	10	4.5	.010	0.26	8,000	7,315
HIWL1-12	12	5.4	.011	0.28	6,800	6,218
HIWL1-15	15	6.8	.012	0.31	5,560	5,084
2 LB. SPOOL						
HIWL2-17	17	7.7	.013	0.33	9,800	8,961
HIWL2-20	20	9.0	.015	0.37	7,800	7,132
HIWL2-30	30	13.6	.019	0.47	4,800	4,389





GRAND SLAM

High Performance Fishing Line

- Ideal sensitivity & control • High knot strength • Abrasion resistant
- Smooth casting

From ultra-light to big game, Grand Slam is up to the challenge! Its formulation provides high impact strength, excellent abrasion resistance and superior knot strength. It's equally at home on conventional and spinning tackle. Every yard is computer checked for consistent diameter and breaking strength to provide you with an unequalled level of performance – performance you can rely on.

No.	Test lbs.	True Test Kgs.	Diameter Inch	Diameter mm	Length Yards	Length Meters
CLEAR - 1/4 LB. SPOOL						
HIGSMQ-06CL	6	2.7	.010	0.25	2,000	1,829
HIGSMQ-08CL	8	3.6	.011	0.27	1,830	1,673
HIGSMQ-10CL	10	4.5	.012	0.30	1,480	1,353
HIGSMQ-12CL	12	5.4	.014	0.35	1,090	997
HIGSMQ-15CL	15	6.8	.016	0.40	860	786
HIGSMQ-20CL	20	9.0	.018	0.45	660	604
HIGSMQ-25CL	25	11.3	.020	0.50	535	489
HIGSMQ-30CL	30	13.6	.022	0.55	440	402
HIGSMQ-40CL	40	18.1	.024	0.60	370	338
HIGSMQ-50CL	50	22.6	.028	0.70	265	242
HIGSMQ-60CL	60	27.2	.031	0.80	210	192

FLUORESCENT YELLOW - 1/4 LB. SPOOL

HIGSMQ-06FY	6	2.7	.010	0.25	2,000	1,829
HIGSMQ-08FY	8	3.6	.011	0.27	1,830	1,673
HIGSMQ-10FY	10	4.5	.012	0.30	1,480	1,353
HIGSMQ-12FY	12	5.4	.014	0.35	1,090	997
HIGSMQ-15FY	15	6.8	.016	0.40	860	786
HIGSMQ-20FY	20	9.0	.018	0.45	660	604
HIGSMQ-25FY	25	11.3	.020	0.50	535	489
HIGSMQ-30FY	30	13.6	.022	0.55	440	402
HIGSMQ-40FY	40	18.1	.024	0.60	370	338
HIGSMQ-50FY	50	22.6	.028	0.70	265	242
HIGSMQ-60FY	60	27.2	.031	0.80	210	192

CLEAR - 1 LB. SPOOL

HIGSM1-12CL	12	5.4	.014	0.35	4,360	3,987
HIGSM1-15CL	15	6.8	.016	0.40	3,440	3,146
HIGSM1-20CL	20	9.0	.018	0.45	2,640	2,414
HIGSM1-25CL	25	11.3	.020	0.50	2,140	1,957
HIGSM1-30CL	30	13.6	.022	0.55	1,760	1,609
HIGSM1-40CL	40	18.1	.024	0.60	1,480	1,353
HIGSM1-50CL	50	22.6	.028	0.70	1,060	969
HIGSM1-60CL	60	27.2	.031	0.80	840	768
HIGSM1-80CL	80	36.2	.035	0.90	660	604

FLUORESCENT YELLOW - 1 LB. SPOOL

HIGSM1-12FY	12	5.4	.014	0.35	4,360	3,987
HIGSM1-15FY	15	6.8	.016	0.40	3,440	3,146
HIGSM1-20FY	20	9.0	.018	0.45	2,640	2,414
HIGSM1-25FY	25	11.3	.020	0.50	2,140	1,957
HIGSM1-30FY	30	13.6	.022	0.55	1,760	1,609
HIGSM1-40FY	40	18.1	.024	0.60	1,480	1,353
HIGSM1-50FY	50	22.6	.028	0.70	1,060	969

No.	Test lbs.	True Test Kgs.	Diameter Inch	Diameter mm	Length Yards	Length Meters
CLEAR - 2 LB. SPOOL						
HIGSM2-20CL	20	9.0	.018	0.45	5,280	4,828
HIGSM2-25CL	25	11.3	.020	0.50	4,280	3,914
HIGSM2-30CL	30	13.6	.022	0.55	3,520	3,219
HIGSM2-40CL	40	18.1	.024	0.60	2,960	2,707
HIGSM2-50CL	50	22.6	.028	0.70	2,120	1,939
HIGSM2-60CL	60	27.2	.031	0.80	1,680	1,536
HIGSM2-80CL	80	36.2	.035	0.90	1,320	1,207
HIGSM2-100CL	100	45.3	.039	1.00	1,070	978
HIGSM2-130CL	130	58.9	.047	1.20	740	677

CLEAR - 5 LB. SPOOL

HIGSM5-20CL	20	9.0	.018	0.45	13,200	12,070
HIGSM5-25CL	25	11.3	.020	0.50	10,700	9,784
HIGSM5-30CL	30	13.6	.022	0.55	8,800	8,047
HIGSM5-40CL	40	18.1	.024	0.60	7,400	6,767
HIGSM5-50CL	50	22.6	.028	0.70	5,300	4,846
HIGSM5-60CL	60	27.2	.031	0.80	4,200	3,840
HIGSM5-80CL	80	36.2	.035	0.90	3,300	3,018
HIGSM5-100CL	100	45.3	.039	1.00	2,675	2,446
HIGSM5-130CL	130	58.9	.047	1.20	1,850	1,692
HIGSM5-150CL	150	68.0	.051	1.30	1,575	1,440
HIGSM5-200CL	200	90.7	.059	1.50	1,225	1,120

GREEN - 5 LB. SPOOL

HIGSM5-20GR	20	9.0	.018	0.45	13,200	12,070
HIGSM5-25GR	25	11.3	.020	0.50	10,700	9,784
HIGSM5-30GR	30	13.6	.022	0.55	8,800	8,047
HIGSM5-40GR	40	18.1	.024	0.60	7,400	6,767
HIGSM5-50GR	50	22.6	.028	0.70	5,300	4,846
HIGSM5-60GR	60	27.2	.031	0.80	4,200	3,840
HIGSM5-80GR	80	36.2	.035	0.90	3,300	3,018

FLUORESCENT YELLOW - 5 LB. SPOOL

HIGSM5-20FY	20	9.0	.018	0.45	13,200	12,070
HIGSM5-25FY	25	11.3	.020	0.50	10,700	9,784
HIGSM5-30FY	30	13.6	.022	0.55	8,800	8,047
HIGSM5-40FY	40	18.1	.024	0.60	7,400	6,767
HIGSM5-50FY	50	22.6	.028	0.70	5,300	4,846
HIGSM5-60FY	60	27.2	.031	0.80	4,200	3,840
HIGSM5-80FY	80	36.2	.035	0.90	3,300	3,018
HIGSM5-100FY	100	45.3	.039	1.00	2,675	2,446
HIGSM5-130FY	130	58.9	.047	1.20	1,850	1,692

