

**FISH BAGS**

Dave Workman, Jr. Pro Series



No.	Description	Size
00005	Small Monster Bag	19"x58"
00006	Medium Monster Bag	20"x65"
00010	Large Monster Bag	23"x70"
00110	Jumbo Monster Bag	48"x96"
00009	Double Tuna Bag	40"x80"
00007	Just Bait Bag	—



**All Boone products are available. Call!**

**BRONCO<sup>®</sup> ROD TETHER**

Unlike other safety lines on the market, this ten-foot rod tether recoils to half its size so there isn't a mess of rope or line in the cockpit! Wide loop attaches to rail, fighting chair, or other secure area onboard, and heavy stainless steel clip fastens to rod or reel to protect gear from going over.

No.  
RT10



**SLIP-OVER ICE CLEATS**

A must for winter sportsmen, these easy-on rubber cleats provide a positive traction on icy surfaces. Stretch rubber construction slips over most footwear and features full sole coverage with three double-rows of steel-toothed cleats.

No.  
DAIFCLR-L  
DAIFCLR-XL



**E/Z TWIST PRO**

Make your own custom wire leaders with ease. The E/Z Twist Pro is so simple to use, you will be able to make hundreds of leaders in no time. In fact, some of our customers have sold their leaders to tackle shops to generate extra income. No longer will you search for the perfect length leader for your rigs. With the E/Z Twist Pro, you can make your own and always have them ready when you are.



Features:

- Wraps are consistent and look professional
- Models for 5-22 gauge wire
- Make the "eye" right on the unit, no extra tools
- All replacement parts available
- Make wraps "loose" or "tight" depending on preference



No.	Description
DUB1250	E/Z Twist Pro (5-12 gauge / .014"-.029" / 44-174lb)
DUB1251	E/Z Twist Pro Deluxe (5-22 gauge / .014"-.050" / 44-500lb)
DUB1252	E/Z Twist Pro Head #4 (13-15 gauge / .031"-.035" / 195-240lb)
DUB1253	E/Z Twist Pro Head #5 (18-22 gauge / .041"-.050" / 325-500lb)
DUB1260	E/Z Twist Pro Barrel Wrap (5-15 gauge / .014"-.035" / 44-240lb)



**BOAT DISTRESS FLAG**

This 3'x3' high visibility orange flag with black universal distress symbol printed on both sides is easily seen from the air or water and is recommended on all boats.

No.  
DAFBD



**COMMERCIAL FISH BAG**

This is the same bag used by charter boats for storing large fish on ice with minimal blood and slime transfer. Measuring 18"x40" this tough 4-mil polybag is ideal for transporting fish from boat to home.


No.  
DAFB882



**ANCHOR RING**

Solid stainless anchor retriever ring. Easy opening to fit any anchor line.

No.  
WINFR1



**ANCHOR RING LIFT SYSTEM**

Use the buoy's floatation and your boat's power to raise the anchor. Anchor ends up floating behind the boat where it can be easily retrieved without the normal hassle. Ring is made of stainless rod with welded ring eyes. Kit includes hook, buoy and spliced line and anchor ring.

No.  
ARS10




**E/Z LOAD CHUM BAG**

The E/Z Load Chum Bag will take the hassle and mess out of using chum. The wide 14" diameter opening allows you to add blocks of chum without getting the "melted mess" from the previous block all over you in the process. The included rope will allow you to place the bag right where you want it and retrieve it easily.



No.  
DUB1215






**COPPER RIGGING WIRE**

Soft copper 9" (22.9cm) lengths are extremely flexible and ideal for rigging live and artificial baits. Packaged 50 lengths per tube.

**No.** CRW1





**MERRICK TACKLE**

**RIGGING FLOSS**

For rigging all types of bait. 4oz. spool with needle. Polyester/waxed. 70 lb. 500 ft. per spool


**No.** NTD602

**TYING STRONG FISHING KNOTS**

By Bill Herzog. We have all had a knot break or come undone on a big fish. Use this extremely helpful book to tie excellent knots. Crisp, easy-to-understand illustrations and text show you how to tie all the general and specialized fishing knots you'll ever need, as well as fly fishing knots. This is a handy book to keep in your tackle box. 5 1/2" x 8 1/2", 48 pages.

**No.** AMA57188



**WAXED BAIT RIGGING FLOSS**

This multipurpose waxed nylon is ideal for all of the following applications: wrapping skirts and tails to jig and lure heads; wrapping monofilament and dacron splices; wrapping and tying bait to hooks; wrapping or tying wire bundles. Color: White

**No.** **Size**

0760035135 35 lb. test, 135 ft. spool

0760035100 35 lb. test, 1,000 ft. spool

0761070300 70 lb. test, 300 ft. spool

0760018010 18 lb. test, 100 yd. spool




**SPLICING TAPE**

This multipurpose waxed nylon is ideal for all of the following applications: wrapping skirts and tails to jig and lure heads; wrapping monofilament and dacron splices; wrapping and tying bait to hooks; wrapping or tying wire bundles. Color: White

**No.** **Size**

0908000001 35 lb. test, 45 yd. spool


0908000002 70 lb. test, 20 yd. spool

**HAYWIRE TWIST TOOL**

Make perfect haywire twists every time. Now you can wrap leader wire into clean, even twists, just like the pros. Use this tool to rig Tooth Proof® #3 through #14 and other single strand stainless steel wire diameters .012" (0.30mm) - .33" (0.84mm).

**No.** TPTWISTR1



**DuBro E-Z TWIST**

From muskies to marlins now anyone can make their own single haywire twist leaders stronger than the pros.

**No.** **Description**

DUB1095 E/Z Twist #1 for 3—8 gauge wire

DUB1096 E/Z Twist #2 for 9—13 gauge wire

**NAIL KNOTTER TOOL**

Makes snelling or tying nail knots a cinch.

**No.** DUB1115

**KWIK-TIE HOOK SNELLER**

Easily tie nail knots, snell hooks, snell trailing hooks, tie tow lines together or even tie live baittrigs.

**No.** DUB1116

**WIRE STRAIGHTENER**

Easy to use straightener for leader from 10" to 10'. Also works on stranded cable.

**No.** **Size**

DUB1093 Medium

DUB1094 Large







**CRIMP PROTECTOR**

A nylon luminescent sleeve used to protect your crimped mono from chafing and cutting caused by the sleeve or the fish. Also makes a perfect cushion between lure and hook set and is ideal for deep drop rigs. From mono up to 2.2 diameter.

**No.** **Description**

RA61041 5 pack

RA61042 100 pack






**BRAID**

**WIND ON SWIVEL WIND ON LEADERS**

Now you have the control of big fish right at the boat with leaders you can reel through your tip and guides and right on the reel. IGFA approved 25-foot Braid Power Play™ Wind-On leaders come with flexible press-lock fit and snugging sleeves connected to a length of woven Dacron. These attach to Momoi, low-visibility, smoke blue mono in 100- to 400-pound test. Complete instructions included.

No.	Item/Style	Lb. Test
BRA61043	Wind on swivel only, 2 pack	
BRA69475	Wind on leader w/SWL	100
BRA69471	Wind on leader w/SWL	150
BRA69472	Wind on leader w/SWL	200
BRA69473	Wind on leader w/SWL	300
BRA69474	Wind on leader w/SWL	400
BRA69575	Wind on leader	100
BRA69571	Wind on leader	150
BRA69572	Wind on leader	200
BRA69573	Wind on leader	300
BRA69574	Wind on leader	400
BRA69671	Wind on leader Fluorcarbon	90
BRA69672	Wind on leader Fluorcarbon	130
BRA69673	Wind on leader Fluorcarbon	180
BRA69674	Wind on leader Fluorcarbon	220



**TOOTH PROOF STAINLESS STEEL SINGLE STRAND TORISAN STRAIGHTENED LEADER WIRE.**

Color: Camouflaged Brown. Produced from a specially controlled stainless steel analysis which results in the perfect combination of ductility and high strength. The wire is torsion straightened to remove coil set normally found in coiled spring wire.

No.	Lb. Test	Dia.	Approx. Ft.
<b>30' COILS</b>			
S02C0	27	.011"	
S03C0	32	.012	
S04C0	38	.013	
S05C0	44	.014	
S06C0	58	.016	
S07C0	69	.018	
S08C0	86	.020	
S09C0	105	.022	
S010C0	124	.024	
S011C0	140	.026	
S012C0	174	.029	
S013C0	195	.031	
S014C0	218	.033	
S015C0	240	.035	
S018C0	325	.041	
S019C0	360	.043	
<b>¼ LB. COILS</b>			
S08C25	86	.020	231
S09C25	105	.022	192
S010C25	124	.024	161
S011C25	140	.026	137
S012C25	174	.029	110
S013C25	195	.031	97
S014C25	218	.033	85
S015C25	240	.035	75
S018C25	325	.041	55
S019C25	360	.043	50
<b>1 LB SPOOLS</b>			
S08C01	86	.020	924
S09C01	105	.022	768
S010C01	124	.024	644
S011C01	140	.026	548
S012C01	174	.029	440
S013C01	195	.031	388
S014C01	218	.033	340
S015C01	240	.035	300
S018C01	325	.041	220
S019C01	360	.043	200



**SURFLON WIRE LEADERS**

Color: Black. Priced per pack of 3.

No.	Lb. Test	Length in.
E020BL06/3	20	6
E020BL09/3	20	9
E030BL12/3	30	12
E045BL18/3	45	18
E045BL24/3	45	24
E045BL36/3	45	36



**SURFLON LEADER MATERIAL**

SURFLON® is AFW's SURFSTRAND® with a smooth coating of Nylon. Tough and flexible, impervious to water, is used to coat our stranded wire to seal out water and offer additional abrasion resistance. Colors: Black (BO) or Silver (TO). SPECIFY COLOR.

No.	Lb. Test	Dia.	Sleeve
<b>30' SPOOL</b>			
C015*	15	.015	2
C020	20	.024	3
C030	30	.024	3
C045	45	.028	4
C060	60	.032	4
C090	90	.036	5
C135	135	.041	7
C210	210	.051	8
<b>300' SPOOL-BLACK</b>			
C045B4	45	.028	4
C060B4	60	.032	4
C210B4	210	.051	8
<b>BRIGHT</b>			
C045T4	45	.028	4
C060T4	60	.032	4



**STAINLESS STEEL 49 STRAND LEADER CABLE**

Color: Camouflage Brown. Meets the exacting standards of the aircraft industry for cable products. Manufactured with 7 strands of 7 high strength ss wires. Carefully stranded for maximum flexibility, high strength, kink resistance, and excellent corrosion resistance.

No.	Lb. Test	Dia.	Sleeve
<b>30' COIL</b>			
K175C0	175	.036	6, 7DB
K275C0	275	.045	7, 7DB
K400C0	400	.054	8, 10DB
<b>300' SPOOL</b>			
K175C4	175	.036	11, 10DB
K275C4	275	.045	7, 7DB
K400C4	400	.054	8, 10DB
<b>30' COIL</b>			
K480C0	480	.062	11
K600C0	600	.072	11
K900C0	900	.093	14



**SURFSTRAND TROLLING LINE**

Seven strand. Color: Camouflage Brown. Made of 7 individual strands of corrosion resistant, spring temper, ss wire. Preformed and stranded at the proper pitch to insure flexibility and maximum strength while eliminating fraying. Excellent for toothy fish or in rocky or coral waters.

No.	Lb. Test	Dia.	Sleeve
<b>30' COIL</b>			
B1350	135	.027	4
B2500	250	.039	6
<b>300' SPOOL (sold separate/also available connected)</b>			
B0404	40	.015	2
B0604	60	.018	2
B1354	135	.027	4
<b>1000' SPOOL</b>			
B0408	40	.015	2
B0608	60	.018	2



**STAINLESS STEEL SINGLE STRAND TROLLING WIRE**

Soft single strand wire carefully annealed for maximum flexibility and strength. The line sinks rapidly to get down deep. High strength stainless steel results in a small diameter per pound test providing greater reel capacity. For salt or fresh.

No.	Lb. Test	Dia.	Ft. lb
<b>300' SPOOL</b>			
G0304/2	30	.020"	925
G0404/2	40	.022	768
G0504/2	50	.024	645
G0604/2	60	.026	548
<b>5 LB. SPOOL*</b>			
G03005	30	.020	925
G04005	40	.022	768
G05005	50	.024	645
G06005	60	.026	548

\*Please note that 5lb. spools sometimes vary in weight, all spools will be weighed before shipping and appropriate price adjustments will be made.





**MONEL SINGLE STRAND SOFT TROLLING WIRE**

The ultimate line for wire fishing. Exceptional kink resistance with excellent ductility and high strength. Nickel-copper alloy provides maximum corrosion resistance in fresh and salt water. High density makes it sink rapidly and stay deep.

No.	Lb. Test	Dia.	Ft./Lb
<b>300' SPOOL</b>			
H0304/2	30	.022"	689
H0404/2	40	.025	534
H0504/2	50	.028	425
H0604/2	60	.032	347
<b>*5 LB. SPOOL</b>			
H04005	40	.025	534
H05005	50	.028	425
H06005	60	.031	347



\*Please note: Weight can vary, all spools will be weighed before shipping and appropriate price adjustments will be made.

**TITANIUM TOOTH PROOF**

The straightest and most corrosion resistant Tooth Proof® leader wire available. Special dark-oxide reduces underwater visibility. Provides maximum corrosion resistance & tremendous strength. A unique blend of elements and processing produce dramatic kink resistance and flexibility. No more twisting! Attach to bait & line with improved Clinch & Albright monofilament knots. Spool size-15'.

No.	Dia.	Lb. Test
STI030B	.014	30
STI040B	.016	40
STI050B	.018	50
STI075B	.022	75
STI100B	.026	100



**DOWNRIGGER CABLE**

Specially stranded to provide the flexibility and resistance to bending fatigue required for use on downriggers. The Shock Kit Assembly includes a protective spring, two stoppers, and a 225lb. (102.3kg) stainless steel coast lock snap swivel. Surfstrand® Downrigger Wire is ideal for fresh and saltwater use and is designed for all makes of manual and electric downriggers.

No.	Lb. Test	Size
R250CA3	250	200'



**BLEEDING LEADER WIRE**

Bleeding Leader™ Wire is the world's first RED nylon coated leader wire. The unique Blood-Red nylon coating mimics actual blood in top water fishing conditions to attract fish. In deeper water, the color Red is filtered out faster than other colors on the spectrum and 'vanishes' to fish. Bleeding Leader™ Wire is ideal for all types of toothy fish and is made from our strong 1x7 stainless steel SURFLON® leader wire.

No.	Test lb.	Diameter	Use AFW Sleeve
C020RED	20	0.024"	3
C030RED	30	0.024"	3
C045RED	45	0.028"	4, 4L
C060RED	60	0.032"	4, 4L



**LEADER SLEEVES FOR USE WITH...**

No.	AFW Stranded St. Steel Uncoated	AFW Stranded St. Steel Nylon Ctd.	49 Strand	Mono	No.
1	5,10,12,15,16,20,27	8	-	6-10	-
2	30,40,45,60	10,12,15,18,27	-	14-20	-
3	80,90	20,30,40	-	20-40	-
4	120,135,170	45,60	90	50-60	-
6	210,250	80	175	80	-
7	325	90,120	275	100-125	108
8	-	210	400	150	-
9	-	135	-	165	-
10	-	170	480	200	1008
11	-	-	600	250	-
12	-	250	-	300	-
14	-	-	800-900	400	1408

**LEADER SLEEVES**


Black oxidized.

No.	I. D.	Qty Pack	No.	I. D.	Qty Pack
J00BA	.025"	36	J06BB	.082	100
J00BB	.025	100	J07BA	.106	36
J01BA	.033	36	J07BB	.106	100
J01BB	.033	100	J08BA	.116	36
J02BA	.047	36	J08BB	.116	100
J02BB	.047	100	J09BA	.131	36
J03BA	.055	36	J09BB	.131	100
J03BB	.055	100	J11BA	.100	25
J04BA	.071	25	J11BB	.100	100
J04BB	.071	100	J12BA	.164	20
J05BA	.080	25	J12BB	.164	100
J05BB	.080	100	J14BA	.209	15
J06BA	.082	25	J14BB	.209	100

**DOUBLE BARREL COPPER COMPRESSION SLEEVES**

Color: Black

No.	For Cable Diameter	Pcs. per Pack
J04F8BA	.027, .031"	25
J07F8BA	.036, .045	25
J10F8BA	.054, .062	25
J14F8BA	.072, .081, .093	20



**BRIGHT SURFSTRAND TROLLING WIRE**


Color: Bright

No.	Footage	Lb. test	Dia.
A0454	300 per spool	45	.018
A0604	300	60	.021

**PRE-MARKED MALIN - 7, 1 X 7 STAINLESS STEEL TROLLING CABLE**

Controlling your depth is easier than ever with our Pre-Marked Malin - 7 trolling cable. Using plastic injection technology, we mark the cable every 50 feet. Just count the marks as you release line from your reel and you will know your depth.

No.	Dia.	Lb. test	Length
MCC40-300	.016	40	300 ft
MCC50-300	.018	50	300 ft
MCC60-300	.021	60	300 ft
MCC40-600	.016	40	600 ft
MCC50-600	.018	50	600 ft
MCC60-600	.021	60	600 ft
MCC40-5000	.016	40	5,000 ft
MCC50-5000	.018	50	5,000 ft
MCC60-5000	.021	60	5,000 ft





**GRAND SLAM® TOURNAMENT GRADE ALUMINUM SLEEVES**

Grand Slam Tournament Grade Sleeves are manufactured to exacting tolerances and are available in a complete range of sizes to meet any rigging need. Aluminum sleeves, or swages, are the crimp of choice for use with monofilament, but they have to be extruded from the perfect alloy so they will compress consistently without cracking or deforming. They have to be consistently sized to match the diameter of the line. They must be free of burrs and sharp spots so they won't chafe or cut. You can't buy a better sleeve!



No.	Letter Size	I.D.	For Mono Diameters	Pieces
HIGSA50	A	3.3 mm	up to 3.2 mm	50
HIGSB50	B	2.8 mm	up to 2.7 mm	50
HIGSC50	C	2.3 mm	up to 2.2 mm	50
HIGSD50	D	2.0 mm	up to 1.9 mm	50
HIGSE50	E	1.7 mm	up to 1.6 mm	50
HIGSF50	F	1.5 mm	up to 1.4 mm	50
HIGSG50	G	1.3 mm	up to 1.2 mm	50
HIGSH50	H	1.2 mm	up to 1.1 mm	50
HIGSI50	I	1.0 mm	up to 0.9 mm	50
HIGSJ50	J	0.8 mm	up to 0.7 mm	50
HIGSK50	K	0.7 mm	up to 0.6 mm	50

**MINI DOUBLE-BARREL COPPER SLEEVES**

Mini Double-Barrel Sleeves, available in Black finish, are excellent for use with big game mono leader material and can also be fitted to wire leader and other various lines. Burr-free non-abrasive finish combined with high strength and corrosion resistance makes HI-SEAS Classic® sleeves the preferred choice of professional leader, lure, and tackle manufacturers.



No.	Letter Size	I.D.	For Mono Diameters	Color	Pieces
HIMDSBKA2/100	A1	2.2 mm	up to 2.1 mm	Black	100
HIMDSBKA1/100	A2	1.9 mm	up to 1.8 mm	Black	100
HIMDSBKB/100	B	1.6 mm	up to 1.5 mm	Black	100
HIMDSBKC/100	C	1.3 mm	up to 1.2 mm	Black	100
HIMDSBKD/100	D	1.0 mm	up to 0.9 mm	Black	100

**SPRING WIRE LOOP PROTECTORS**

No loop connection is complete without some type of anti-chafing gear to protect leader material from friction and abrasion that can be caused by hooks or swivels under extreme pressure. Spring Wire Loop Protectors are recommended for use with monofilament leader material and act as a barrier to protect and increase line longevity.

No.	Letter Size	I.D.	Color	Pieces
HIHALP15GR	E	1.5 mm	Green	10
HIHALP17GR	F	1.7 mm	Green	10
HIHALP20GR	G	2.0 mm	Green	10
HIHALP23GR	H	2.3 mm	Green	10
HIHALP25GR	I	2.5 mm	Green	10



**STAINLESS THIMBLES**

More durable than Plastic Thimbles, Stainless Steel Thimbles protect line and wire leader from wear on downriggers and big game rigs. Thimbles fit line/wire diameters up to 3.5 mm diameter.

No.	Max Line Size	Size	Pieces
HIHATHSSS10	up to 1.7 mm	Small	10
HIHATHSSM10	1.4 mm - 2.8 mm	Medium	10
HIHATHSSL10	2.5 mm - 3.5 mm	Large	10



**LUMINOUS THIMBLES**

Luminous Thimbles are recommended to protect line from wear on small and big game rigs. Thimbles fit monofilament line sizes up to 2.2 mm diameter. Thimbles glow in the dark.



No.	Max. Line Size	Shape	Pieces
HIHATHPT10	up to 2.2 mm	U	10

**LUMINOUS RATTLE**

Scientists know that game fish are attracted to certain sound waves. That's why these unique rattles are so popular with offshore fishermen. They contain a single large ball bearing inside a tuned chamber of luminescent plastic that puts out a distinct click as it rolls from one side to the other. No shark or swordfish rig is complete without one, and even marlin and tuna fishermen are using them. Charge them under a light source and they glow in the dark.



No.	Size in / mm	I.D.	Color	Pieces
HIHALUMRAT	2" / 50	2.75 mm	Natural	1
HIHALUMRAT/50	2" / 50	2.75 mm	Natural	50

**SOFT MONEL TROLLING WIRE, Pre-Marked Every 50 ft.**

Color: Smoked Camo

No.	lb. Test	Feet
MALSPM30-300	30	300
MALSPM40-300	40	300
MALSPM50-300	50	300
MALSPM30-450	30	450
MALSPM40-450	40	450
MALSPM50-450	50	450
MALSPM30-5	30	4,050
MALSPM40-5	40	2,900
MALSPM50-5	50	2,450



**SOFT STAINLESS STEEL TROLLING WIRE, Pre-Marked Every 50 ft.**

Color: Smoked Camo

No.	lb. Test	Feet
MALSPS30-300	30	300
MALSPS40-300	40	300
MALSPS50-300	50	300
MALSPS30-450	30	450
MALSPS40-450	40	450
MALSPS50-450	50	450
MALSPS30-5	30	4,675
MALSPS40-5	40	3,850
MALSPS50-5	50	3,225



**SUPER HARD MONO BITE GUARD MATERIAL**

This monofilament material is the choice for the big game fisherman. It has a high tensile strength per diameter and is excellent for tying special leaders and rigs. Clear in color with a hard finish.

10 YARD COIL

No.	Test	Size
294318	10	.012"
294325	12	.014"
294332	15	.015"
294349	20	.019"
294356	30	.023"
294363	40	.025"
294370	50	.029"
294387	60	.032"
294394	80	.038"



**TRI-BEADS**

1000 per pack

No.	Color
SSTRI-AQM	Aqua
SSTRI-BLM	Blue
SSTRI-CGM	Chart. Green
SSTRI-CLM	Clear
SSTRI-KGM	Kelly Green
SSTRI-PKM	Pink
SSTRI-RRM	Ruby Red
SSTRI-YM	Yellow




**F.J. Neil Company, Inc.**

**NYLON LEADER MATERIAL**

Clear monofilament leader material-cut to 48" lengths packed in 4lb-8lb hanks. **Hanks will be weighed and price adjustments made at time of billing.** Excellent for rig making and hook tying.

No.	Lb Test
FJNLM20	20#
FJNLM30	30#
FJNLM40	40#
FJNLM50	50#
FJNLM60	60#



**BLACK LEADER MATERIAL**

No.	Lb. Test
FJNLM30B	30 #
FJNLM50B	50#

**ROUND BEADS**

Round, fluorescent colored beads. Ideal for making lures and rigs. Available in lures and rigs. Available in 1,000 piece bulk package or refill pegboard packs: packed in vinyl tuck bags with hang-up header.

No.	Description
6RB	Red - 6mm - 36/pack
6CHB	Chartreuse - 6mm - 36/pack
8RB	Red - 8mm - 20/pack
8CHB	Chartreuse - 8mm - 20/pack
6MRB	Red - 6mm - 1000/bag
8MRB	Red - 8mm - 1000/bag
8MCHB	Chartreuse - 8mm - 1000/bag
6MCH	Chartreuse - 6mm - 1000/bag



**GLASS OCTAGON BEADS**

Octagonal shaped beads. Comes in a wide variety of brilliant colors. 8mm. Packed in vinyl tuck bags with hang-up header.

No.	Description
8GB15-	Size #8 - 15/pack

Note: Add color code after item number when ordering.

**Color Chart**

- C = Clear
- R = Red
- BK = Black
- EM = Emerald Green
- SB = Sapphire Blue



**LUMINOUS GLOW BEADS**



These are the green glow beads used by more rig makers than any other. Not only do they work great for rigging high speed trolling lures, they increase bites when used on bottom fishing rigs for snapper, grouper, sea bass, blackfish, cod rockfish, tilefish and pollock—and they can't be beat on deep drop rigs. Buy them by the bag, add them to your rigs and watch your catch rates soar!

10 pcs per pack - small 2.4mm / large 2.8mm

No.	Size	Color
HIHABD-SBL	Small	Blue
HIHABD-SGR	Small	Green
HIHABD-SPK	Small	Pink
HIHABD-SNT	Small	Natural
HIHABD-LBL	Large	Blue
HIHABD-LGR	Large	Green
HIHABD-LPK	Large	Pink
HIHABD-LNT	Large	Natural



**F.J. NEIL CORN BEADS**

Per 1000 in poly bag

No.	Size/Color
FJN2255	Small/Yellow
FJN2244	Large/Yellow



**OVAL SHAPED PLASTIC BEADS**

Per 1000 in poly bag, 4mm x 8mm

No.	Color
FJN480B-R	Flo. Red
FJN480B-C	Green Chartreuse
FJN480B-Y	Yellow
FJN480B-W	White



**LUMINOUS \* GLOWS\* UNDERWATER OVAL BEADS**

Per 1000

No.	Color	Color Chart for FJNLB5
FJNLB4-LG	Light Green (only)	LG Light Green
FJNLB5-	LG, R, or DG	R Red
Size 4 is 5mm x 6mm, Size 5 is 7mm x 10mm		DG Dark Green

**SOFT "GLOW" BEADS**

With a thru-hole design, they slide easily on line and leaders for attracting walleyes, trout, salmon and more. Phosphor-charged, they're also a natural for using with saltwater Sabiki rigs. Range up to 1/4 inch diameter.

NO.	SIZE	PER PACK
WHITE		
NR5197307	3	28
NR5197407	4	24
NR5197507	5	22
GREEN		
NR5197308	3	28
NR5197408	4	24
NR5197508	5	22

