



FISH FUJI NO REGRETS

2011



CATALOG

CONTENTS

Tangle-Free™ K-Series™ Guides	3
Micro Concept Guides	5
Silicon Carbide Concept Guides™	7
Silicon Carbide Concept Tops™	10
Silicon Nitride II Concept Guides & Tops	13
Alconite® Ring Concept Guides™	14
Hardloy® Ring Guides & Tops	18
Aluminum Oxide Ring Guides & Tops	21
NEW! Split Reel Seats	24
Reel Seats	26
Exposed Blank Reel Seats	28
Palm, Boat Rod and Skeleton Reel Seats	30
Plate Type Reel Seats	31
Custom Handles, Components & Kits	32
Butt Caps & Glue	34
Carded Items	35
Understanding Rings and Frames	37
Model Number Guide	39



Price Clarification

Prices stated are for each piece unless so indicated. A 10% Federal excise tax is included in printed prices, where applicable.

Returned Merchandise

A RGA (Returned Goods Authorization) number is required for all returns. Authorized returns will be subject to a 15% restocking fee. Unauthorized returns will be refused and returned.

Important

Cash discounts and freight not allowed on past due invoices. 11/2% per month service charge will be charged on past due invoices.

Claims

Claims for shipping damages and/or shortages must be submitted within ten (10) days from receipt of merchandise. Claims submitted after this period will not be honored. Copies of delivery documents, with notation of damages, must accompany all claims.

Freight

Prepaid on normal shipments of \$1000 or more in continental U.S. Shipments less than \$1000 will be prepaid and added to the Invoice. Special shipping or handling requests will be subject to charges incurred.

Minimum Quantities

The minimum quantities for items stated in this price list are 10 each of a model. We reserve the right to change quantities on orders to meet this minimum.

Prices are subject to change without prior notice.



SILICON CARBIDE TANGLE-FREE™ K-SERIES™ (PAGES 3 & 4)

TANGLE-FREE™ K-SERIES™

GUIDES

NEW DESIGN RELEASES
TANGLES AS THEY FORM
(PATENT PENDING)

KEY FEATURES AVAILABLE IN ALL K-SERIES™ GUIDES

No-weld, deep pressed, "compact" frame sits lower on casting rods yet still eliminates any area where line can "catch" on guide frame.

Flared frame radius exceeds ring diameter allowing looped-line tangles to slip forward and release automatically.

Slightly forward ring angle promotes fast, "self-starting" tangle release.

100% Titanium construction is highly corrosion resistant, extremely light and incredibly durable. Perfect for saltwater environments.

Works equally well for mono, fluorocarbon and super braided lines.

Specially designed, patent pending beveled foot adds superior stability to wrap.

Available in a wide variety of sizes including casting rod guides and single and double-foot spinning guides for virtually any blank.

Available in Silicon Carbide or, for the first time ever, Fuji's exclusive Alconite® Rings in 100% Titanium Frames.

Also available in Stainless Steel Frame Silicon Carbide Gunsmoke and Black or Polished Stainless Steel Frame with Alconite®.

TKTSG
KTSG



TKLSG
KLSG



TKWSG
KWSG



SILICON CARBIDE · TITANIUM

TANGLE-FREE™ K-SERIES™ SPINNING & CASTING ROD TIP GUIDES

MODEL	RING SIZE (mm)
TITANIUM FRAME with NATURAL TITANIUM FINISH	
TKTSG4J	4
TKTSG4.5J	4.5
TKTSG5J	5
TKTSG5.5J	5.5
TKTSG6J	6
TKTSG7J	7
TKTSG8J	8
TKTSG10J	10

Matching Tops - TFST/TMNST Series
STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH

SILICON CARBIDE · TITANIUM

TANGLE-FREE™ K-SERIES™ SINGLE-FOOT SPINNING AND CASTING ROD GUIDES

MODEL	RING SIZE (mm)
TITANIUM FRAME with NATURAL TITANIUM FINISH	
TKLSG12J	12
TKLSG16J	16
TKLSG20J	20
TKLSG25J	25
TKLSG30J	30

Matching Tops - TFST/TMNST Series
STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH

SILICON CARBIDE · TITANIUM

TANGLE-FREE™ K-SERIES™ DOUBLE-FOOT SPINNING AND CASTING ROD GUIDES

MODEL	RING SIZE (mm)
TITANIUM FRAME with NATURAL TITANIUM FINISH	
TKWSG8J	8
TKWSG10J	10
TKWSG12J	12
TKWSG16J	16
TKWSG20J	20
TKWSG25J	25
TKWSG30J	30
TKWSG40J	40
TKWSG50J	50

Matching Tops - TFST/TMNST Series
STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH

TANGLE-FREE™ K-SERIES™

SPINNING & CASTING ROD TIP GUIDES

MODEL	RING SIZE (mm)
GUNSMOKE FINISH - STAINLESS STEEL FRAME	
KTSG4J	4
KTSG4.5J	4.5
KTSG5J	5
KTSG5.5J	5.5
KTSG6J	6
KTSG7J	7
KTSG8J	8
KTSG10J	10

Matching Tops - FST/MNST Series
STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

SILICON CARBIDE · GUNSMOKE SS

TANGLE-FREE™ K-SERIES™ SINGLE-FOOT SPINNING AND CASTING ROD GUIDES

MODEL	RING SIZE (mm)
GUNSMOKE FINISH - STAINLESS STEEL FRAME	
KLSG12J	12
KLSG16J	16
KLSG20J	20
KLSG25J	25
KLSG30J	30

Matching Tops - FST/MNST Series
STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

SILICON CARBIDE · GUNSMOKE SS

TANGLE-FREE™ K-SERIES™ DOUBLE-FOOT SPINNING AND CASTING ROD GUIDES

MODEL	RING SIZE (mm)
GUNSMOKE FINISH - STAINLESS STEEL FRAME	
KWSG8J	8
KWSG10J	10
KWSG12J	12
KWSG16J	16
KWSG20J	20
KWSG25J	25
KWSG30J	30
KWSG40J	40
KWSG50J	50

Matching Tops - FST/MNST Series
STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH



ALCONITE® TANGLE-FREE™ K-SERIES™



TKTAG
BKTAG
KTAG

ALCONITE® • TITANIUM TANGLE-FREE™ K-SERIES™ SPINNING & CASTING ROD TIP GUIDES

MODEL	RING SIZE (mm)
TITANIUM FRAME with NATURAL TITANIUM FINISH	
TKTAG4J	4
TKTAG4.5J	4.5
TKTAG5J	5
TKTAG5.5J	5.5
TKTAG6J	6
TKTAG7J	7
TKTAG8J	8
TKTAG10J	10

Matching Tops - TFAT/TMNAT Series
STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH

ALCONITE® • TITANIUM TANGLE-FREE™ K-SERIES™ SINGLE-FOOT SPINNING AND CASTING ROD GUIDES

MODEL	RING SIZE (mm)
TITANIUM FRAME with NATURAL TITANIUM FINISH	
TKLAG12J	12
TKLAG16J	16
TKLAG20J	20
TKLAG25J	25
TKLAG30J	30

Matching Tops - TFAT/TMNAT Series
STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH

ALCONITE® • TITANIUM TANGLE-FREE™ K-SERIES™ DOUBLE-FOOT SPINNING AND CASTING ROD GUIDES

MODEL	RING SIZE (mm)
TITANIUM FRAME with NATURAL TITANIUM FINISH	
TKWAG8J	8
TKWAG10J	10
TKWAG12J	12
TKWAG16J	16
TKWAG20J	20
TKWAG25J	25
TKWAG30J	30
TKWAG40J	40
TKWAG50J	50

Matching Tops - TFAT/TMNAT Series
STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH



TKLAG
BKLAGE
KLAG

ALCONITE® • BLACK SS TANGLE-FREE™ K-SERIES™ SPINNING & CASTING ROD TIP GUIDES

MODEL	RING SIZE (mm)
BLACK FINISH - STAINLESS STEEL FRAME	
BKTAG4J	4
BKTAG4.5J	4.5
BKTAG5J	5
BKTAG5.5J	5.5
BKTAG6J	6
BKTAG7J	7
BKTAG8J	8
BKTAG10J	10

Matching Tops - BFAT/BMNAT Series
STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

ALCONITE® • BLACK SS TANGLE-FREE™ K-SERIES™ SINGLE-FOOT SPINNING AND CASTING ROD GUIDES

MODEL	RING SIZE (mm)
BLACK FINISH - STAINLESS STEEL FRAME	
BKLAG12J	12
BKLAG16J	16
BKLAG20J	20
BKLAG25J	25
BKLAG30J	30

Matching Tops - BFAT/BMNAT Series
STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

ALCONITE® • BLACK SS TANGLE-FREE™ K-SERIES™ DOUBLE-FOOT SPINNING AND CASTING ROD GUIDES

MODEL	RING SIZE (mm)
BLACK FINISH - STAINLESS STEEL FRAME	
*BKWAG5.5J	5.5
*BKWAG6J	6
*BKWAG7J	7
BKWAG8J	8
BKWAG10J	10
BKWAG12J	12
BKWAG16J	16
BKWAG20J	20
BKWAG25J	25
BKWAG30J	30
BKWAG40J	40
BKWAG50J	50

Matching Tops - BFAT/BMNAT Series
STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

*NEW



TKWAG
BKWAG
KWAG

ALCONITE® • POLISHED SS TANGLE-FREE™ K-SERIES™ SPINNING & CASTING ROD TIP GUIDES

MODEL	RING SIZE (mm)
POLISHED - STAINLESS STEEL FRAME	
KTAG4J	4
KTAG4.5J	4.5
KTAG5J	5
KTAG5.5J	5.5
KTAG6J	6
KTAG7J	7
KTAG8J	8
KTAG10J	10

Matching Tops - FAT/MNAT Series
STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

ALCONITE® • POLISHED SS TANGLE-FREE™ K-SERIES™ SINGLE-FOOT SPINNING AND CASTING ROD GUIDES

MODEL	RING SIZE (mm)
POLISHED - STAINLESS STEEL FRAME	
KLAG12J	12
KLAG16J	16
KLAG20J	20
KLAG25J	25
KLAG30J	30

Matching Tops - FAT/MNAT Series
STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

ALCONITE® • POLISHED SS TANGLE-FREE™ K-SERIES™ DOUBLE-FOOT SPINNING AND CASTING ROD GUIDES

MODEL	RING SIZE (mm)
POLISHED - STAINLESS STEEL FRAME	
KWAG8J	8
KWAG10J	10
KWAG12J	12
KWAG16J	16
KWAG20J	20
KWAG25J	25
KWAG30J	30
KWAG40J	40
KWAG50J	50

Matching Tops - FAT/MNAT Series
STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH



MICRO CONCEPT GUIDES™ (PAGES 5 & 6)

NEW

PLSG



SILICON CARBIDE • POLISHED SS MICRO GUIDES FOR CASTING AND SPINNING MICRO RODS

MODEL	RING SIZE (mm)
-------	-------------------

POLISHED - STAINLESS STEEL FRAME

PLSG4J	4
PLSG4.5J	4.5
PLSG5J	5

Matching Tops - PMCST Series

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

BLAG



LAG



ALCONITE® • BLACK OR POLISHED SS MICRO GUIDES FOR CASTING AND SPINNING MICRO RODS

MODEL	RING SIZE (mm)
-------	-------------------

BLACK FINISH - STAINLESS STEEL FRAME

BLAG4J	4
BLAG4.5J	4.5
BLAG5J	5

POLISHED - STAINLESS STEEL FRAME

LAG4J	4
LAG4.5J	4.5
LAG5J	5

Matching Tops - BMCAT - MCAT Series

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

BLDBAG



NEW

ALCONITE® • BLACK SS MICRO GUIDES FOR HEAVY DUTY CASTING AND SPINNING MICRO RODS

MODEL	RING SIZE (mm)
-------	-------------------

BLACK FINISH - STAINLESS STEEL FRAME

BLDBAG4.0(J)	4
BLDBAG4.5(J)	4.5
BLDBAG5.0(J)	5
BLDBAG5.5(J)	5.5
BLDBAG6.0(J)	6

Matching Tops - BMNAT Series

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

BKTAG
KTAG



ALCONITE® • BLACK OR POLISHED SS TANGLE-FREE™ K-SERIES™ SPINNING & CASTING ROD TIP GUIDES

MODEL	RING SIZE (mm)
-------	-------------------

BLACK FINISH - STAINLESS STEEL FRAME

BKTAG4J	4
BKTAG4.5J	4.5
BKTAG5J	5

Matching Tops - BFAT/BMNAT Series

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

POLISHED - STAINLESS STEEL FRAME

KTAG4J	4
KTAG4.5J	4.5
KTAG5J	5

Matching Tops - FAT/MNAT Series

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

BMKOG



MKOG



ALUMINUM OXIDE • BLACK OR SS MICRO GUIDES FOR CASTING AND SPINNING MICRO RODS

MODEL	RING SIZE (mm)
-------	-------------------

BLACK FINISH - STAINLESS STEEL FRAME

BMKOG3.5	3.5
BMKOG4	4
BMKOG4.5	4.5
BMKOG5	5

STAINLESS FINISH - STAINLESS STEEL FRAME

MKOG3.5	3.5
MKOG4	4
MKOG4.5	4.5
MKOG5	5

Matching Tops - BMCOT / MCOT Series

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH



MICRO CONCEPT GUIDES™

PLCSG



NEW

SILICON CARBIDE • POLISHED SS STRIPPER GUIDES FOR CASTING MICRO RODS

MODEL	RING SIZE (mm)
PLCSG5J	5
PLCSG5.5J	5.5

POLISHED - STAINLESS STEEL FRAME

Matching Tops - PMCST Series

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

BLCAG



NEW

ALCONITE® • BLACK SS STRIPPER GUIDES FOR CASTING MICRO RODS

MODEL	RING SIZE (mm)
BLCAG5J	5
BLCAG5.5J	5.5

BLACK FINISH - STAINLESS STEEL FRAME

Matching Tops - BMCAT Series

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH



MICRO CONCEPT TOPS™

SILICON CARBIDE • POLISHED SS MICRO TOPS FOR CASTING AND SPINNING MICRO RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)
POLISHED - STAINLESS STEEL FRAME		
PMCST4.5(4)	5	1.6 4.1
PMCST4.5(4.5)	5	1.8 4.6
PMCST4.5(5)	5	2.0 5.1
PMCST4.5(5.5)	5	2.2 5.6
PMCST4.5(6)	5	2.4 6.1

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

BMNAT



NEW

ALCONITE® • BLACK SS MICRO TOPS FOR HEAVY DUTY CASTING AND SPINNING MICRO RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)
BLACK FINISH - STAINLESS STEEL FRAME		
BMNAT5(5)	5	2.0 5.1
BMNAT5(5.5)	5	2.2 5.6
BMNAT5(6)	5	2.4 6.1
BMNAT5(6.5)	5	2.6 6.6
BMNAT5(7)	5	2.8 7.1

MCAT



BMCAT

ALCONITE® • BLACK & POLISHED SS MICRO TOPS FOR CASTING AND SPINNING MICRO RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)	PRICE EACH	MSRP
BLACK FINISH - STAINLESS STEEL FRAME				
BMCAT4.5(4)	4.5	1.6 4.1		
BMCAT4.5(4.5)	4.5	1.8 4.6		
BMCAT4.5(5)	4.5	2.0 5.1		
BMCAT4.5(5.5)	4.5	2.2 5.6		
BMCAT4.5(6)	4.5	2.4 6.1		
BMCAT4.5(6.5)	4.5	2.6 6.6		
POLISHED STAINLESS STEEL FRAME				
MCAT4.5(4)	4.5	1.6 4.1		
MCAT4.5(4.5)	4.5	1.8 4.6		
MCAT4.5(5)	4.5	2.0 5.1		
MCAT4.5(5.5)	4.5	2.2 5.6		
MCAT4.5(6)	4.5	2.4 6.1		
MCAT4.5(6.5)	4.5	2.6 6.6		

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

MCOT



BMCOT

ALUMINUM OXIDE • BLACK SS & SS ROD TOPS FOR CASTING AND SPINNING MICRO RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)
BLACK FINISH - STAINLESS STEEL FRAME		
BMCOT4.5(4)	4.5	1.6 4.1
BMCOT4.5(4.5)	4.5	1.8 4.6
BMCOT4.5(5)	4.5	2.0 5.1
BMCOT4.5(5.5)	4.5	2.2 5.6
BMCOT4.5(6)	4.5	2.4 6.1
BMCOT4.5(6.5)	4.5	2.6 6.6
STAINLESS FINISH - STAINLESS STEEL FRAME		
MCOT4.5(4)	4.5	1.6 4.1
MCOT4.5(4.5)	4.5	1.8 4.6
MCOT4.5(5)	4.5	2.0 5.1
MCOT4.5(5.5)	4.5	2.2 5.6
MCOT4.5(6)	4.5	2.4 6.1
MCOT4.5(6.5)	4.5	2.6 6.6

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH



SILICON CARBIDE CONCEPT GUIDES™ (PAGES 7, 8 & 9)

TLSG
ICLSG
LSG



TLNSG
ICLNSG
LNSG



TYSG
ICYSG
YSG



TATSG



SILICON CARBIDE · TITANIUM GUIDES FOR FLY, CASTING AND SPINNING RODS

MODEL	RING SIZE (mm)
TITANIUM FRAME with NATURAL TITANIUM FINISH	
TLSG35J	3.5
TLSG4J	4
TLSG45J	4.5
TLSG5J	5
TLSG55J	5.5
TLSG6J	6
TLSG7J	7
TLSG8J	8
TLSG10J	10
TLNSG6J	6
TLNSG7J	7
TLNSG8J	8
TLNSG10J	10
TLNSG12J	12
TLNSG16J	16
TYSG7J	7
*TYSG8LJ	8L
TYSG8J	8
TYSG10J	10
TYSG12J	12
TYSG16J	16
TYSG20J	20
TYSG25J	25
TYSG30J	30
TATSG8J	8
TATSG10J	10
TATSG12J	12
TATSG16J	16
TATSG20J	20
TATSG25J	25

Matching Tops - TFST series

STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH

* L - Low Frame

SILICON CARBIDE · TITANIUM PLATED SS GUIDES FOR FLY, CASTING AND SPINNING RODS

MODEL	RING SIZE (mm)
TITANIUM PLATED - STAINLESS STEEL FRAME	
IG5J	5
IG5.5J	5.5
IG6J	6
IG7J	7
IG8J	8
IG10J	10
ISG6J	6
ISG7J	7
ISG8J	8
ISG10J	10
ISG12J	12
ISG16J	16
IG7J	7
IG8LJ	8L
IG8J	8
IG10J	10
IG12J	12
IG16J	16
IG20J	20
IG25J	25
IG30J	30

Matching Tops - ICFST Series

STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH

SILICON CARBIDE · GUNSMOKE SS GUIDES FOR FLY, CASTING AND SPINNING RODS

MODEL	RING SIZE (mm)
GUNSMOKE FINISH - STAINLESS STEEL FRAME	
LSG3.5J	3.5
LSG4J	4
LSG4.5J	4.5
LSG5J	5
LSG5.5J	5.5
LSG6J	6
LSG7J	7
LSG8J	8
LSG10J	10
LNSG6J	6
LNSG7J	7
LNSG8J	8
LNSG10J	10
LNSG12J	12
LNSG16J	16
YSG7J	7
* YSG8LJ	8L
YSG8J	8
YS10J	10
YSG12J	12
YSG16J	16
YSG20J	20
YSG25J	25
YSG30J	30

Matching Tops - FST Series

STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH



SILICON CARBIDE CONCEPT GUIDES™

TSG



TNSG
NSG



TLVSG
LVSG



TSVSG
SVSG



TLCSG



SILICON CARBIDE • TITANIUM GUIDES FOR FLY, CASTING, AND SPINNING RODS

MODEL **RING SIZE**
(mm)
TITANIUM FRAME with NATURAL TITANIUM FINISH

TSG6	6
TSG7	7
TSG8	8
TSG10	10

TNSG10	10
TNSG12	12
TNSG16	16

TLVSG7	7
TLVSG8	8
TLVSG10	10
TLVSG12	12
TLVSG16	16
TLVSG20	20
TLVSG25	25
TLVSG30	30

TSVSG7	7
TSVSG8	8
TSVSG10	10
TSVSG12	12
TSVSG16	16
TSVSG20	20
TSVSG25	25
TSVSG30	30

Matching Tops - TFST Series
STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH

SILICON CARBIDE • GUNSMOKE SS GUIDES FOR FLY, CASTING, AND SPINNING RODS

MODEL **RING SIZE**
(mm)
GUNSMOKE FINISH - STAINLESS STEEL FRAME

NSG6	6
NSG7	7
NSG8	8
NSG10	10
NSG12	12
NSG16	16
NSG20	20
NSG25	25
NSG30	30
NSG40	40

LVSG6	6
LVSG7	7
LVSG8	8
LVSG10	10
LVSG12	12
LVSG16	16
LVSG20	20
LVSG25	25
LVSG30	30

SVSG6	6
SVSG7	7
SVSG8	8
SVSG10	10
SVSG12	12
SVSG16	16
SVSG20	20
SVSG25	25
SVSG30	30
SVSG40	40

Matching Tops - FST Series
STANDARD PACK 100 EACH /
RE-SHIP PACK - 10 EACH

SILICON CARBIDE • TITANIUM GUIDES FOR MULTIPURPOSE LIGHT & MEDIUM RODS


MODEL **RING SIZE**
(mm)
TITANIUM FRAME with NATURAL TITANIUM FINISH

TLCSG6	6
TLCSG8	8
TLCSG10	10
TLCSG12	12
* TLCSG12M	12M
TLCSG16	16
* TLCSG16M	16M
TLCSG20	20

Matching Tops - TMNST/TFST Series
STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH
* Higher Frame



SILICON CARBIDE CONCEPT GUIDES™



SILICON CARBIDE · TITANIUM PLATED SS OR GUNSMOKE SS GUIDES FOR MEDIUM TO HEAVY ACTION CASTING & SPINNING RODS

MODEL	RING SIZE (mm)
TITANIUM PLATING - STAINLESS STEEL FRAME	
ICMMSG8J	8
ICMMSG10J	10
ICMMSG12J	12
ICMMSG16J	16
ICMMSG20J	20
ICMMSG25J	25
ICMMSG30J	30
ICMMSG40J	40

Matching Tops - ICMNST Series

GUNSMOKE FINISH - STAINLESS STEEL FRAME	
MMSG8J	8
MMSG10J	10
MMSG12J	12
MMSG16J	16
MMSG20J	20
MMSG25J	25
MMSG30J	30
MMSG40J	40

Matching Tops - MNST/MGST Series
STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH

DBSG

WDBSG**



SILICON CARBIDE · GUNSMOKE SS POWER OVAL™ GUIDES FOR BOAT ROD

MODEL	RING SIZE (mm)
GUNSMOKE FINISH - STAINLESS STEEL FRAME	
DBSG5F	5
DBSG5.5F	5.5
DBSG6F	6
** WDBSG5.5F	5.5
** WDBSG6F	6
** WDBSG8F	8
** WDBSG10F	10
** WDBSG10FH	*10H

Matching Tops - MNST/MGST Series
STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH

LCSG



SILICON CARBIDE · GUNSMOKE SS GUIDES FOR MULTIPURPOSE LIGHT AND MEDIUM RODS

MODEL	RING SIZE (mm)
GUNSMOKE FINISH - STAINLESS STEEL FRAME	
LCSG8	8
LCSG10	10
LCSG12	12
* LCSG12M	*12M
LCSG16	16
* LCSG16M	*16M
LCSG20	20

Matching Tops MNST/MGST Series
STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH

* Higher Frame

HBSG



SILICON CARBIDE · GUNSMOKE SS GUIDES FOR HEAVY DUTY CASTING & BOAT RODS

MODEL	RING SIZE (mm)
30# TO 50# CLASS RODS	
GUNSMOKE FINISH - STAINLESS STEEL FRAME	
HBSG8	8
HBSG10	10
HBSG12	12
HBSG16	16
HBSG20	20
HBSG25	25

Matching Tops - MNST/MGST/ HGST Series
STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH

HNSG



SILICON CARBIDE · GUNSMOKE SS STAINLESS STEEL FRAME FOR HEAVY DUTY CASTING & LIGHT BOAT RODS

MODEL	RING SIZE (mm)
GUNSMOKE FINISH - STAINLESS STEEL FRAME	
HNSG8	8
HNSG10	10
HNSG12	12
HNSG16	16
HNSG20	20

Matching Tops MNST/MGST/HGST Series
STANDARD PACK 100 EACH
RE-SHIP PACK - 10 EACH

** This configuration is a registered trademark of AFTCO MFG.CO. and is under license to FUJI KOGYO CO., LTD.



SILICON CARBIDE CONCEPT TOPS™

(PAGES 10, 11 & 12)

TFST



ICFST



SILICON CARBIDE • TITANIUM

TOPS FOR FLY, CASTING AND SPINNING RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm)	1/64 in.
TITANIUM FRAME with NATURAL TITANIUM FINISH			
TFST4.5(3.5)	5	1.4	3.6
TFST4.5(3.8)	5	1.5	3.8
TFST5(3.5)	5	1.4	3.6
TFST5(3.8)	5	1.5	3.8
TFST5 (4)	5	1.6	4.1
TFST5.5(4.5)	5.5	1.8	4.6
TFST5.5(5)	5.5	2.0	5.1
TFST5.5(5.5)	5.5	2.2	5.6
TFST6(4)	6	1.6	4.1
TFST6(4.5)	6	1.8	4.6
TFST6(5)	6	2.0	5.1
TFST6(5.5)	6	2.2	5.6
TFST6(6)	6	2.4	6.1
TFST6(6.5)	6	2.6	6.6
TFST7(4)	7	1.6	4.1
TFST7(4.5)	7	1.8	4.6
TFST7(5)	7	2.0	5.1
TFST7(5.5)	7	2.2	5.6
TFST7(6)	7	2.4	6.1
TFST7(6.5)	7	2.6	6.6
TFST8(4)	8	1.6	4.1
TFST8(4.5)	8	1.8	4.6
TFST8(5)	8	2.0	5.1
TFST8(5.5)	8	2.2	5.6
TFST8(6)	8	2.4	6.1
TFST8(6.5)	8	2.6	6.6
TFST8(7)	8	2.8	7.1
TFST8(7.5)	8	3.0	7.6
TFST8(8)	8	3.2	8.1

STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH

SILICON CARBIDE • TITANIUM PLATED SS

TOPS FOR SPINNING, CASTING & FLY RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm)	1/64 in.
TITANIUM PLATED - STAINLESS STEEL FRAME			
ICFST5(3.5)	5	1.4	3.6
ICFST5(4)	5	1.6	4.1
ICFST5.5(4)	5.5	1.6	4.1
ICFST5.5(4.5)	5.5	1.8	4.6
ICFST5.5(5)	5.5	2.0	5.1
ICFST6(4)	6	1.6	4.1
ICFST6(4.5)	6	1.8	4.6
ICFST6(5)	6	2.0	5.1
ICFST6(5.5)	6	2.2	5.6
ICFST6(6)	6	2.4	6.1
ICFST6(6.5)	6	2.6	6.6
ICFST7(4)	7	1.6	4.1
ICFST7(4.5)	7	1.8	4.6
ICFST7(5)	7	2.0	5.1
ICFST7(5.5)	7	2.2	5.6
ICFST7(6)	7	2.4	6.1
ICFST7(6.5)	7	2.6	6.6
ICFST7(7)	7	2.8	7.1
ICFST7(7.5)	7	3.0	7.6
ICFST8(4.5)	8	1.8	4.6
ICFST8(5)	8	2.0	5.1
ICFST8(5.5)	8	2.2	5.6
ICFST8(6)	8	2.4	6.1
ICFST8(6.5)	8	2.6	6.6
ICFST8(7)	8	2.8	7.1

STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH



SILICON CARBIDE CONCEPT TOPS™

FST



SILICON CARBIDE • GUNSMOKE SS TOPS FOR FLY, CASTING AND SPINNING RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)
GUNSMOKE FINISH - STAINLESS STEEL FRAME		
FST45(3.5)	4.5	1.4 3.5
FST45(3.8)	4.5	1.5 3.8
FST5(3.5)	5	1.4 3.5
FST5(3.8)	5	1.5 3.8
FST5(4)	5	1.6 4.1
FST55(4)	5.5	1.6 4.1
FST55(4.5)	5.5	1.8 4.6
FST55(5)	5.5	2.0 5.1
FST55(5.5)	5.5	2.2 5.6
FST6(4)	6	1.6 4.1
FST6(4.5)	6	1.8 4.6
FST6(5)	6	2.0 5.1
FST6(5.5)	6	2.2 5.6
FST6(6)	6	2.4 6.1
FST6(6.5)	6	2.6 6.6
FST7(4)	7	1.6 4.1
FST7(4.5)	7	1.8 4.6
FST7(5)	7	2.0 5.1
FST7(5.5)	7	2.2 5.6
FST7(6)	7	2.4 6.1
FST7(6.5)	7	2.6 6.6
FST7(7)	7	2.8 7.1
FST7(7.5)	7	3.0 7.6
FST7(8)	7	3.2 8.1
FST8(5)	8	2.0 5.1
FST8(5.5)	8	2.2 5.6
FST8(6)	8	2.4 6.1
FST8(6.5)	8	2.6 6.6
FST8(7)	8	2.8 7.1
FST8(7.5)	8	3.0 7.6
FST 8(8)	8	3.2 8.1

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

TMNST



SILICON CARBIDE • TITANIUM TOPS FOR MULTIPURPOSE LIGHT & MEDIUM RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) 1/64 in.
TITANIUM FRAME with NATURAL TITANIUM FINISH - WRAP ON TIP		
TMNST6(4)	6	1.6 4.1
TMNST6(4.5)	6	1.8 4.6
TMNST6(5)	6	2.0 5.1
TMNST6(5.5)	6	2.2 5.6
TMNST6(6)	6	2.4 6.1
TMNST6(6.5)	6	2.6 6.6
TMNST8(6)	8	2.4 6.1
TMNST8(6.5)	8	2.6 6.6
TMNST8(7)	8	2.8 7.1
TMNST8(7.5)	8	3.0 7.6
TMNST8(8)	8	3.2 8.1
TMNST8(9)	8	3.6 9.1
TMNST10(6)	10	2.4 6.1
TMNST10(6.5)	10	2.6 6.6
TMNST10(7)	10	2.8 7.1
TMNST10(7.5)	10	3.0 7.6
TMNST10(8)	10	3.2 8.1
TMNST10(9)	10	3.6 9.1
TMNST10(10)	10	3.6 9.1
TMNST12(6)	12	2.4 6.1
TMNST12(6.5)	12	2.6 6.6
TMNST12(7)	12	2.8 7.1
TMNST12(7.5)	12	3.0 7.6
TMNST12(8)	12	3.2 8.1
TMNST12(9)	12	3.6 9.1
TMNST12(10)	12	4.0 10.0
TMNST12(11)	12	4.5 11.3
TMNST12(12)	12	5.0 12.6
TMNST12(14)	12	5.5 13.9
TMNST16(7)	16	2.8 7.1
TMNST16(7.5)	16	3.0 7.6
TMNST16(8)	16	3.2 8.1
TMNST16(9)	16	3.6 9.1
TMNST16(10)	16	4.0 10.0
TMNST16(11)	16	4.5 11.3
TMNST16(12)	16	5.0 12.6
TMNST16(14)	16	5.5 13.9
TMNST16(15)	16	6.0 14.1

STANDARD PACK 10 EACH / RE-SHIP PACK - 1 EACH



SILICON CARBIDE CONCEPT TOPS™



SILICON CARBIDE • TITANIUM PLATED SS STAINLESS STEEL FRAMES FOR MEDIUM TO HEAVY DUTY CASTING & SPINNING ROD TOPS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)
TITANIUM PLATED - STAINLESS STEEL FRAME - WRAP ON TIP		
ICMNST10(6)	10	2.4 6.1
ICMNST10(6.5)	10	2.6 6.6
ICMNST10(7)	10	2.8 7.1
ICMNST10(7.5)	10	3.0 7.6
ICMNST10(8)	10	3.2 8.1
ICMNST10(9)	10	3.6 9.1
ICMNST10(10)	10	4.0 10.0
ICMNST12(7.5)	12	3.0 7.6
ICMNST12(8)	12	3.2 8.1
ICMNST12(9)	12	3.6 9.1
ICMNST12(10)	12	4.0 10.0
ICMNST12(11)	12	4.5 11.3
ICMNST12(12)	12	5.0 12.6

SILICON CARBIDE • GUNSMOKE SS STAINLESS STEEL FRAMES FOR MEDIUM TO HEAVY DUTY CASTING & SPINNING ROD TOPS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)
GUNSMOKE - STAINLESS STEEL FRAME - WRAP ON TIP		
MNST10(6)	10	2.4 6.1
MNST10(6.5)	10	2.6 6.6
MNST10(7)	10	2.8 7.1
MNST10(7.5)	10	3.0 7.6
MNST10(8)	10	3.2 8.1
MNST10(9)	10	3.6 9.1
MNST10(10)	10	4.0 10.0
MNST12(7.5)	12	3.0 7.6
MNST12(8)	12	3.2 8.1
MNST12(9)	12	3.6 9.1
MNST12(10)	12	4.0 10.0
MNST12(11)	12	4.5 11.3
MNST12(12)	12	5.0 12.6
MNST16(8)	16	3.2 8.1
MNST16(9)	16	3.6 9.1
MNST16(10)	16	4.0 10.0
MNST16(11)	16	5.0 11.3

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

SILICON CARBIDE • GUNSMOKE SS TOPS FOR MEDIUM TO HEAVY ACTION RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)
GUNSMOKE FINISH - STAINLESS STEEL FRAME		
MGST8(6)	8	2.4 6.1
MGST8(6.5)	8	2.6 6.6
MGST8(7)	8	2.8 7.1
MGST8(7.5)	8	3.0 7.6
MGST8(8)	8	3.2 8.1
MGST8(9)	8	3.6 9.1
MGST10(5)	10	2.0 5.1
MGST10(5.5)	10	2.2 5.6
MGST10(6)	10	2.4 6.1
MGST10(6.5)	10	2.6 6.6
MGST10(7)	10	2.8 7.1
MGST10(7.5)	10	3.0 7.6
MGST10(8)	10	3.2 8.1
MGST10(9)	10	3.6 9.1
MGST10(10)	10	4.0 10.0
MGST12(6.5)	12	2.6 6.6
MGST12(7)	12	2.8 7.1
MGST12(7.5)	12	3.0 7.6
MGST12(8)	12	3.2 8.1
MGST12(9)	12	3.6 9.1
MGST12(10)	12	4.0 10.0
MGST12(11)	12	4.5 11.3
MGST12(12)	12	5.0 12.6
MGST12(14)	12	5.5 13.9
MGST16(8)	16	3.2 8.1
MGST16(9)	16	3.6 9.1
MGST16(10)	16	4.0 10.0
MGST16(11)	16	4.5 11.3
MGST16(12)	16	5.0 12.6
MGST16(14)	16	5.5 13.9
MGST16(15)	16	6.0 15.1

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

SILICON CARBIDE • GUNSMOKE SS TOPS FOR HEAVY ACTION RODS, BOAT RODS AND UP TO 50 LB. CLASS RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)
GUNSMOKE FINISH - STAINLESS STEEL FRAME		
HGST10(7.5)	10	3.0 7.6
HGST10(8)	10	3.2 8.1
HGST10(9)	10	3.6 9.1
HGST10(10)	10	4.0 10.0
HGST10(11)	10	4.5 11.3
HGST10(12)	10	5.0 12.6
HGST12(10)	10	4.0 10.0
HGST12(11)	12	4.5 11.3
HGST12(12)	12	5.0 12.6
HGST12(14)	12	5.5 13.9
HGST12(16)	12	6.5 16.4
HGST12(18)	12	7.0 17.6

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH



SILICON NITRIDE II CONCEPT GUIDES™

BHNG



SILICON NITRIDE II • BLACK SS HEAVY DUTY ROD GUIDES

MODEL	RING SIZE (mm)
BLACK FINISH - STAINLESS STEEL FRAME	
BHNG8	8
BHNG10	10
BHNG12	12
BHNG16	16
BHNG20	20

Matching Tops - BHNNT/BHGNT Series
STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

BHBNG



HBNG

SILICON NITRIDE II BLACK OR POLISHED SS BOAT ROD GUIDES

MODEL	RING SIZE (mm)
BLACK FINISH - STAINLESS STEEL FRAME	
BHBNG8	8
BHBNG10	10
BHBNG12	12
BHBNG16	16
BHBNG20	20
BHBNG25	25

Matching Tops - BHNNT/BHGNT Series

POLISHED - STAINLESS STEEL FRAME	
HBNG8	8
HBNG10	10
HBNG12	12
HBNG16	16
HBNG20	20
HBNG25	25

Matching Tops - HNNT Series
STANDARD PACK 100 EACH
RE-SHIP PACK - 10 EACH

HNNT



SILICON NITRIDE II • POLISHED SS TOPS FOR MEDIUM TO HEAVY DUTY CASTING & SPINNING RODS

MODEL	RING	TUBE SIZE	
	SIZE (mm)	INSIDE DIAMETER (mm)	(1/64 in.)
POLISHED - STAINLESS STEEL FRAME - WRAP ON TIP			
HNNT10(7.5)	10	3.0	7.6
HNNT10(8)	10	3.2	8.1
HNNT10(9)	10	3.6	9.1
HNNT10(10)	10	4.0	10.0
HNNT10(11)	10	4.5	11.3
HNNT10(12)	10	5.0	12.6
HNNT12(10)	12	4.0	10.0
HNNT12(11)	12	4.5	11.3
HNNT12(12)	12	5.0	12.6
HNNT12(14)	12	5.5	13.9
HNNT12(15)	12	6.0	15.2
HNNT12(18)	12	7.0	17.6

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

BRNG



SILICON NITRIDE II • BLACK SS BUTT GUIDES FOR HEAVY DUTY AND TROLLING RODS

MODEL	RING SIZE (mm)
BLACK FINISH - STAINLESS STEEL FRAME	
BRNG20LH	20
BRNG20LH-16	20
BRNG25LH	25

Matching Tops - BHNNT/BHGNT Series
STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

SILICON NITRIDE II • BLACK SS TOPS FOR HEAVY ACTION AND BOAT RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)	
BLACK FINISH - STAINLESS STEEL FRAME			
BHGNT10(7.5)	10	3.0	7.6
BHGNT10(8)	10	3.2	8.1
BHGNT10(9)	10	3.6	9.1
BHGNT10(10)	10	4.0	10.0
BHGNT10(11)	10	4.5	11.3
BHGNT10(12)	10	5.0	12.6
BHGNT12(10)	12	4.0	10.0
BHGNT12(11)	12	4.5	11.3
BHGNT12(12)	12	5.0	12.6
BHGNT12(14)	12	5.5	13.9
BHGNT12(16)	12	6.5	16.4
BHGNT12(18)	12	7.0	17.6

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH

BHGNT



BHNNT



SILICON NITRIDE II • BLACK SS GUIDES FOR MEDIUM TO HEAVY DUTY CASTING & SPINNING RODS

MODEL	RING	TUBE SIZE	
	SIZE (mm)	INSIDE DIAMETER (mm)	(1/64 in.)
BLACK FINISH - STAINLESS STEEL FRAME - WRAP ON TIP			
BHNNT10(7.5)	10	3.0	7.6
BHNNT10(8)	10	3.2	8.1
BHNNT10(9)	10	3.6	9.1
BHNNT10(10)	10	4.0	10.0
BHNNT10(11)	10	4.5	11.3
BHNNT10(12)	10	5.0	12.6
BHNNT12(10)	12	4.0	10.0
BHNNT12(11)	12	4.5	11.3
BHNNT12(12)	12	5.0	12.6
BHNNT12(14)	12	5.5	13.9
BHNNT12(15)	12	6.0	15.2
BHNNT12(18)	12	7.0	17.6

STANDARD PACK 100 EACH / RE-SHIP PACK - 10 EACH



ALCONITE® CONCEPT GUIDES™

BLAG
LAG



BLNAG
LNAG



BYAG
YAG



BMNAG
MNAG



ALCONITE® • BLACK SS GUIDES FOR SPINNING, CASTING & FLY RODS

MODEL	RING SIZE (mm)
BLACK FINISH - STAINLESS STEEL FRAME	
BLAG4J	4
BLAG4.5J	4.5
BLAG5J	5
BLAG5.5J	5.5
BLAG6J	6
BLAG7J	7
BLAG8J	8
BLAG10J	10

BLNAG6J	6
BLNAG7J	7
BLNAG8J	8
BLNAG10J	10
BLNAG12J	12
BLNAG16J	16

BYAG7J	7
*BYAG8LJ	8L
BYAG8J	8
BYAG10J	10
BYAG12J	12
BYAG16J	16
BYAG20J	20
BYAG25J	25
BYAG30J	30

Matching Tops - BFAT Series

STANDARD PACK 100 EACH RE-SHIP PACK - 10 EACH

* Lower Frame

ALCONITE® • POLISHED SS GUIDES FOR SPINNING, CASTING & FLY RODS

MODEL	RING SIZE (mm)
POLISHED - STAINLESS STEEL FRAME	
LAG4J	4
LAG4.5J	4.5
LAG5J	5
LAG6J	6
LAG7J	7
LAG8J	8
LAG10J	10

LNAG6J	6
LNAG7J	7
LNAG8J	8
LNAG10J	10
LNAG12J	12
LNAG16J	16

YAG7J	7
*YAG8LJ	8L
YAG8J	8
YAG10J	10
YAG12J	12
YAG16J	16
YAG20J	20
YAG25J	25
YAG30J	30

Matching Tops - FAT Series

STANDARD PACK 100 EACH RE-SHIP PACK 10 EACH

ALCONITE® • BLACK OR POLISHED SS GUIDES FOR MEDIUM TO HEAVY DUTY CASTING RODS

MODEL	RING SIZE (mm)
BLACK FINISH - STAINLESS STEEL FRAME	
BMNAG8J	8
BMNAG10J	10
BMNAG12J	12
BMNAG16J	16
BMNAG20J	20
BMNAG25J	25
BMNAG30J	30
BMNAG40J	40

Matching Tops - BMNAT/BMGAT Series

POLISHED - STAINLESS STEEL FRAME	
MNAG8J	8
MNAG10J	10
MNAG12J	12
MNAG16J	16
MNAG20J	20
MNAG25J	25
MNAG30J	30
MNAG40J	40

Matching Tops - MNAT Series

STANDARD PACK 100 EACH RE-SHIP PACK 10 EACH

ALCONITE® • BLACK SS "LV" AND "SV" SERIES GUIDES FOR CASTING & SPINNING RODS

MODEL	RING SIZE (mm)
BLACK FINISH - STAINLESS STEEL FRAME	
BLVAG7J	7
BLVAG8J	8
BLVAG10J	10
BLVAG12J	12
BLVAG16J	16
BLVAG20J	20
BLVAG25J	25
BLVAG30J	30

BLACK FINISH - STAINLESS STEEL FRAME	
BSVAG6J	6
BSVAG7J	7
BSVAG8J	8
BSVAG10J	10
BSVAG12J	12
BSVAG16J	16
BSVAG20J	20
BSVAG25J	25
BSVAG30J	30
BSVAG40J	40
BSVAG50J	50

Matching Tops - BFAT/BMGAT Series

STANDARD PACK 100 EACH RE-SHIP PACK 10 EACH

ALCONITE® • BLACK SS GUIDES FOR SURF CASTING RODS

MODEL	RING SIZE (mm)
BLACK FINISH - STAINLESS STEEL FRAME	
BLCAG5J	5
BLCAG5.5J	5.5
BLCAG6J	6
BLCAG8J	8
BLCAG10J	10
BLCAG12J	12
**BLCAG12MJ	12M
BLCAG16J	16
**BLCAG16MJ	16M
BLCAG20J	20

Matching Tops - BMNAT/BMGAT Series

STANDARD PACK 100 EACH RE-SHIP PACK 10 EACH

** Higher Frame

BLCAG



BLVAG



BSVAG





ALCONITE® CONCEPT TOPS™ (PAGES 15, 16 & 17)



TFAT
FAT



BFAT

ALCONITE® · TITANIUM SPINNING, CASTING & FLY ROD TOPS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)
TITANIUM FRAME with NATURAL TITANIUM FINISH		
TFAT6(4)	6	1.6 4.1
TFAT6(4.5)	6	1.8 4.6
TFAT6(5)	6	2.0 5.1
TFAT6(5.5)	6	2.2 5.6
TFAT6(6)	6	2.4 6.1
TFAT6(6.5)	6	2.6 6.6
TFAT7(4)	7	1.6 4.1
TFAT7(4.5)	7	1.8 4.6
TFAT7(5)	7	2.0 5.1
TFAT7(5.5)	7	2.2 5.6
TFAT7(6)	7	2.4 6.1
TFAT7(6.5)	7	2.6 6.6
TFAT8(4)	8	1.6 4.1
TFAT8(4.5)	8	1.8 4.6
TFAT8(5)	8	2.0 5.1
TFAT8(5.5)	8	2.2 5.6
TFAT8(6)	8	2.4 6.1
TFAT8(6.5)	8	2.6 6.6
TFAT8(7)	8	2.8 7.1
TFAT8(7.5)	8	3.0 7.6

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH

ALCONITE® · POLISHED SS STAINLESS STEEL SPINNING, CASTING & FLY ROD TOPS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)
POLISHED - STAINLESS STEEL FRAME		
FAT6(4)	6	1.6 4.1
FAT6(4.5)	6	1.8 4.6
FAT6(5)	6	2.0 5.1
FAT6(5.5)	6	2.2 5.6
FAT6(6)	6	2.4 6.1
FAT6(6.5)	6	2.6 6.6
FAT7(4)	7	1.6 4.1
FAT7(4.5)	7	1.8 4.6
FAT7(5)	7	2.0 5.1
FAT7(5.5)	7	2.2 5.6
FAT7(6)	7	2.4 6.1
FAT7(6.5)	7	2.6 6.6
FAT7(7)	7	2.8 7.1
FAT7(7.5)	7	3.0 7.6
FAT7(8)	8	3.2 8.1
FAT8(4)	8	1.6 4.1
FAT8(4.5)	8	1.8 4.6
FAT8(5)	8	2.0 5.1
FAT8(5.5)	8	2.2 5.6
FAT8(6)	8	2.4 6.1
FAT8(6.5)	8	2.6 6.6
FAT8(7)	8	2.8 7.1
FAT8(7.5)	8	3.0 7.6
FAT8(8)	8	3.2 8.1

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH

ALCONITE® · BLACK SS STAINLESS STEEL SPINNING, CASTING & FLY ROD TOPS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)
BLACK FINISH - STAINLESS STEEL FRAME		
BFAT4.5(3.5)	4.5	1.4 3.6
BFAT4.5(3.8)	4.5	1.5 3.8
BFAT5(3.5)	5	.4 3.6
BFAT5(4)	5	1.6 4.1
BFAT5.5(3.5)	5.5	1.4 3.6
BFAT5.5(4)	5.5	1.6 4.1
BFAT5.5(4.5)	5.5	1.8 4.6
BFAT5.5(5)	5.5	2.0 5.1
*BFAT5.5(5.5)	5.5	2.2 5.6
*BFAT5.5(6)	5.5	2.4 6.1
BFAT6(4)	6	1.6 4.1
BFAT6(4.5)	6	1.8 4.6
BFAT6(5)	6	2.0 5.1
BFAT6(5.5)	6	2.2 5.6
BFAT6(6)	6	2.4 6.1
BFAT6(6.5)	6	2.6 6.6
BFAT7(4)	7	1.6 4.1
BFAT7(4.5)	7	1.8 4.6
BFAT7(5)	7	2.0 5.1
BFAT7(5.5)	7	2.2 5.6
BFAT7(6)	7	2.4 6.1
BFAT7(6.5)	7	2.6 6.6
BFAT7(7)	7	2.8 7.1
BFAT7(7.5)	7	3.0 7.6
BFAT7(8)	8	3.2 8.1
BFAT8(4)	8	1.6 4.1
BFAT8(4.5)	8	1.8 4.6
BFAT8(5)	8	2.0 5.1
BFAT8(5.5)	8	2.2 5.6
BFAT8(6)	8	2.4 6.1
BFAT8(6.5)	8	2.6 6.6
BFAT8(7)	8	2.8 7.1
BFAT8(7.5)	8	3.0 7.6
BFAT8(8)	8	3.2 8.1
BFAT10(5)	10	2.0 5.1
BFAT10(5.5)	10	2.2 5.6
BFAT10(6)	10	2.4 6.1
BFAT10(6.5)	10	2.6 6.6
BFAT10(7)	10	2.8 7.1
BFAT10(7.5)	10	3.0 7.6
BFAT10(8)	10	3.2 8.1
BFAT10(9)	10	3.6 9.1
BFAT10(10)	10	4.0 10.0

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH

*NEW



ALCONITE® CONCEPT TOPS™

ALCONITE® • TITANIUM TOPS FOR CASTING & SPINNING RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)	
TITANIUM FRAME with NATURAL TITANIUM FINISH - WRAP ON TIP			
TMNAT6(4)	6	1.6	4.1
TMNAT6(4.5)	6	1.8	4.6
TMNAT6(5)	6	2.0	5.1
TMNAT6(5.5)	6	2.2	5.6
TMNAT6(6)	6	2.4	6.1
TMNAT6(6.5)	6	2.6	6.6
TMNAT8(6)	8	2.4	6.1
TMNAT8(6.5)	8	2.6	6.6
TMNAT8(7)	8	2.8	7.1
TMNAT8(7.5)	8	3.0	7.6
TMNAT8(8)	8	3.2	8.1
TMNAT8(9)	8	3.6	9.1
TMNAT10(6)	10	2.4	6.1
TMNAT10(6.5)	10	2.6	6.6
TMNAT10(7)	10	2.8	7.1
TMNAT10(7.5)	10	3.0	7.6
TMNAT10(8)	10	3.2	8.1
TMNAT10(9)	10	3.6	9.1
TMNAT10(10)	10	4.0	10.0
TMNAT10(11)	10	4.5	11.3
TMNAT10(12)	10	5.0	12.6
TMNAT12(6)	12	2.4	6.1
TMNAT12(6.5)	12	2.6	6.6
TMNAT12(7)	12	2.8	7.1
TMNAT12(7.5)	12	3.0	7.6
TMNAT12(8)	12	3.2	8.1
TMNAT12(9)	12	3.6	9.1
TMNAT12(10)	12	4.0	10.0
TMNAT12(11)	12	4.5	11.3
TMNAT12(12)	12	5.0	12.6
TMNAT12(14)	12	5.5	13.9
TMNAT16(7)	16	2.8	7.1
TMNAT16(7.5)	16	3.0	7.6
TMNAT16(8)	16	3.2	8.1
TMNAT16(9)	16	3.6	9.1
TMNAT16(10)	16	4.0	10.0
TMNAT16(11)	16	4.5	11.3
TMNAT16(12)	16	5.0	12.6
TMNAT16(14)	16	5.5	13.9
TMNAT16(15)	16	6.0	15.2

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH

TMNAT



BMGAT



ALCONITE® • BLACK SS CASTING & SPINNING TOPS FOR MEDIUM TO HEAVY ROD TOPS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)	
BLACK FINISH - STAINLESS STEEL FRAME			
BMGAT8(6)	8	2.4	6.1
BMGAT8(6.5)	8	2.6	6.6
BMGAT8(7)	8	2.8	7.1
BMGAT8(7.5)	8	3.0	7.6
BMGAT8(8)	8	3.2	8.1
BMGAT8(9)	8	3.6	9.1
BMGAT10(5)	10	2.0	5.1
BMGAT10(5.5)	10	2.2	5.6
BMGAT10(6)	10	2.4	6.1
BMGAT10(6.5)	10	2.6	6.6
BMGAT10(7)	10	2.8	7.1
BMGAT10(7.5)	10	3.0	7.6
BMGAT10(8)	10	3.2	8.1
BMGAT10(9)	10	3.6	9.1
BMGAT10(10)	10	4.0	10.0
BMGAT12(6.5)	12	2.6	6.6
BMGAT12(7)	12	2.8	7.1
BMGAT12(7.5)	12	3.0	7.6
BMGAT12(8)	12	3.2	8.1
BMGAT12(9)	12	3.6	9.1
BMGAT12(10)	12	4.0	10.0
BMGAT12(11)	12	4.5	11.3
BMGAT12(12)	12	5.0	12.6
BMGAT12(14)	12	5.5	13.9
BMGAT16(8)	16	3.2	8.1
BMGAT16(9)	16	3.6	9.1
BMGAT16(10)	16	4.0	10.0
BMGAT16(11)	16	4.5	11.3
BMGAT16(12)	16	5.0	12.6
BMGAT16(14)	16	5.5	13.9
BMGAT16(15)	16	6.0	15.2

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH

ALCONITE®

Fuji's engineers thought long and hard on how to make a guide lighter and stronger yet keep the cost down. After years of research they came up with Alconite, a special type of ceramic that offers strength, lightness, and durability. In fact Alconite offers 80% greater compression strength and is 20% lighter than Aluminum Oxide. Also through Fuji's Diamond Polishing, Alconite boasts a finish that is smoother than that of Hardloy®. Fuji engineers were also able to make Alconite the thinnest and lightest ceramic ring available today; even 7% lighter than standard SiC Rings! Alconite is one more reason why Fuji is the undisputed leader in rod components.



ALCONITE® CONCEPT TOPS™

BMNAT



ALCONITE® · BLACK SS MEDIUM TO HEAVY DUTY CASTING & SPINNING ROD TOPS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm)	(1/64 in.)
-------	----------------------	--------------------------------------	------------

BLACK FINISH - STAINLESS STEEL FRAME - WRAP ON TIP

*BMNAT5(5)	5	2.0	5.1
*BMNAT5(5.5)	5	2.2	5.6
*BMNAT5(6)	5	2.4	6.1
*BMNAT5(6.5)	5	2.6	6.6
*BMNAT5(7)	5	2.8	7.1
BMNAT6(4)	6	1.6	4.1
BMNAT6(45)	6	1.8	4.6
BMNAT6(5)	6	2.0	5.1
BMNAT6(55)	6	2.2	5.6
BMNAT6(6)	6	2.4	6.1
BMNAT6(65)	6	2.6	6.6
BMNAT6(7)	6	2.8	7.1
BMNAT8(6)	8	2.4	6.1
BMNAT8(65)	8	2.6	6.6
BMNAT8(7)	8	2.8	7.1
BMNAT8(75)	8	3.0	7.6
BMNAT8(8)	8	3.2	8.1
BMNAT8(9)	8	3.6	9.1
BMNAT10(6)	10	2.4	6.1
BMNAT10(6.5)	10	2.6	6.6
BMNAT10(7)	10	2.8	7.1
BMNAT10(7.5)	10	3.0	7.6
BMNAT10(8)	10	3.2	8.1
BMNAT10(9)	10	3.6	9.1
BMNAT10(10)	10	4.0	10.0
BMNAT12(7.5)	12	3.0	7.6
BMNAT12(8)	12	3.2	8.1
BMNAT12(9)	12	3.6	9.1
BMNAT12(10)	12	4.0	10.0
BMNAT12(11)	12	4.5	11.3
BMNAT12(12)	12	5.0	12.6
BMNAT12(14)	12	5.5	13.9
BMNAT16(7.5)	16	3.0	7.6
BMNAT16(8)	16	3.2	8.1
BMNAT16(9)	16	3.6	9.1
BMNAT16(10)	16	4.0	10.0
BMNAT16(11)	16	4.5	11.3

* **NEW**

MNAT



ALCONITE® · POLISHED SS MEDIUM TO HEAVY DUTY CASTING & SPINNING ROD TOPS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm)	(1/64 in.)
-------	----------------------	--------------------------------------	------------

POLISHED - STAINLESS STEEL FRAME - WRAP ON TIP

MNAT6(4)	6	1.6	4.1
MNAT6(45)	6	1.8	4.6
MNAT6(5)	6	2.0	5.1
MNAT6(55)	6	2.2	5.6
MNAT6(6)	6	2.4	6.1
MNAT6(65)	6	2.6	6.6
MNAT6(7)	6	2.8	7.1
MNAT8(6)	8	2.4	6.1
MNAT8(6.5)	8	2.6	6.6
MNAT8(7)	8	2.8	7.1
MNAT8(7.5)	8	3.0	7.6
MNAT8(8)	8	3.2	8.1
MNAT8(9)	8	3.6	9.1
MNAT10(6)	10	2.4	6.1
MNAT10(6.5)	10	2.6	6.6
MNAT10(7)	10	2.8	7.1
MNAT10(7.5)	10	3.0	7.6
MNAT10(8)	10	3.2	8.1
MNAT10(9)	10	3.6	9.1
MNAT10(10)	10	4.0	10.0
MNAT12(7.5)	12	3.0	7.6
MNAT12(8)	12	3.2	8.1
MNAT12(9)	12	3.6	9.1
MNAT12(10)	12	4.0	10.0
MNAT12(11)	12	4.5	11.3
MNAT12(12)	12	5.0	12.6
MNAT12(14)	12	5.5	13.9
MNAT16(7.5)	16	3.0	7.6
MNAT16(8)	16	3.2	8.1
MNAT16(9)	16	3.6	9.1
MNAT16(10)	16	4.0	10.0
MNAT16(11)	16	4.5	11.3
MNAT16(12)	16	5.0	12.6
MNAT16(14)	16	5.5	13.9
MNAT16(15)	16	6.0	15.2

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH



HARDLOY® GUIDES (PAGES 18 & 19)

BYLG



LVLG
BLVLG
GLVLG



BLG



SVLG
BSVLG
GSVLG



NLG
BNLG
GNLG



HARDLOY® · BLACK SS GUIDES FOR SPINNING RODS

MODEL	RING SIZE (mm)
BLACK FINISH - STAINLESS STEEL FRAME	
BYLG7	7
* BYLG8L	8L
BYLG8	8
BYLG10	10
BYLG12	12
BYLG16	16
BYLG20	20
BYLG25	25
BYLG30	30

Matching Tops BPLT/ BLLT Series
STANDARD PACK 100 EACH
RE-SHIP PACK 10 EACH

* L - Low Frame

HARDLOY® · BLACK SS, GOLD SS OR SS GUIDES FOR FLY, CASTING AND SPINNING RODS

MODEL	RING SIZE (mm)
STAINLESS FINISH - STAINLESS STEEL FRAME	
LVLG7	7
LVLG8	8
LVLG10	10
LVLG12	12
LVLG16	16
LVLG20	20
LVLG25	25
LVLG30	30

BLACK FINISH - STAINLESS STEEL FRAME

BLVLG6	6
BLVLG7	7
BLVLG8	8
BLVLG10	10
BLVLG12	12
BLVLG16	16
BLVLG20	20
BLVLG25	25
BLVLG30	30

GOLD FINISH - STAINLESS STEEL FRAME

GLVLG7	7
GLVLG8	8
GLVLG10	10
GLVLG12	12
GLVLG16	16
GLVLG20	20
GLVLG25	25
GLVLG30	30

Matching Tops LLT/BLLT PLT/BPLT
GLLT/GPLT Series
STANDARD PACK 100 EACH
RE-SHIP PACK 10 EACH

HARDLOY® · BLACK SS GUIDES FOR FLY, CASTING AND SPINNING RODS

MODEL	RING SIZE (mm)
BLACK FINISH - STAINLESS STEEL FRAME	
BLG5.5	5.5
BLG6	6
BLG7	7
BLG8	8
BLG10	10
Matching Tops BPLT/ BLLT Series	
STANDARD PACK 100 EACH RE-SHIP PACK 10 EACH	

HARDLOY® · BLACK SS, GOLD GUIDES FOR CASTING AND SPINNING RODS

MODEL	RING SIZE (mm)
STAINLESS FINISH - STAINLESS STEEL FRAME	
SVLG6	6
SVLG7	7
SVLG8	8
SVLG10	10
SVLG12	12
SVLG16	16
SVLG20	20
SVLG25	25
SVLG30	30
SVLG40	40

BLACK FINISH - STAINLESS STEEL FRAME

BSVLG6	6
BSVLG7	7
BSVLG8	8
BSVLG10	10
BSVLG12	12
BSVLG16	16
BSVLG20	20
BSVLG25	25
BSVLG30	30
BSVLG40	40
BSVLG50	50

GOLD FINISH - STAINLESS STEEL FRAME

GSVLG6	6
GSVLG7	7
GSVLG8	8
GSVLG10	10
GSVLG12	12
GSVLG16	16
GSVLG20	20
GSVLG25	25
GSVLG30	30

Matching Tops LLT/BLLT/GLLT
PLT/BPLT/GPLT Series
STANDARD PACK 100 EACH -
RE-SHIP PACK 10 EACH

HARDLOY® · BLACK SS, GOLD SS OR SS GUIDES FOR CASTING AND SPINNING RODS

MODEL	RING SIZE (mm)
STAINLESS FINISH - STAINLESS STEEL FRAME	
NLG6	6
NLG7	7
NLG8	8
NLG10	10
NLG12	12
NLG16	16
NLG20	20
NLG25	25
NLG30	30
NLG40	40

BLACK FINISH - STAINLESS STEEL FRAME

BNLG6	6
BNLG7	7
BNLG8	8
BNLG10	10
BNLG12	12
BNLG16	16
BNLG20	20
BNLG25	25
BNLG30	30
BNLG40	40
BNLG50	50

GOLD FINISH - STAINLESS STEEL FRAME

GNLG6	6
GNLG7	7
GNLG8	8
GNLG10	10
GNLG12	12
GNLG16	16
GNLG20	20
GNLG25	25
GNLG30	30

Matching Tops LLT/BLLT/GLLT/PLT/BPLT/GPLT Series
STANDARD PACK 100 EACH -RE-SHIP PACK 10 EACH



HARDLOY® GUIDES

LRXLG
BLRXLG



HARDLOY® · SS OR BLACK SS GUIDES FOR HEAVY DUTY CASTING AND BOAT RODS

MODEL	RING SIZE (mm)
STAINLESS FINISH - STAINLESS STEEL FRAME	
LRXLG8	8
LRXLG10	10
LRXLG12	12
LRXLG16	16
LRXLG20	20
LRXLG25	25
BLACK FINISH - STAINLESS STEEL FRAME	
BLRXLG8	8
BLRXLG10	10
BLRXLG12	12
BLRXLG16	16
BLRXLG20	20
BLRXLG25	25
Matching tops BUXLT/UXLT Series	
STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH	

BHNLG



HARDLOY® · BLACK SS GUIDES FOR HEAVY DUTY CASTING AND BOAT RODS

MODEL	RING SIZE (mm)
BLACK FINISH - STAINLESS STEEL FRAME	
BHNLG8	8
BHNLG10	10
BHNLG12	12
BHNLG16	16
BHNLG20	20
Matching Tops BPLT/BUXLT Series	
STANDARD PACK 100 EACH - RE-SHIP PACK 10 EACH	



HARDLOY® TOPS (PAGES 19, 20 & 21)

HARDLOY® · BLACK SS, GOLD SS OR SS TOPS FOR LIGHT ACTION CASTING, SPINNING & FLY RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)
STAINLESS FINISH - STAINLESS STEEL FRAME		
LLT7(4)	7	1.6 4.1
LLT7(4.5)	7	1.8 4.6
LLT7(5)	7	2.0 5.1
LLT7(5.5)	7	2.2 5.6
LLT7(6)	7	2.4 6.1
LLT7(6.5)	7	2.6 6.6
BLACK FINISH - STAINLESS STEEL FRAME		
BLLT7(4)	7	1.6 4.1
BLLT7(4.5)	7	1.8 4.6
BLLT7(5)	7	2.0 5.1
BLLT7(5.5)	7	2.2 5.6
BLLT7(6)	7	2.4 6.1
BLLT7(6.5)	7	2.6 6.6
GOLD FINISH - STAINLESS STEEL FRAME		
GLLT7(4)	7	1.6 4.1
GLLT7(4.5)	7	1.8 4.6
GLLT7(5)	7	2.0 5.1
GLLT7(5.5)	7	2.2 5.6
GLLT7(6)	7	2.4 6.1
GLLT7(6.5)	7	2.6 6.6

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH





HARDLOY® TOPS

PLT



GPLT



BPLT



HARDLOY® · SS TOPS FOR CASTING AND SPINNING RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)	
STAINLESS FINISH - STAINLESS STEEL FRAME			
PLT6(4.5)	6	1.8	4.6
PLT6(5)	6	2.0	5.1
PLT6(5.5)	6	2.2	5.6
PLT6(6)	6	2.4	6.1
PLT6(6.5)	6	2.6	6.6
PLT8(5)	8	2.0	5.1
PLT8(5.5)	8	2.2	5.6
PLT8(6)	8	2.4	6.1
PLT8(6.5)	8	2.6	6.6
PLT8(7)	8	2.8	7.1
PLT8(7.5)	8	3.0	7.6
PLT8(8)	8	3.2	8.1
PLT8(9)	8	3.6	9.1
PLT10(8)	10	3.2	8.1
PLT10(9)	10	3.6	9.1
PLT10(10)	10	4.0	10.0
PLT12(10)	12	4.0	10.0
PLT12(11)	12	4.5	11.3
PLT12(12)	12	5.0	12.6
PLT12(14)	12	5.5	13.9
PLT16(11)	16	4.5	11.3
PLT16(14)	16	5.5	13.9

HARDLOY® · GOLD SS TOPS FOR CASTING AND SPINNING RODS

GOLD FINISH - STAINLESS STEEL FRAME			
GPLT8(5)	8	2.0	5.1
GPLT8(5.5)	8	2.2	5.6
GPLT8(6)	8	2.4	6.1
GPLT8(6.5)	8	2.6	6.6
GPLT8(7)	8	2.8	7.1
GPLT8(7.5)	8	3.0	7.6
GPLT8(8)	8	3.2	8.1
GPLT8(9)	8	3.6	9.1

HARDLOY® · BLACK SS OR GOLD SS TOPS FOR CASTING AND SPINNING RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm) (1/64 in.)	
BLACK FINISH - STAINLESS STEEL FRAME			
BPLT6(4.5)	6	1.8	4.6
BPLT6(5)	6	2.0	5.1
BPLT6(5.5)	6	2.2	5.6
BPLT6(6)	6	2.4	6.1
BPLT6(6.5)	6	2.6	6.6
BPLT8(4.5)	8	1.8	4.6
BPLT8(5)	8	2.0	5.1
BPLT8(5.5)	8	2.2	5.6
BPLT8(6)	8	2.4	6.1
BPLT8(6.5)	8	2.6	6.6
BPLT8(7)	8	2.8	7.1
BPLT8(7.5)	8	3.0	7.6
BPLT8(8)	8	3.2	8.1
BPLT8(9)	8	3.6	9.1
BPLT10(6)	10	2.4	6.1
BPLT10(7)	10	2.8	7.1
BPLT10(8)	10	3.2	8.1
BPLT10(9)	10	3.6	9.1
BPLT12(8)	12	3.2	8.1
BPLT12(9)	12	3.6	9.1
BPLT12(10)	12	4.0	10.0
BPLT12(11)	12	4.5	11.3
BPLT12(12)	12	5.0	12.6
BPLT12(14)	12	5.5	13.9
BPLT16(7.5)	16	3.0	7.6
BPLT16(8)	16	3.2	8.1
BPLT16(9)	16	3.6	9.1
BPLT16(10)	16	4.0	10.0
BPLT16(11)	16	4.5	11.3
BPLT16(14)	16	5.5	13.9
BPLT20(12)	20	5.0	12.6
BPLT20(14)	20	5.5	13.9
BPLT20(16)	20	6.5	16.4
BPLT20(18)	20	7.0	17.6

HARDLOY® TOPS (CONT.)

UXLT



BUXLT



HARDLOY® • SS TOPS FOR HEAVY DUTY AND BOAT RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm)	(1/64 in.)
STAINLESS FINISH - STAINLESS STEEL FRAME			
UXLT8F(7)	8	2.8	7.1
UXLT8F(8)	8	3.2	8.1
UXLT8F(9)	8	3.6	9.1
UXLT10F(9)	10	3.6	9.1
UXLT10F(10)	10	4.0	10.0
UXLT10F(11)	10	4.5	11.3
UXLT10F(12)	10	5.0	12.6
UXLT12F(10)	12	4.0	10.0
UXLT12F(12)	12	5.0	12.6
UXLT12F(14)	12	5.5	13.9
UXLT12F(16)	12	6.5	16.4
UXLT12F(18)	12	7.0	17.6
STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH			

HARDLOY® • BLACK SS TOPS FOR HEAVY DUTY AND BOAT RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm)	(1/64 in.)
BLACK FINISH - STAINLESS STEEL FRAME			
BUXLT8F(7)	8	2.8	7.1
BUXLT8F(8)	8	3.2	8.1
BUXLT8F(9)	8	3.6	9.1
BUXLT10F(9)	10	3.6	9.1
BUXLT10F(10)	10	4.0	10.0
BUXLT10F(11)	10	4.5	11.3
BUXLT10F(12)	10	5.0	12.6
BUXLT12F(10)	12	4.0	10.0
BUXLT12F(12)	12	5.0	12.6
BUXLT12F(14)	12	5.5	13.9
BUXLT12F(16)	12	6.5	16.4
BUXLT12F(18)	12	7.0	17.6
STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH			



ALUMINUM OXIDE GUIDES (PAGES 21 & 22)

OG

BOG



ALUMINUM OXIDE SS OR BLACK SS FLY, LIGHT CASTING AND SPINNING ROD GUIDES

MODEL	RING SIZE (mm)
STAINLESS FINISH - STAINLESS STEEL FRAME	
OG6	6
OG7	7
OG8	8
OG10	10
BLACK FINISH - STAINLESS STEEL FRAME	
BOG6	6
BOG7	7
BOG8	8
BOG10	10
Matching Tops – POT / BPOT Series	
STANDARD PACK 100 EACH	
RE-SHIP PACK 10 EACH	

LVOG

BLVOG



ALUMINUM OXIDE SS OR BLACK SS LIGHT CASTING & SPINNING GUIDES

MODEL	RING SIZE (mm)
STAINLESS FINISH - STAINLESS STEEL FRAME	
LVOG7	7
LVOG8	8
LVOG10	10
LVOG12	12
LVOG16	16
LVOG20	20
LVOG25	25
LVOG30	30
BLACK FINISH - STAINLESS STEEL FRAME	
BLVOG6	6
BLVOG7	7
BLVOG8	8
BLVOG10	10
BLVOG12	12
BLVOG16	16
BLVOG20	20
BLVOG25	25
BLVOG30	30

Matching Tops – POT / BPOT Series
STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH

SVOG

BSVOG



ALUMINUM OXIDE SS OR BLACK SS ALL-PURPOSE CASTING & SPINNING GUIDES

MODEL	RING SIZE (mm)
STAINLESS FINISH - STAINLESS STEEL FRAME	
SVOG7	7
SVOG8	8
SVOG10	10
SVOG12	12
SVOG16	16
SVOG20	20
SVOG25	25
SVOG30	30
BLACK FINISH - STAINLESS STEEL FRAME	
BSVOG6	6
BSVOG7	7
BSVOG8	8
BSVOG10	10
BSVOG12	12
BSVOG16	16
BSVOG20	20
BSVOG25	25
BSVOG30	30
BSVOG40	40
BSVOG50	50

Matching Tops – POT / BPOT Series
STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH



ALUMINUM OXIDE GUIDES



ALUMINUM OXIDE SS OR BLACK SS ALL-PURPOSE CASTING & SPINNING GUIDES

MODEL	RING SIZE (mm)
-------	-------------------

STAINLESS FINISH - STAINLESS STEEL FRAME

NOG6	6
NOG7	7
NOG8	8
NOG10	10
NOG12	12
NOG16	16
NOG20	20
NOG25	25
NOG30	30
NOG40	40

BLACK FINISH - STAINLESS STEEL FRAME

BNOG6	6
BNOG7	7
BNOG8	8
BNOG10	10
BNOG12	12
BNOG16	16
BNOG20	20
BNOG25	25
BNOG30	30
BNOG40	40
BNOG50	50

Matching Tops – POT / BPOT Series

STANDARD PACK 100 EACH -RE-SHIP PACK 10 EACH

ALUMINUM OXIDE SS OR BLACK SS LIGHT CASTING & SPINNING GUIDES

MODEL	RING SIZE (mm)
-------	-------------------

STAINLESS FINISH - STAINLESS STEEL FRAME

YOG7	7
*YOG8L	8L
YOG8	8
YOG10	10
YOG12	12
YOG16	16
YOG20	20
YOG25	25
YOG30	30

BLACK FINISH - STAINLESS STEEL FRAME

BYOG7	7
*BYOG8L	8L
BYOG8	8
BYOG10	10
BYOG12	12
BYOG16	16
BYOG20	20
BYOG25	25
BYOG30	30

Matching Tops – POT / BPOT

STANDARD PACK 100 EACH

RE-SHIP PACK 10 EACH

HEIGHT COMPARISONS

*L Lower Frame

ALUMINUM OXIDE · BLACK SS HEAVY DUTY CASTING & BOAT ROD GUIDES

MODEL	RING SIZE (mm)
-------	-------------------

BLACK FINISH - STAINLESS STEEL FRAME

BLRXOG8	8
BLRXOG10	10
BLRXOG12	12
BLRXOG16	16
BLRXOG20	20
BLRXOG25	25

Matching Tops – BUOXT Series

STANDARD PACK 100 EACH

RE-SHIP PACK 10 EACH

ALUMINUM OXIDE · BLACK SS HEAVY DUTY CASTING GUIDE

MODEL	RING SIZE (mm)
-------	-------------------

BLACK FINISH - STAINLESS STEEL FRAME

BHNOC8	8
BHNOC10	10
BHNOC12	12
BHNOC16	16
BHNOC20	20

Matching Tops – BPOT/BUOXT Series

STANDARD PACK 100 EACH

RE-SHIP PACK 10 EACH





ALUMINUM OXIDE TOPS

POT



BPOT



BUXOT



ALUMINUM OXIDE · SS OR BLACK SS ALL-PURPOSE CASTING & SPINNING TOPS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm)	(1/64 in.)
-------	----------------------	--------------------------------------	------------

STAINLESS FINISH - STAINLESS STEEL FRAME

POT6(5)	6	2.0	5.1
POT6(5.5)	6	2.2	5.6
POT6(6)	6	2.4	6.1
POT6(6.5)	6	2.6	6.6
POT8(5)	8	2.0	5.1
POT8(5.5)	8	2.2	5.6
POT8(6)	8	2.4	6.1
POT8(6.5)	8	2.6	6.6
POT8(7)	8	2.8	7.1
POT8(7.5)	8	3.0	7.6
POT8(8)	8	3.2	8.1
POT8(9)	8	3.6	9.1

BLACK FINISH - STAINLESS STEEL FRAME

BPOT6(4.5)	6	1.8	4.6
BPOT6(5)	6	2.0	5.1
BPOT6(5.5)	6	2.2	5.6
BPOT6(6)	6	2.4	6.1
BPOT6(6.5)	6	2.6	6.6
BPOT8(5)	8	2.0	5.1
BPOT8(5.5)	8	2.2	5.6
BPOT8(6)	8	2.4	6.1
BPOT8(6.5)	8	2.6	6.6
BPOT8(7)	8	2.8	7.1
BPOT8(7.5)	8	3.0	7.6
BPOT8(8)	8	3.2	8.1
BPOT8(9)	8	3.6	9.1
BPOT10(6)	10	2.4	6.1
BPOT10(7)	10	2.8	7.1
BPOT10(8)	10	3.2	8.1
BPOT10(9)	10	3.6	9.1
BPOT10(10)	10	4.0	10.0
BPOT12(10)	12	4.0	10.0
BPOT12(11)	12	4.5	11.3
BPOT12(12)	12	5.0	12.6
BPOT12(14)	12	5.5	13.9
BPOT16(10)	16	4.0	10.0

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH

ALUMINUM OXIDE · BLACK SS TOPS FOR HEAVY DUTY BOAT RODS

MODEL	RING SIZE (mm)	TUBE SIZE INSIDE DIAMETER (mm)	(1/64 in.)
-------	----------------------	--------------------------------------	------------

BLACK FINISH - STAINLESS STEEL FRAME

BUXOT8(7)	8	2.8	7.1
BUXOT8(8)	8	3.2	8.1
BUXOT8(9)	8	3.6	9.1
BUXOT10(8)	10	3.2	9.1
BUXOT10(9)	10	3.6	9.1
BUXOT10(10)	10	4.0	10.0
BUXOT10(11)	10	4.5	11.3
BUXOT10(12)	10	5.0	12.6
BUXOT12(10)	12	4.0	10.0
BUXOT12(12)	12	5.0	12.6
BUXOT12(14)	12	5.5	13.9
BUXOT12(16)	12	6.5	16.4
BUXOT12(18)	12	7.0	17.6

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH



SPLIT REEL SEATS

NEW

NEW Fuji Split Reel Seats are available in casting and spinning models and are up to 54% lighter than conventional reel seats. The seats allow full contact with the rod blank for maximum sensitivity and control. All hoods are lined with a special graphite nylon material to eliminate any metal-to-metal contact with the reel foot.



SKTS(16/17)B



SKSS(16/17)B

SPLIT SEAT - BODY ONLY

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)
GRAPHITE NYLON TRIGGER		
SKTS16/B	15.0	18.0
SKTS17/B	17.0	20.0
GRAPHITE NYLON SPINNING		
SKSS16/B	15.0	18.0
SKSS17/B	17.0	20.0

COMPLETE SPLIT SEAT ASSEMBLIES: BODY AND MATCHING HOOD

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)
GRAPHITE NYLON HOOD		
SKTS16 (CAST)	15.0	18.0
SKTS17 (CAST)	17.0	20.0
SKSS16 (SPIN)	15.0	18.0
SKSS17 (SPIN)	17.0	20.0
FROSTED SILVER HOOD		
SKTPSM16 (CAST)	15.0	18.0
SKTPSM17 (CAST)	17.0	20.0
SKSPSM16 (SPIN)	15.0	18.0
SKSPSM17 (SPIN)	17.0	20.0
BLACK HOOD		
SKTPSM16B (CAST)	15.0	18.0
SKTPSM17B (CAST)	17.0	20.0
SKSPSM16B (SPIN)	15.0	18.0
SKSPSM17B (SPIN)	17.0	20.0
GUNSMOKE HOOD		
SKTPSM16BC (CAST)	15.0	18.0
SKTPSM17BC (CAST)	17.0	20.0
SKSPSM16BC (SPIN)	15.0	18.0
SKSPSM17BC (SPIN)	17.0	20.0

SKDPSNM16



SKSS(16/17)ASH

SPLIT SEAT - HOOD ONLY: NUT, REEL SEAT & BARREL

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)
GRAPHITE HOODS		
SKSS16/ASH	19.0	21.0
SKSS17/ASH	20.7	22.7
FROSTED SILVER HOODS		
SKDPSNM16	15.0	18.0
SKDPSNM17	17.0	20.0
BLACK HOODS		
SKDPSNM16B	15.0	18.0
SKDPSNM17B	17.0	20.0
GUNSMOKE HOODS		
SKDPSNM16BC	15.0	18.0
SKDPSNM17BC	17.0	20.0
THREADED BARREL ONLY		
SKDPSN16/B	15.0	18.0
SKDPSN17/B	17.0	20.0

Fuji's new Split Reel Seats are offered in a variety of sizes and feature a unique "universal arbor" that can be precisely bored to match the diameter of any blank. Winding Checks are offered in 17 sizes for superior contact with the blank and a finished seat that assures maximum sensitivity.





SPLIT REEL SEATS

WINDING CHECKS, ARBORS & SPECIFICATIONS

GRAPHITE NYLON WINDING CHECKS

MODEL SIZE I/D (mm)




SIZE 16	
WCS16	7.0
WCS16	7.5
WCS16	8.0
WCS16	8.5
WCS16	9.0
WCS16	9.5
WCS16	10.0
WCS16	10.5
WCS16	11.0
WCS16	11.5
WCS16	12.0
WCS16	12.5
WCS16	13.0
WCS16	13.5
WCS16	14.0
WCS16	14.5
WCS16	15.0
SIZE 17	
WCS17	7.0
WCS17	7.5
WCS17	8.0
WCS17	8.5
WCS17	9.0
WCS17	9.5
WCS17	10.0
WCS17	10.5
WCS17	11.0
WCS17	11.5
WCS17	12.0
WCS17	12.5
WCS17	13.0
WCS17	13.5
WCS17	14.0
WCS17	14.5
WCS17	15.0

FUJI WINDING CHECK INNER DIAMETERS

	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13	13.5	14	14.5	15
16	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
17	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

SPLIT SEAT ARBORS

MODEL	DESCRIPTION
SA16SS	SOLID ARBOR FOR FUJI SIZE 16 SPLIT SEAT
SA17SS	SOLID ARBOR FOR FUJI SIZE 17 SPLIT SEAT





REEL SEATS (PAGES 26, 27, 28 & 29)

VSSD



VSSM



DNPSD



DNPSM



DELUXE SPINNING REEL SEAT

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
STAINLESS HOOD			
VSSD16	13.0	23.0	120
VSSD17	17.0	27.0	120
GOLD HOOD			
VSSD16G	13.0	23.0	120
VSSD17G	17.0	27.0	120

STANDARD SPINNING REEL SEAT

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
FROSTED SILVER HOOD			
VSSM16	13.0	23.0	120
VSSM17	17.0	27.0	120
GUNSMOKE HOOD			
VSSM16BC	13.0	23.0	120
VSSM17BC	17.0	27.0	120
BLACK HOOD			
VSSM16B	13.0	23.0	120
VSSM17B	17.0	27.0	120

DELUXE "NPS" STYLE SPINNING SEAT

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
STAINLESS HOOD			
DNPSD16	15.0	18/17	132
DNPSD18	18.0	21/20	151
DNPSD20	20.0	23/22	161
GOLD HOOD			
DNPSD16G	15.0	18/17	132
DNPSD18G	18.0	21/20	151
DNPSD20G	20.0	23/22	161

STANDARD "NPS" STYLE SPINNING SEAT

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
FROSTED SILVER HOOD			
DNPSM16	15.0	18/17	132
DNPSM18	18.0	21/20	151
DNPSM20	20.0	23/22	161
GUNSMOKE HOOD			
DNPSM16BC	15.0	18/17	132
DNPSM18BC	18.0	21/20	151
DNPSM20BC	20.0	23/22	161
BLACK HOOD			
DNPSM16B	15.0	18/17	132
DNPSM18B	18.0	21/20	151
DNPSM20B	20.0	23/22	161



REEL SEATS

DPSSD



DPSSD G



DPSM



DPSMBC



DPSMB



DELUXE SPINNING REEL SEAT

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
STAINLESS HOOD			
DPSSD16	15.5	18.0	105
DPSSD17	17.0	20.0	119
DPSSD18	18.0	21.0	124
DPSSD20	20.0	23.0	129
DPSSD22	22.0	25.0	129
DPSSD24	24.0	27.0	137
DPSSD26	26.0	29.0	137
FPS28CC	28.0	31.0	142
FPS30CC	30.0	33.0	142

DELUXE SPINNING REEL SEAT

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
GOLD HOOD			
DPSSD16G	15.5	18.0	105
DPSSD17G	17.0	20.0	119
DPSSD18G	18.0	21.0	124
DPSSD20G	20.0	23.0	129
DPSSD22G	22.0	25.0	129
DPSSD24G	24.0	27.0	137

STANDARD MODEL

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
FROSTED SILVER HOOD			
DPSM16	15.5	18.0	105
DPSM17	17.0	20.0	119
DPSM18	18.0	21.0	124
DPSM20	20.0	23.0	129
DPSM22	22.0	25.0	129
DPSM24	24.0	27.0	137
DPSM26	26.0	29.0	138
GUNSMOKE HOOD			
DPSM16BC	15.5	18.0	105
DPSM17BC	17.0	20.0	119
DPSM18BC	18.0	21.0	124
DPSM20BC	20.0	23.0	129
DPSM22BC	22.0	25.0	129
DPSM24BC	24.0	27.0	137
DPSM26BC	26.0	29.0	138
BLACK HOOD			
DPSM16B	15.5	18.0	105
DPSM17B	17.0	20.0	119
DPSM18B	18.0	21.0	124
DPSM20B	20.0	23.0	129
DPSM22B	22.0	25.0	129
DPSM24B	24.0	27.0	137
DPSM26B	26.0	29.0	138

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH



REEL SEATS



TDPSSD



TCSSD

DELUXE TRIGGER REEL SEAT

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
STAINLESS HOOD			
TCSSD16	15.0	18/27	114
TCSSD17	17.0	20/27	125
TCSSD18	18.0	21/27	134
TDPSSD20	20.0	23/29	129
TDPSSD22	22.0	25/31	129
GOLD HOOD			
TCSSD16G	15.0	18/27	114
TCSSD17G	17.0	20/27	125
TCSSD18G	18.0	21/27	134
TDPSSD20G	20.0	23/29	129
TDPSSD22G	22.0	25/31	129

STANDARD TRIGGER REEL SEAT

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
FROSTED SILVER HOOD			
TCSM16	15.0	18/27	114
TCSM17	17.0	20/27	125
TCSM18	18.0	21/27	134
TDPSM20	20.0	23/29	129
TDPSM22	22.0	25/31	129
GUNSMOKE HOOD			
TCSM16BC	15.0	18/27	114
TCSM17BC	17.0	20/27	125
TCSM18BC	18.0	21/27	134
TDPSM20BC	20.0	23/29	129
TDPSM22BC	22.0	25/31	129
BLACK HOOD			
TCSM16B	15.0	18/27	114
TCSM17B	17.0	20/27	125
TCSM18B	18.0	21/27	134
TDPSM20B	20.0	23/29	129
TDPSM22B	22.0	25/31	129

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH



REEL SEATS EXPOSED BLANK



ACSM

"ACS" MODEL TRIGGER REEL SEATS BLANK EXPOSED - SIZE 16

The Next Generation of Blank Exposed Reel Seats

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
FROSTED SILVER HOOD			
ACSM95	9.5	18/27	113
ACSM10	10.0	18/27	113
ACSM105	10.5	18/27	113
ACSM11	11.0	18/27	113
ACSM115	11.5	18/27	113
ACSM12	12.0	18/27	113
ACSM125	12.5	18/27	113
ACSM13	13.0	18/27	113
ACSM135	13.5	18/27	113
ACSM14	14.0	18/27	113
ACSM145	14.5	18/27	113
ACSM15	15.0	18/27	113
GUNSMOKE HOOD			
ACSM95BC	9.5	18/27	113
ACSM10BC	10.0	18/27	113
ACSM105BC	10.5	18/27	113
ACSM11BC	11.0	18/27	113
ACSM115BC	11.5	18/27	113
ACSM12BC	12.0	18/27	113
ACSM125BC	12.5	18/27	113
ACSM13BC	13.0	18/27	113
ACSM135BC	13.5	18/27	113
ACSM14BC	14.0	18/27	113
ACSM145BC	14.5	18/27	113
ACSM15BC	15.0	18/27	113
BLACK HOOD			
ACSM95B	9.5	18/27	113
ACSM10B	10.0	18/27	113
ACSM105B	10.5	18/27	113
ACSM11B	11.0	18/27	113
ACSM115B	11.5	18/27	113
ACSM12B	12.0	18/27	113
ACSM125B	12.5	18/27	113
ACSM13B	13.0	18/27	113
ACSM135B	13.5	18/27	113
ACSM14B	14.0	18/27	113
ACSM145B	14.5	18/27	113
ACSM15B	15.0	18/27	113

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH



REEL SEATS EXPOSED BLANK



ACSM17



ECSM

"ACS" MODEL TRIGGER REEL SEATS BLANK EXPOSED - SIZE 17

The Next Generation of Blank Exposed Reel Seats

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
FROSTED SILVER HOOD			
ACSM1715	15.0	20/27	127.5
ACSM17155	15.5	20/27	127.5
ACSM1716	16.0	20/27	127.5
ACSM17165	16.5	20/27	127.5
ACSM1717	17.0	20/27	127.5
GUNSMOKE HOOD			
ACSM1715BC	15.0	20/27	127.5
ACSM17155BC	15.5	20/27	127.5
ACSM1716BC	16.0	20/27	127.5
ACSM17165BC	16.5	20/27	127.5
ACSM1717BC	17.0	20/27	127.5
BLACK HOOD			
ACSM1715B	15.0	20/27	127.5
ACSM17155B	15.5	20/27	127.5
ACSM1716B	16.0	20/27	127.5
ACSM17165B	16.5	20/27	127.5
ACSM1717B	17.0	20/27	127.5

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH

"ECSM" BLANK EXPOSED REEL SEAT-SIZE 16

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
FROSTED SILVER HOOD			
ECSM9.5	9.5	18/27	110.5
ECSM10	10.0	18/27	110.5
ECSM105	10.5	18/27	110.5
ECSM11	11.0	18/27	110.5
ECSM115	11.5	18/27	110.5
ECSM12	12.0	18/27	110.5
ECSM125	12.5	18/27	110.5
ECSM13	13.0	18/27	110.5
ECSM135	13.5	18/27	110.5
ECSM14	14.0	18/27	110.5
ECSM145	14.5	18/27	110.5
ECSM15	15.0	18/27	110.5
GUNSMOKE HOOD			
ECSM9.5BC	9.5	18/27	110.5
ECSM10BC	10.0	18/27	110.5
ECSM105BC	10.5	18/27	110.5
ECSM11BC	11.0	18/27	110.5
ECSM115BC	11.5	18/27	110.5
ECSM12BC	12.0	18/27	110.5
ECSM125BC	12.5	18/27	110.5
ECSM13BC	13.0	18/27	110.5
ECSM135BC	13.5	18/27	110.5
ECSM14BC	14.0	18/27	110.5
ECSM145BC	14.5	18/27	110.5
ECSM15BC	15.0	18/27	110.5

BLACK HOOD			
ECSM9.5B	9.5	18/27	110.5
ECSM10B	10.0	18/27	110.5
ECSM105B	10.5	18/27	110.5
ECSM11B	11.0	18/27	110.5
ECSM115B	11.5	18/27	110.5
ECSM12B	12.0	18/27	110.5
ECSM125B	12.5	18/27	110.5
ECSM13B	13.0	18/27	110.5
ECSM135B	13.5	18/27	110.5
ECSM14B	14.0	18/27	110.5
ECSM145B	14.5	18/27	110.5
ECSM15B	15.0	18/27	110.5

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH

"ECSM" BLANK EXPOSED CASTING SEAT - SIZE 17

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
FROSTED SILVER HOOD			
ECSM1715	15.0	20/27	125
ECSM17155	15.5	20/27	125
ECSM1716	16.0	20/27	125
ECSM17165	16.5	20/27	125
ECSM1717	17.0	20/27	125
GUNSMOKE HOOD			
ECSM1715BC	15.0	20/27	125
ECSM17155BC	15.5	20/27	125
ECSM1716BC	16.0	20/27	125
ECSM17165BC	16.5	20/27	125
ECSM1717BC	17.0	20/27	125
BLACK HOOD			
ECSM1715B	15.0	20/27	125
ECSM17155B	15.5	20/27	125
ECSM1716B	16.0	20/27	125
ECSM17165B	16.5	20/27	125
ECSM1717B	17.0	20/27	125

STANDARD PACK 100 EACH / RE-SHIP PACK 10 EACH



REEL SEATS



IPSSD

IPS16/TR



DELUXE LIGHT SPINNING REEL SEAT

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
STAINLESS HOOD IPSSD16	15	25	107
GOLD HOOD IPSSD16G	15	25	107

STANDARD LIGHT SPINNING REEL SEAT

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
FROSTED SILVER HOOD IPSM16	15	25	107
GUNSMOKE HOOD IPSM16BC	15	25	107
BLACK HOOD IPSM16B	15	25	107

IPS TRIGER ATTACHMENT FOR CASTING HANDLE

IPS16/TR

PALM SUPPORT REEL SEAT

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
SILVER HOOD PSSLD20 Deluxe	20.0	23/27	156
PSSM20 Standard	20.0	23/27	156

BOAT ROD REEL SEAT

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)	LENGTH (mm)
GRAPHITE HOOD DPSH22	20.0	25.0	129
DPSH24	22.0	27.0	142
DPSH26	24.0	29.0	142

SKELETON REEL SEAT

MODEL	INSIDE DIA. (mm)	OUTSIDE DIA. (mm)
FROSTED SILVER HOOD SKM16N	15.0	18.0
SKM17N	17.0	21.0
BLACK HOOD SKM16B	15.0	18.0
SKM17B	17.0	21.0
GUNSMOKE HOOD SKM16BC	15.0	18.0
SKM17BC	17.0	21.0

PSSLD



DPSH



SKM





REEL SEATS PLATE TYPE


FS6B



FS6



LS7BB



LS7NCB



LS7CCB



LS7NICB



NS7BB*



NS7CB*



LS7CCB*



PLATE TYPE REEL SEATS STAINLESS STEEL

MODEL	DESCRIPTION	LENGTH
FS6B	Black finish - no skirt or cushion	5 3/8"
FS6	Polished - no skirt or cushion	5 3/8"
LS7NCB	Polished - with skirt and cushion	5 3/4"
LS7CCB*	Frosted silver - with skirt and cushion	5 3/4"
LS7NICB	Titanium plated - with skirt and cushion	5 3/4"
NS7BB*	Black finish - with skirt and cushion	5 3/4"
NS7CB*	Polished - with skirt and cushion	5 3/4"
NS7CCB*	Frosted finish - with skirt and cushion	5 3/4"
LSMX7BB**	Black finish, black cushion	5 3/4"
LS7BB	Black finish, black cushion	5 3/4"

*Models have a plastic cover to hide the thread wrap

**Replaces FS7BW now with black skirt



CUSTOM HANDLES COMPONENTS & KITS (PAGES 32 & 33)

CORK SHAPED GRIPS - GRADE "A" QUALITY CORK

MODEL	DESCRIPTION
FGH25C	For use with HPS16
FGH27C	For use with HPS17
BGC8512C	For use with IPS16 and IPS16/TR - length 8.5"
BGS8512C	For use with IPS16 spinning seat - length 8.5"
BGS25C	Cork adapter unit for use with IPS16 & cork grips - pg 33
BGA9C	For use with ACS & ECS casting reel seat - length 9"
BGA11C	For use with ACS & ECS casting reel seat - length 11"
BGD95C	For use with DPS16-20 spinning reel seat - length 9.5"
FGS-25C	Cork fore grip for DPS reel seat - length 2.5"

CORK GRIPS FOR VSS ROD SEATS

BGV93516C	Cork grip for use with VSS16 Reel Seat - length 9.35"
BGV97517C	Cork grip for use with VSS17 Reel Seat - length 9.75"
FGV16C	Cork fore grip for use with VSS16 spinning reel seat: 3.75"
FGV17C	Cork fore grip for use with VSS17 spinning reel seat: 4.25"

EVA GRIPS FOR VSS ROD SEATS

FGV16E	EVA fore grip for use with VSS16 spinning reel seat - length 3.75"
FGV17E	EVA fore grip for use with VSS17 spinning reel seat - length 4.25"

CUSTOM HANDLE KIT WITH CORK GRIP

MODEL
C16HKC (Casting)
S16HKC (Spinning)
V16HKC (Spinning)
V17HKC (Spinning)



FGH25C
FGS25C

BGC8512C

BGC11C

VSSD16
BGV93516C
RBC16

VSSD16
FGV16E

S16HKC

C16HKC





CUSTOM HANDLES COMPONENTS & KITS

QUIK-LOCK FORE GRIP WITHOUT HOOD – USE WITH CORK OR EVA GRIP MATERIAL. FITS ALL SIZE 16 & 17 REEL SEATS.

MODEL	LENGTH GRIP (mm)	TOTAL (mm)	OUTSIDE DIAMETER (mm)
HPS16N	55.0	62.0	21.0
HPS17N	57.5	65.0	23.0

QUIK-LOCK FORE GRIP – USE WITH CORK OR EVA GRIP MATERIAL. FITS ALL SIZE 16 & 17 REEL SEATS.

MODEL	LENGTH GRIP (mm)	TOTAL (mm)	OUTSIDE DIAMETER (mm)
FROSTED SILVER HOOD			
KDPS16ASH	45.5	61.5	20.5
KDPS17ASH	55.5	76.5	22.5
KDPS18ASH	64.0	85.0	22.6
BLACK HOOD			
KDPS16BASH	45.5	61.5	20.5
KDPS17BASH	55.5	76.5	22.2
GUNSMOKE HOOD			
KDPS16BCASH	45.5	61.5	20.5
KDPS17BCASH	55.5	76.5	22.2

REEL SEAT BODIES

MODEL	LENGTH GRIP (mm)	TOTAL (mm)	OUTSIDE DIAMETER (mm)
TCSM16/B	15.0	18.0/27.0	110
TCSM17/B	17.0	20.0/27.0	125
TCSM18/B	18.0	21.0/27.0	134
IPSM16/B	15.2	25.0	107

IPSM



CORK
BGS25C



HPS



KDPS



IPSM 16/B



TCSM 17/B



ANGLERS RESOURCE

BUTT CAPS, GLUE & WINDING CHECKS

ANGLERS RESOURCE BUTT CAPS

MODEL	DESCRIPTION
RBC1620	Rubberized Cork for use with VSS16 cork grip
RBC1720	Rubberized Cork for use with VSS17 cork grip

GRAPHITE GIMBLE BUTT CAPS AND PROTECTIVE CAP

MODEL	DESCRIPTION
GC22	Graphite Gimble Butt with silver ring
GC25	Graphite Gimble Butt with silver ring
GC22G	Graphite Gimble Butt with gold ring
GC25G	Graphite Gimble Butt with gold ring
BRCGC22	GC22 Gimbal Protective Butt Cap
BRCGC25	GC25 Gimbal Protective Butt Cap
SRCGC22	GC22 Gimbal Protective Butt Cap
SRCGC25	GC25 Gimbal Protective Butt Cap

BUTT CAPS – BULK

MODEL	DESCRIPTION
BRC19	Butt Cap 19mm I.D./40mm Length
BRC22	Butt Cap 22mm I.D./48mm Length
BRC25	Butt Cap 25mm I.D./53mm Length
ERC20	Butt Cap 20mm I.D./10mm Length
ERC23	Butt Cap 23mm I.D./10mm Length
FBC2	EVA Butt Cap 20mm I.D./27mm Length

WEIGHT BALANCER BUTT CAP

MODEL	DESCRIPTION
EWBC21	Butt Cap with 3 balancing weights

SKIP AND SCREW

MODEL	DESCRIPTION
PSS1	Bulk
PSS1C	Carded 1 ea.

ALUMINUM WINDING CHECKS

MODEL	SIZE (mm)
AWC6	6.0
AWC65	6.5
AWC7	7.0
AWC75	7.5
AWC8	8.0
AWC85	8.5
AWC9	9.0
AWC95	19.5
AWC10	10.0
AWC105	10.5
AWC11	11.0
AWC115	11.5
AWC12	12.0
AWC125	12.5
AWC13	13.0
AWC135	13.5
AWC14	14.0
AWC145	14.5
AWC15	15.0
AWC155	15.5
AWC16	16.0
AWC165	16.5

G - GOLD
BL - BLUE

S - SILVER
R - RED

REEL SEAT ARBORS

MODEL	DESCRIPTION
NSA16S	Solid Arbor for Fuji size16 Spinning Reel Seat
NSA16C	Solid Arbor for Fuji size16 Casting Reel Seat
NSA17	Solid Arbor for all Fuji size 17 Reel Seat
NSA18	Solid Arbor for all Fuji size 18 Reel Seat
NSA20	Solid Arbor for all Fuji size 20 Reel Seat

TIP GAUGE

MODEL	DESCRIPTION
TS-21	Sizes tips from 3.5-28.0
TS-21C	Carded/Sizes tips from 3.5-28.0

ROD TOP GLUE

MODEL	DESCRIPTION
FUJI GLUE	
FG-1	Bulk
FG-1C	One per card

ANGLERS GLUE

AG-1	Bulk
AG-1C	One per card





CARDED ITEMS



HARDLOY® GUIDE SETS - BLACK FRAME

MODEL	DESCRIPTION
BSVLG106	CASTING 5 - 6 FT.
BSVLG305	SPINNING 5 - 6 FT.
BLVLG255	LIGHT SPINNING 5 - 6 FT.
BYLG257	SPINNING 6 - 8 FT.
BYLG309	SPINNING 7 - 9 FT.
BSVLG129	CASTING 6 - 7 FT.

ALCONITE® RING GUIDE SETS

MODEL	DESCRIPTION
BLNAG127	Casting 5 - 6 FT.
BLNAG129	Casting 6 - 7 FT.
BLNAG169	Casting 7 - 8 FT.
BYAG307	Spinning 5 - 6.5 FT.
BYAG309	Spinning 6 - 9 FT.

FUJI SIC CONCEPT GUIDE SETS

MODEL	DESCRIPTION
LNSG127	Casting 5 - 6 FT.
LNSG129	Casting 6 - 7 FT.
LNSG169	Casting 7 - 8 FT.
YSG307	Spinning 5 - 6.5 FT.
YSG309	Spinning 6 - 9 FT.

The items on this page are just a small example of the products Angler's Resource cards every day. It is impossible for us to list everything because anything found in our catalog can be carded. Please contact your local distributor or representative for more information regarding these items.



CARDED ITEMS



EZ KEEPER® II

MODEL	DESCRIPTION
EHKM-RC	Red
EHKM-BLC	Blue
EHKM-ORC	Orange
EHKM-PC	Purple
EHKM-BC	Black

SALTWATER ROD REPAIR KIT

MODEL	DESCRIPTION
SBFRK4C	Black - 3 Heavy Duty BPOT Tops Size 1010, 1212, 1214 & Hot melt glue

ROD REPAIR KIT WITH GOLD, BLACK & STAINLESS FINISH TOPS

MODEL	DESCRIPTION
GFRK-4C	GOLD - 3 TOPS SZ 86, 87, 88 & HOT MELT GLUE
BFRK-4C	BLACK - 3 TOPS SZ 86, 87, 88 & HOT MELT GLUE
FRK-4C	SILVER - 3 TOPS SZ 86, 87, 88 & HOT MELT GLUE

HOPKINS & HOLLOWAY HOOK KEEPERS

MODEL	DESCRIPTION
HHKS	POLISHED STAINLESS STEEL - 3MM
HHKL	POLISHED STAINLESS STEEL - 5MM
GHKS	GOLD STAINLESS STEEL - 3MM

STAINLESS STEEL FOLDING HOOK KEEPER

MODEL	COLOR
HKM-S	Chrome
HKM-L	Chrome
BHKM-S	Black
BHKM-L	Black



HHKL / HHKS



HKM

BHKM



HARDLOY® GUIDE & TIP TOP ASSORTMENTS

MODEL	TYPE	DESCRIPTION
BLACK FINISH		
BPLTA 100	BPLT	100 PCS BPLT TOPS SIZES 6(5) - 12(11)
BPLT 40	BPLT	40 PCS BPLT TOPS SIZES 8(5) - 8(9)
STAINLESS FINISH		
PLT 40	PLT	40 PCS BPLT TOPS SIZES 8(5) - 8(9)



UNDERSTANDING RING INSERTS

SILICON CARBIDE or SiC is one of the most advanced ceramics available today. It's the hardest and most durable in Fuji's lineup and because of this, SiC Guides are particularly well suited for braided line. They also utilize Fuji's Diamond Polishing and boast one of the smoothest rings around. SiC rings were also the first ever to be mounted directly to the frame, thus reducing weight, increasing heat dissipation and amplifying line sensitivity. They'll take whatever you throw through'em!



SILICON NITRIDE II - is an improved version of the original ring, making it a perfect ceramic guide for heavy duty rods. It was designed for use as ball bearings in jet engines, because of its tremendous hardness factor and high wear resistance. If it can handle the heat and friction of a jet engine, just imagine how well it will perform under the toughest fishing conditions. And if there ever was a ring built for wire line, this is it. Silicon Nitride has the strength and durability needed to tackle any kind of saltwater fishing.



ALCONITE - Fuji's engineers thought long and hard on how to make a guide lighter and stronger yet keep the cost down. After years of research they came up with Alconite, a special type of ceramic that offers strength, lightness, and durability. In fact Alconite offers 80% greater compression strength and is 20% lighter than Aluminum Oxide. Also, through Fuji's Diamond Polishing, Alconite boasts a finish that is smoother than that of Hardloy®. Fuji engineers were also able to make Alconite the thinnest and lightest ceramic ring available today; even 7% lighter than standard SiC Rings! When combined with the lightweight Concept frame the results are unparalleled ... 35% lighter and up to 50% stronger than ordinary guides.



HARDLOY has offered anglers a reliable, cost effective and high performance solution for many years. Hardloy is made of a special blend of high grade Aluminum Oxide. This blend produces a much higher compression strength and makes Hardloy much more durable, lighter weight and greater heat dissipation. All of these factors combine to make Hardloy an excellent choice for the avid angler.



ALUMINUM OXIDE RING - The innovative idea of using ceramics as a fishing guide started some 40 years ago with the introduction of Aluminum Oxide, also known as the Hard Ring guide. With this new material, Fuji started a revolution in guide development that has been a mainstay for rod builders and fisherman over all these years. All Aluminum Oxide rings are diamond polished to an ultra-smooth finish and come in a variety of frame styles and finishes.





UNDERSTANDING FRAMES

K FRAME GUIDES - Tangle-Free Guides. No-weld, deep pressed, "compact" frame sits lower on casting rods yet still eliminates any area where line can "catch" on guide frame. Flared frame radius exceeds ring diameter allowing looped-line tangles to slip forward and release automatically. Slightly forward ring angle promotes fast, "self-starting" tangle release. Works equally well for mono, fluorocarbon and super braided lines. Single foot specially designed, patent pending beveled foot adds superior stability to wrap.



"N" FRAME GUIDES - After introducing the Aluminum Oxide ceramic guide to the fisherman, Fuji became the first to produce a stamped, one-piece frame design in 1976. The "N" frame had no welds or snap together frames, making it stronger, lighter in weight and improved corrosion resistance over any other guide at the time. After over 30 years it remains one of the best frames ever designed and continues to be used in most every style of fishing.



"V" FRAME GUIDES - Fuji's improved spinning rod guide was designed with a "V" frame design to improve the strength of the guide over the original frame design. Fuji was the first to seat the guide ring directly to the frame and the "V" frame became the first spinning guide with this new feature. By eliminating the shock ring not only was the weight of the guide lightened, but also sensitivity was improved, enhancing overall rod performance.



"Y" FRAME GUIDES - The "Y" frame or "Power Angle" is one of the strongest spinning guides made in its class. It sits higher on the blank, than the standard spinning guide and for good reason. By sitting higher, line slap is reduced allowing for greater casting distance with the same amount of effort. With its unique frame construction this guide is up to 30% stronger, yet considerably lighter than your standard spinning guide. It is available in all types of ceramic rings, as well as finishes, from size 7 to 30.



LC SERIES CONCEPT GUIDE - This guide was developed with the use of a high-speed camera, which has a frame speed of an unbelievable 20,000 frames per second. What Fuji found was a tremendous amount of twists and loops occurring around guides, that to the unaided eye, seemed as though the line moved through the guides without any interference. This brought forth the "LC" Concept Guide frame. With its low, sloping, and lightweight frame design, line entanglement is greatly reduced, enhancing casting distance and accuracy, as well as reducing the total weight of the rod. Designed with a deep pressed frame that helps to secure and protect the ring, the "LC" style guide is among the most innovative in Fuji's line of guides and is a great addition to the Concept Guide series.



MN SERIES - When Fuji designed the MN series they developed a special way of twisting and bending the frame to increase the total strength of the guide by more than 10%. This makes the guide ideal for Medium to Heavy duty casting and spinning rods. Another advantage of the MN Series is that the unique frame design makes it virtually impossible for line to tangle, even on braided lines! By seating the Silicon Carbide ring in a "Deep Press" design Fuji's engineers made it so that even knots or swivels can't damage it. The MN Series continues Fuji's commitment of providing guides that hold up to the rigors of everyday fishing.



POWER OVAL CONCEPT GUIDES™ - Designed to handle even the toughest situation. Fuji created these boat rods to take the abuse of braided lines, yet prevent the frustration of tangling. Using their unique frame design and oval rings these guides smooth out the line as it passes through, this creates less friction and prevents tangles altogether.



HB HEAVY CONCEPT GUIDES™ - The HB Series is a New Heavy Duty Boat Rod Guide for 30 to 50 lb class rods. This particular series has a new arc-shaped, Stainless-Steel frame which increases the overall guide's strength, hardness and corrosion resistance. A sloped, shorter length frame adds to rod flexibility and less line tangling. Fuji's new embossed feature helps keep the foot from sliding out from under the thread. By increasing structural and material strengths, the HB Series gives the angler a guide that is much lighter than the LR series. Once again, these features add to the overall performance of the rod. The HB Series is available in sizes up to 25 and comes in Silicone Carbide and Silicone Nitride II rings for use in all fishing applications and conditions.





UNDERSTANDING ORDER NUMBERS

T Non-plated Titanium Frame

T Tip top guide

G Intermediate or Butt guide

RING TYPE:

U **L** **LL** **J** **UJ**

F Flanged type

L **M** **H**

HH Difference of height with same ring size

TITANIUM frame

T **B**

FRAME COLOR

TOP or GUIDE

P **S** **T**

MODEL

TYPE or RING

12 **F**

CERAMIC RING MATERIAL

HEIGHT of

L **10.5**

SIZE of RING

I.D. of PIPE TUBE

B Black finish

G Gold finish

no mark Polished stainless steel

no mark Gun-smoke finished frame SiC guides

IC Shiny gray Titanium Plating

P Polished SiC

TIP TOPS

M **F** **L**

P **N** **MC** **U**

K **Y** **I** **R** **MN**

UL **LI** **MG** **HG** **HN**

GUIDES

L **UN** **LN**

LV **Y**

SV **HV** **N** **MN**

DB **WDB** **HN** **U**

LR **R** **HB**

AT **LC** **UX** **LRX**

G Gold Cermet RING

S SiC RING

N SiN RING

A ALCONITE RING

L HARDLOY RING

O "O" RING

2.5	3	3.5
4	4.5	5
5.5	6	7
8	10	12
16	20	25
30	40	50

I.D. mm