



okuma
HIGH PERFORMANCE

2012 Tackle



INTRODUCTION

The jolting sound of the clicker ; the subtle take of the fly ; the crushing strike that comes on a fast-retrieved swim-bait – fishing rewards the senses in so many ways. From mountain lake to offshore waters, at every turn Okuma Fishing Tackle embraces your passion for the sport of fishing.


Our 2012 introductions continue our commitment to dynamic and innovative rods and reels for both freshwater and saltwater anglers. Within each, our goal is to advance your skills, and deliver a better experience from every day on the water. We accomplish this with advanced materials, cutting-edge design, and by having one ear to the ground at all times. Our customers are the source of our most valuable input, and it's your needs, goals and desires that drive Okuma product development.

All-new Dead Eye walleye rods expand our technique-specific rod platform with 23 models custom-tailored to the needs of the angler. Helios micro-guide bass rods and low-profile reels continue our weight reduction program with our lightest, most agile introductions ever. We've also added three additional low-profile reels in the Komodo, Krios and the inshore-specific Cedros baitcast reel, built on a foundation of all-aluminum construction and packed full of high performance features. Powerful RAWII spinning reels apply advanced frame and drag system materials to continue our advancement of the saltwater reel category. New Makaira rods represent our most expansive line of saltwater rods we've ever offered, with actions including Live Bait rods, Jig rods, Popping rods, Stand Up rods and Trolling rods. Saltwater Carbon Technology, ALPS premium guides, and striking abalone wraps and inlays bring these rods into a class of their own.

We've also expanded on many of our proven performers, adding larger sizes to our popular Trio spinning reels and smaller sizes to the revolutionary Makaira and Cedros lever drag reels.

Never wanting to limit your possibilities, Okuma creates the tools to unlock endless angling experiences.

Okuma Fishing Tackle Corporation



Spinning Reels

- 10 VSystem
- 12 RAW II
- 14 Cedros Spinning
- 15 Cedros Standard Speed
- 16 Cedros Baitfeeder
- 17 Coronado Bait Feeder
- 18 Inspira
- 20 Trio and Trio High Speeds
- 22 Epixor / Epixor Bait Feeder
- 24 Avenger / Avenger Bait Feeder
- 26 Stinson a
- 27 Ignite
- 28 Safina Pro & Safina
- 29 Acuador

Baitcast Reels

- 31 Cedros LP
- 32 Helios
- 33 Komodo
- 35 Serrano
- 36 Citrix
- 37 Krios
- 38 Calera
- 39 Tormenta
- 40 Safina Pro LP
- 41 Cedros Round Reel
- 42 Isis
- 43 Akena

Trolling Reels

- 44 Cedros SD
- 45 Cortez
- 46 Catalina Line Counter
- 48 Clarion/ Clarion Line counters
- 50 Convector
- 51 Convector Line Counters
- 52 Magda Pro Line Counters
- 53 Classic Pro / Classic
- 54 Makaira
- 58 Cedros LD
- 60 Andros
- 62 Solterra

Rods

- 65 Helios
- 66 C3-40X
- 68 Citrix / Citrix Travel
- 70 EVx / EVx Musky
- 72 Dead Eye
- 74 GS Swim Bait
- 76 Reflexion
- 78 SST
- 80 Crappie
- 81 Celilo
- 82 Celilo Speciality
- 83 Celilo Ultralight
- 84 Connoisseur Steelhead
- 85 Tarvos
- 86 Makaira
- 88 Andros Jigging
- 90 Cedros Jigging
- 92 Cedros Coastal
- 94 Hawaiian Custom
- 95 Nomad Inshore Travel
- 96 Nomad Travel
- 98 Cedros Surf
- 99 Solaris Surf / Longitude Surf
- 100 Sarasota
- 101 Blue Diamond Spinning / Tundra
- 102 Convector GL
- 104 Classic Pro GLT
- 105 Blue Diamond

Combos

- 106 Sea Demon
- 107 Great Lakes Trolling
- 108 Avenger
- 109 Diezel
- 110 Diemos / Nemesis
- 111 Calynn / Xpressions
- 112 Safina / Safina Pro
- 114 Fin Chaser
- 115 Boundary
- 116 Steeler
- 117 Tundra / Cascade



MAK A I R A

© Makaira

Fly Reels

- 119 Helios
- 120 Cedros
- 121 Integrity b
- 122 SLV
- 123 Sierra
- 124 Cascade
- 125 GS Spey, SLV Fly & Crisium Fly
- 126 Tempest & Cascade Combos
- 127 Fly Boxes
- 128 RAW II Float & Mooching
- 129 Aventa
- 130 GS Float Rods & Aventa Float Rods

Accessories

- 131 Apparel
- 136 Voyager & Nomad Bags
- 137 Accessories

Crossover Construction



Innovation at its freshest...Trio spinning reels from Okuma feature a unique crossover construction. We took the best from aluminum construction and lightweight graphite materials and created a distinctive new concept in reel design. The solid one piece stamped aluminum reel stem and rotor arm are paired with lightweight graphite side plates and a rotor housing which provides strength where needed, and weight savings where possible. The Trio spool construction utilizes a multi-piece construction, housing the drag system in an Aluminum Drag Chamber for added stability and smoothness, while utilizing a lightweight graphite housing for weight reduction and distinctive styling.

Crossover Spool

The Trio spool, utilizing Crossover Construction principals, is a multi-piece design, taking advantage of the weight savings of carbon graphite, and utilizing the strength and stability of aluminum. The drag system is housed in a self-contained Aluminum Drag Chamber (ADC). The ADC increases stability and drag smoothness under torque from the use of braided lines and heavy drag settings. The ADC functions as the spool lip providing a smooth casting surface, for longer more accurate casts. The spool body is lightweight carbon graphite; with a reinforced spool skirt that adds strength, durability and distinctive styling.

The Trio features Okuma's legendary Dual Force Drag (DFD) System. DFD utilizes a secondary drag system mounted below the spool. This helps stabilize drag pressures, and offers maximum high end drag pressure.





Dual Force Drag

For extremely smooth and strong drag outputs, Okuma's Makaira and Cedars lever drags are designed with a patented Dual Force Drag system. This drag system is specifically engineered to be mounted in the right side of the spool, designed around a Pull Bar Drag System which keeps all mechanical workings in precise alignment and places no pressure on the frame. This system works in conjunction with a custom designed thrust bearing, which alleviates side load at heavy drag settings.



TSC

The Tension Spool Control knob is a small secondary carbon fiber drag system that incorporates an additional one-way clutch bearing that applies pressure to the spool in one direction. This allows baits to be dropped back at a controlled rate while the boat is in gear without having the spool in complete freespool.



We Trimmed The Fat And Kept The Muscle

Blade Body Design

Okuma's Blade Body Design narrows the profile of the reel's frame. This feature reduces weight, eliminating the extra mass and bulk of the reel, giving the reel a much lighter and compact design with a strikingly sharp appearance.



Precision Elliptical Gearing System

The Precision Elliptical Gearing System advantage boils down to one thing and one thing only – performance. By regulating the speed of the spindle stroke, reels equipped with this system wind line more consistently and uniformly on the spool, resulting in level line lay. This creates less friction during casting for increased distance, greater accuracy, and longer line life, as well as smoother, more uniform drag pressures.

Pick up any Okuma reel equipped with this feature and feel for yourself the balance, smoothness and power that are all characteristics of the Precision Elliptical Gearing System.

Technology for the future

PRECISION ELLIPTICAL GEARING

Precision Elliptical Gearing

The revolutionary Precision Elliptical Gearing design is patented in a number of countries around the world and is the soul of the Okuma mid to upper-end spinning reel range. The Precision Elliptical Gearing design uses elliptical shaped oscillation gears which provide exceptional line lay, improved smoothness and maximum long-life durability. The Precision Elliptical Gearing gears are always engaged and provide a very smooth spool stroke, eliminating the spool from jumping as commonly found on many reels.

DFD

DUAL FORCE DRAG

Dual Force Drag System

DFD incorporates both surfaces of the spool to maximize high-end drag pressure, efficiency and overall smoothness. Mounted in the top of the spool and protected by the Hydro Block system is a multi-disc felt drag system that works in conjunction with a secondary drag system that is mounted under the spool. Even pressure is applied to both surfaces of the spool for maximum stability.

SLG

SPEED LOC GEARING

Speed Loc Pinion Gear System

The SLG technology incorporates a dual-step pinion gear system on star drag reels that allows positive engaging at extreme high speeds. The SLG system allows for instant gear engagement when engaging from freespool to strike at speeds in excess of 50 MPH.

CARBONITE

Carbonite

Okuma's ALL NEW "Carbonite" drag system features a newly-developed carbon-based drag material which displaces heat and friction consistently and steadily even under the harshest of fishing conditions. Used in conjunction with a small amount of specially-formulated Okuma drag grease, the Carbonite drag system allows for a much wider and smoother drag range, all while maintaining exceptional performance and pure fish-stopping power.

HPB

HIGH PERFORMANCE BALL BEARINGS

High Performance Ball Bearings

The balls used on the HPB's are constructed from the same high-grade stainless steel material as the bearing housing. These bearings were designed to be more than 10 times more resistant to saltwater than standard stainless steel bearings. These bearings may even outlast the angler himself.

ALC

AlumiLite Construction

AlumiLite Frame Construction

AlumiLite construction incorporates Okuma's rigid aluminum body technology on spinning, trolling and fly reel designs. Aluminum frames are stronger and more rigid and are capable of withstanding more pressure and torque than traditional graphite frames. These lightweight, diecast aluminum frames provide more precise tolerances for precision gear alignment, maximum castability and ultimate durability.

MACHINED

ALUMINUM FRAMES

Machined Rigid Frame

Okuma's Machined Rigid Frame construction incorporates a one-piece fully-machined aluminum frame. These rigid bar-stock aluminum frames are the ultimate in precision alignment and tolerances withstanding more pressure and torque than any other material used in our industry for frame materials. Okuma features these anodized frames on fly reels, baitcast reels, lever drag reels and star drag trolling reels.



Self Lubricating Gear System

The self-lubricating gear system is a feature found on Okuma's higher-end star drag reels. The main gear on this system incorporates a heat-sensitive oil-impregnated brass bushing that is mounted in the center of the gear. This system releases oil if friction increases to keep the main gear and drive shaft running smoothly in all conditions. Okuma is the first company to adopt this technology which originated in the large machine industry where this function has been time tested for many years.

BA

BODY ARMOR

Body Armor

Okuma's stainless steel Body Armor eliminates the frame flex commonly found in graphite framed trolling reels. This feature incorporates two large stainless steel rings that are mounted to both sides of the frame. The harness lugs are integrated into the body armor design and eliminate the pressure commonly placed on the harness lugs by redistributing the pressure to these large-diameter rings.



Hippo Grip

The Hippo Grip is a unique reel-clamp design that serves triple duty when fishing offshore. This heavy-duty, forged aluminum reel clamp securely supports your reel to the rod for maximum safety. This clamp also incorporates a small hole that was designed to be used with a safety line for trolling. On the rear of the clamp is a large diameter hole that was designed to be used as a trigger. The large hole should be mounted facing the butt of the rod.



Wide Mouth Levelwind

This heavy-duty, stainless steel levelwind is Titanium coated and built to withstand the punishment of braided and wire lines. The guide has been designed with an increased opening to insure proper knot clearance when fishing with double lines. This wide space allows for Albright or similar connection knots, as well as swivels and copper line to pass through the guide easier and be wound directly on the spool.



Ergo Grip

The Ergo Grip handle knob is an extremely comfortable oversized handle-knob design for both speed and power. This soft-touch knob has been ergonomically designed to fit in the palm of your hand and will be found on certain Okuma lever drag reels, star drag reels and some spinning reel models.



Strike Zone

Okuma's Strike Zone linecounter system incorporates a mechanical counter that precisely measures line based on spool revolutions. These counters measure in feet and are calibrated at the factory to be most accurate with a full spool and monofilament lines.



2-Speed Gearing

Okuma's 2-speed technology incorporates two sets of stainless steel main and pinion gears, allowing anglers the option of a high-speed gear ratio or a powerful low-speed gear ratio for maximum power and torque. To shift gears it is as easy as pushing a button or popping a lever with Okuma's unique shifting design to obtain the appropriate gear ratio you desire.



XL Gearing

The XL gearing design found on both lever drag and star drag reels incorporates an oversized gear box that features an enlarged gearing system and enlarged drag system. The drag surface areas on this system are more than 50% larger than a standard gear-box design. For the gear system, the major advantage is that the gear teeth are substantially larger, allowing more strength and cranking power. This is how we are able to offer a high-speed gear ratio reel without sacrificing cranking power. Our XL gearing system essentially turns your reel into a winch.



Quick-Set

This system allows for instant handle engagement and eliminates all handle back play commonly found in many reels. This is accomplished by using a corrosion-resistant stainless steel roller bearing that engages the reel in one direction for rock-solid hook sets.



RES II

The RES II System stands for Rotor Equalizing System. This second-generation RES System incorporates a computer-balanced weight precisely placed in the rotor. This weight allows for precision balance and eliminates all spool wobble for perfect alignments and smooth cranking.

Technology for the future



EFR II

The Even Flow Roller System utilizes a ball bearing under the line roller to maximize efficiency. This roller helps reduce line twists by freely rolling over the line roller without friction. Without this system, line will naturally twist when drag is pulled.



Spool Access Port

This unique new design can be found on Okuma's low profile baitcast reels. The Spool Access Port allows for quick access to the spool by simply sliding the lock/unlock lever on the side plate opposite the handle. This system allows for quick spool changes, but more importantly it allows quick access for adjusting the Velocity Control System.



Hydro Block

The Hydro Block design features a rubber gasket mounted in the top of a spinning reel spool. This rubber seal blocks water and foreign materials from entering the drag system. The Hydro Block system ensures that your drag washers always perform at optimal levels.



Hi-Rise Spool

The Hi-Rise Spool is designed for maximum casting performance. This machined-aluminum spool design features a large arbor and has holes drilled into the spool. By increasing this spool arbor and porting the arbor of the spool we can achieve maximum spool velocity. We also refer to this design as an inertia-free spool system.



X-Spool

When you see this spare spool icon in the Okuma catalog or on any of our packaging, you will know that you are getting a second spool with your purchase. An extra spool is perfect as a back-up system or for carrying different line sizes to adjust your techniques to fishing conditions. Ready to fish.



Baitfeeding System

Okuma's patented baitfeeding system allows anglers to disengage their spinning reel spool and allow their bait to run freely. The baitfeeding system incorporates a secondary micro-adjustable drag system at the rear of the reel that allows for precise adjustment of the spool for bait control. In order to disengage this system simply turn the handle. The On/Off lever on the rear of the reel will automatically disengage the baitfeeding system so you can fight your fish with the main drag system.



Velocity Control

The Velocity Control System is an adjustable, 6-pin centrifugal braking system for precision spool control. Weights can be adjusted IN or OUT for additional spool control. Positioning the weights in toward the spool allows for more freespool, while adjusting the pins out away from the spool allows for more control. Anglers can alternate weights until they find that perfect balance for casting.



Waterproof Drag

The Waterproof Drag is a design incorporated on certain Okuma fly reels. This drag system is 100% waterproof and is protected by several oil-retaining O-rings. This system is maintenance-free and should only be opened by an Okuma technician.



EVO Graph

The EVO Graph technology brings carbon fiber to new levels for rod development. The Evo Graph system uses a carbon-fiber weave to wrap the outside layer of the rod blank for increased strength. The multi-directional Evo Graph fibers allow improved hoop strength and sensitivity for overall performance and longevity.



MCS

Okuma's Magnetic Control System is a fully-sealed, 100% waterproof cast control system that reduces backlash and improves casting distance by utilizing the magnetic field generated by the high RPM spinning of the spool during casting. The magnetic field is influenced by the adjustable cast control magnet which exerts an opposing force and allows for minute and accurate adjustments.



CRC

Corrosion Resistant Coating combines Okuma's proprietary HDG-II gearing system, which offers exceptional anti-corrosive properties compared to standard gears, with a coating of Corrosion X HD to all internal and external parts. The CRC process actually penetrates and bonds to the metal, which helps significantly toward long term protection.



T-BAR HANDLE

T-Bar Handle: The patented design of the T-Bar handle offers a true ergonomically correct angle to ensure an angler gets maximum power with minimum fatigue. The T-bar takes full advantage of the natural dynamics of the human hand, wrist and forearm to help sustain power and endurance for the angler.



TSC

The Tension Spool Control knob is a small secondary carbon fiber drag system that incorporates an additional one-way clutch bearing that applies pressure to the spool in one direction. This allows baits to be dropped back at a controlled rate while the boat is in gear without having the spool in complete freespool.



MSS

Strong, Stable, Smooth - Okuma's Mechanical Stabilizing System is a support system that ties the spool shaft, pinion gear, pinion gear bearing, drive shaft and main gear together with a single support system. While other reels on the market offer minimal or no gear stabilization, this patented Okuma design allows all of these critical parts to stay in precise alignment. Designed specifically to hold up to the demands of braided and wire line fishing, the MSS support system stabilizes the spool shaft at 3 key stress points to eliminate flex under pressure - which directly translates into a reel that is more durable, stronger and smoother than the competition.



HDG II

Okuma's proprietary High Density Gearing II incorporates an extremely strong alloy composition with a special anti-corrosion coating process. The result is high density, corrosion resistant gears that are built to handle the severe elements and brutal strains placed on a reel's internal gear system.



VSystem



VSystem Reels feature:

- DFD: Precision Dual Force Drag system
- Multi-disc, Japanese-oiled felt drag washers
- Up to 15 stainless steel ball bearings depending on size
- HPB: High Performance corrosion resistant ball bearings
- 1 Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- CRC: Corrosion Resistant Coating process
- HDGI: Corrosion resistant, high density gearing
- ALC: Rigid, diecast aluminum frame, side plate & rotor
- Precision Elliptical Gearing System
- Machined aluminum, 2-tone anodized, ported spool
- Spare matching aluminum spool with DFD
- Rigid, forged aluminum screw-in handle design
- Ergo grip handle knobs on 40-sized reels and larger
- Hydro Block water-tight drag seal
- Heavy duty, solid aluminum, gold anodized bail wire
- RESII: Computer balanced rotor equalizing system
- VSystem spinning reels are backed by a 5-year warranty



V-65a

HPB
HIGH
PERFORMANCE
BEARINGS



The marquee spinning reel from the company that is setting the standard for spinning technology. The culmination of a multinational development project, the VSystem represents the ultimate spinning technology available. The VSystem is built on the foundation of our Precision Elliptical Gearing System. This revolutionary oscillation system offers superior line lay while maintaining unmatched stability. Due to the elliptical shape of the gears, they are constantly engaged during the two stroke oscillation. The VSystem also features the revolutionary Dual Force Drag system, DFD. In addition to the traditional multi-disc system it has a large drag system mounted beneath the spool. This system stabilizes and dissipates heat by equalizing the drag force, promising smooth drag under extreme tensions. The VSystem utilizes up to 16 High Performance bearings for ultra-smooth fishing and anti-corrosion wear. Finished with a machined aluminum screw in handle and matching machined spare spool, the VSystem is the defining range of spinning tackle. Because we believe in the quality and performance of our premier reel, we are offering an unprecedented 5-year warranty.



V-40a



Dual Force Drag System:

DFD incorporates both surfaces of the spool to maximize high-end drag pressure, efficiency and overall smoothness. Mounted in the top of the spool and protected by the Hydro Block system is a multi-disc felt drag system that works in conjunction with a secondary drag system that is mounted under the spool. Even pressure is applied to both surfaces of the spool for maximum stability.



HDG II – High Density Gearing

Okuma's proprietary High Density Gearing II incorporates an extremely strong alloy composition with a special anti-corrosion coating process. The result is high density, corrosion resistant gears that are built to handle the severe elements and brutal strains placed on a reel's internal gear system.



Vsystem

Standard speed spinning reels

Model	Gear Ratio	Bearings	Line retrieve	Weight (oz.)	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	MSRP
V-15a	5.0:1	12BB + 1RB	20"	8.0	18-lbs	240/2 (0.12), 130/4 (0.17), 80/6 (0.22)	AL	AL	AL	AL	\$159.99
V-20a	5.0:1	12BB + 1RB	22"	8.8	18-lbs	190/4 (0.17), 110/6 (0.22), 90/8 (0.25)	AL	AL	AL	AL	\$159.99
V-30a	5.0:1	15BB + 1RB	25"	10.8	18-lbs	200/6 (0.22), 160/8 (0.25), 110/10 (0.30)	AL	AL	AL	AL	\$169.99
V-40a	5.0:1	15BB + 1RB	28"	12.3	20-lbs	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)	AL	AL	AL	AL	\$169.99
V-55a	4.5:1	15BB + 1RB	30"	16.7	24-lbs	380/10 (0.30), 340/12 (0.32), 240/15 (0.37)	AL	AL	AL	AL	\$169.99
V-65a	4.8:1	15BB + 1RB	34"	23.2	31-lbs	430/12 (0.32), 310/15 (0.37), 260/20 (0.42)	AL	AL	AL	AL	\$199.99
V-80a	4.8:1	15BB + 1RB	38"	24.1	33-lbs	420/15 (0.37), 350/20 (0.42), 260/25 (0.48)	AL	AL	AL	AL	\$199.99



RAW II

Raw II Reels feature:

- AlumILite: Aluminum body and sideplate construction
- Aluminum rotor construction for strength and precision
- Precision elliptical gearing system
- Quick-set anti-reverse bearing
- 7-HPB stainless steel ball bearings
- Machined aluminum, 2-tone anodized spool
- CRC: Corrosion Resistant Coating process
- DFD: Dual Force Drag system with carbon washers
- Hydro Block water-tight drag seal
- Super strong High Density Gearing
- Carbon fiber handle system on 30/40 sizes
- Heavy duty aluminum handle on 55/65/80 sizes
- RAW II spinning reels are backed by a 1-year warranty

RAWII-55





RAW II Dual Force Drag System:

The RAW II DFD system incorporates both surfaces of the spool to maximize high-end drag pressure, efficiency and overall smoothness. Mounted in the top of the spool and protected by the Hydro Block system is multi-disc Carbon fiber drag washer and stainless steel washer system that works in conjunction with a secondary carbon fiber washer system that is mounted

under the spool. Even pressure is applied to both surfaces of the spool for maximum stability.



RAWII-30



RAW II

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	MSRP
RAWII-30	5.0:1	7BB + 1RB	10.5	25"	25-lbs	200/6 (0.22), 160/8 (0.25), 110/10 (0.30)	AL	AL	AL	AL	\$139.99
RAWII-40	5.0:1	7BB + 1RB	11.0	28"	30-lbs	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)	AL	AL	AL	AL	\$139.99
RAWII-55	4.5:1	7BB + 1RB	17.0	30"	35-lbs	380/10 (0.30), 340/12 (0.32), 240/15 (0.37)	AL	AL	AL	AL	\$159.99
RAWII-65	4.8:1	7BB + 1RB	23.4	34"	50-lbs	430/12 (0.32), 310/15 (0.37), 260/20 (0.42)	AL	AL	AL	AL	\$169.99
RAWII-80	4.8:1	7BB + 1RB	24.2	38"	50-lbs	420/15 (0.37), 350/20 (0.42), 260/25 (0.48)	AL	AL	AL	AL	\$169.99



Scan this tag with your smartphone to learn more about Cedros spinning reels

CEDROS

Cedros Reels feature:

- High-speed gear ratio on all models
- DFD: Precision Dual Force Drag system
- Multi-disc, Japanese-oiled felt drag washers
- 4 HPB corrosion resistant stainless steel ball bearings
- Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- CRC: Corrosion Resistant Coating process
- HDGII: Corrosion resistant, high density gearing
- ALC: Rigid, diecast aluminum frame and side plate
- Precision Elliptical Gearing System
- Machined aluminum, two-tone anodized ported spool
- Rigid, forged aluminum screw-in handle design
- Custom blue anodized, machined aluminum handle knob
- Hydro Block watertight drag seal
- Heavy duty, solid aluminum, gold anodized bail wire
- RESII: Computer-balanced Rotor Equalizing System
- Narrow Blade Body design for reduced fatigue
- Cedros spinning reels are backed by a 1-year warranty



CJ-40S

Specifically designed for saltwater use, the Cedros spinning reels feature Okuma rigid aluminum Blade Body Design, Dual Force Drag System for extreme stopping power and our proprietary High Density Gearing with a special corrosion resistant coating. Combine this with a high-speed gear ratio and a customized aluminum jiggling handle and you have one of the best saltwater jig fishing reels on the market.



PRECISION
ELLIPTICAL
GEARING



Cedros


Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	MSRP
<i>High-speed spinning reels</i>											
CJ-30S	6.2:1	4HPB + 1RB	11.1	31"	18-lbs	200/6(0.22), 160/8(0.25), 110/10(0.30)	AL	AL	GR	AL	\$104.99
CJ-40S	6.2:1	4HPB + 1RB	12.1	35"	20-lbs	270/8(0.25), 190/10(0.30), 170/12(0.32)	AL	AL	GR	AL	\$114.99
CJ-55S	6.2:1	4HPB + 1RB	16.9	41"	24-lbs	380/10(0.30), 340/12(0.32), 240/15(0.37)	AL	AL	GR	AL	\$124.99
CJ-65S	5.7:1	4HPB + 1RB	22.8	42"	31-lbs	430/12(0.32), 310/15(0.37), 260/20(0.42)	AL	AL	GR	AL	\$139.99
CJ-80S	5.7:1	4HPB + 1RB	23.0	46"	33-lbs	420/15(0.37), 350/20(0.42), 260/25(0.48)	AL	AL	GR	AL	\$144.99

CEDROS

Standard Speed

Cedros Standard Speed Reels feature:

- DFD: Precision Dual Force Drag system
- Multi-disc, Japanese-oiled felt drag washers
- 4 HPB corrosion resistant stainless steel ball bearings
- 1 Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- CRC: Corrosion Resistant Coating process
- HDGII: Corrosion resistant, High density gearing
- ALC: Rigid, diecast aluminum frame and sideplate
- Corrosion resistant graphite rotor
- Precision Elliptical Gearing System
- Machined aluminum, 2-tone anodized, port spool
- Rigid, forged aluminum screw-in handle design
- Custom blue anodized, machined aluminum handle knob
- Hydro Block water tight drag seal
- Heavy Duty, solid aluminum, gold anodized bail wire
- RESII: Computer balanced rotor equalizing system
- Narrow Blade Body design for reduced fatigue
- Cedros spinning reels are backed by a 1-year warranty



**PRECISION
ELLIPTICAL
GEARING**



Cedros

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	MSRP
<i>Standard speed spinning reels</i>											
CJ-40	5.0:1	4HPB + 1RB	12.4	28"	20-lbs	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)	AL	AL	GR	AL	\$119.99
CJ-55	4.5:1	4HPB + 1RB	17.8	30"	24-lbs	380/10(0.30), 340/12(0.32), 240/15(0.37)	AL	AL	GR	AL	\$129.99
CJ-65	4.8:1	4HPB + 1RB	24.3	34"	31-lbs	430/12(0.32), 310/15(0.37), 260/20(0.42)	AL	AL	GR	AL	\$134.99



Scan this tag with your smartphone to learn more about the Okuma Baitfeeder design

CEDROS

Baitfeeding

Cedros Baitfeeder Reels feature:

- On/Off auto-trip bait feeding system
- DFD: Precision Dual Force Drag system
- Multi-disc, Japanese-oiled felt drag washers
- 4 HPB corrosion resistant stainless steel ball bearings
- 1 Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- CRC: Corrosion Resistant Coating process
- HDGI: Corrosion resistant, High density gearing
- ALC: Rigid, diecast aluminum frame and sideplate
- Corrosion resistant graphite rotor
- Precision Elliptical Gearing System
- Machined aluminum, 2-tone anodized, port spool
- Rigid, forged aluminum screw-in handle design
- Custom blue anodized, machined aluminum handle knob
- Hydro Block water tight drag seal
- Heavy Duty, solid aluminum, gold anodized bail wire
- RESII: Computer balanced rotor equalizing system
- Cedros Baitfeeder spinning reels are backed by a 1-year warranty



Cedros Baitfeeder

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	MSRP
<i>Standard speed spinning reels</i>											
CJF-40	5.0:1	4HPB + 1RB	14.8	28"	20-lbs	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)	AL	AL	GR	AL	\$149.99
CJF-55	4.5:1	4HPB + 1RB	19.1	30"	24-lbs	380/10(0.30), 340/12(0.32), 240/15(0.37)	AL	AL	GR	AL	\$159.99
CJF-65	4.8:1	4HPB + 1RB	26.6	34"	31-lbs	430/12(0.32), 310/15(0.37), 260/20(0.42)	AL	AL	GR	AL	\$159.99

Coronado

Coronado "a" Series Baitfeeder Reels feature:

- On/Off auto-trip bait feeding system
- DFD: Precision Dual Force Drag system
- Multi-disc, Japanese-oiled felt drag washers
- 4 stainless steel shielded ball bearings
- Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- CRC: Corrosion Resistant Coating process
- HDGII: Corrosion resistant, high density gearing
- Lightweight, corrosion resistant graphite body and rotor
- Precision Elliptical Gearing System
- Machined aluminum, two-tone anodized spool
- Rigid, forged aluminum handle design
- Ergo grip handle knob on all sizes
- Hydro Block watertight drag seal
- Heavy duty, solid aluminum, clear anodized bail wire
- RESII: Computer-balanced Rotor Equalizing System
- New thinner body design for reduced fatigue
- Coronado baitfeeding reels are backed by a 1-year warranty



CD-80a



Baitfeeding System:

Okuma's baitfeeding system allows anglers to disengage their spinning reel spool and allow their bait to run freely. The baitfeeding system incorporates a secondary micro-adjustable drag system at the rear of the reel that allows for precise adjustment of the spool for bait control. In order to disengage this system simply turn the handle. The On/Off lever on the rear of the reel will automatically disengage the baitfeeding system so you can fight your fish with the main drag system.



Coronado a

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	MSRP
CD-40a	4.5:1	4BB + 1RB	12.0	28"	20 lbs	270/8(0.25), 190/10(0.30), 170/12(0.32)	GR	GR	GR	AL	\$89.99
CD-55a	4.5:1	4BB + 1RB	16.7	30"	24 lbs	380/10(0.30), 340/12(0.32), 240/15(0.37)	GR	GR	GR	AL	\$89.99
CD-65a	4.8:1	4BB + 1RB	23.6	34"	31 lbs	430/12(0.32), 310/15(0.37), 260/20(0.42)	GR	GR	GR	AL	\$99.99
CD-80a	4.8:1	4BB + 1RB	24.7	34"	33 lbs	420/15(0.37), 350/20(0.42), 280/25(0.48)	GR	GR	GR	AL	\$99.99


INSPIRA

Inspira Reels feature:


- Multi-disc, Japanese-oiled felt drag washers
- 9 stainless steel HPB ball bearings
- Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- CRC: Corrosion Resistant Coating process
- HDGII: Corrosion resistant, high density gearing
- ALC: Rigid diecast aluminum frame and sideplate
- Precision Elliptical Gearing System
- Machined aluminum, two-tone anodized ported spool
- Spare matching machined aluminum ported spool
- Rigid, forged aluminum handle design
- Hydro Block watertight drag seal
- Corrosion resistant, stainless steel bail wire
- RESII: Computer-balanced Rotor Equalizing System
- Inspira spinning reels are backed by a 1-year warranty



IA-40



IA-30



Inspira

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	MSRP
IA-20	5.0:1	9BB + 1RB	8.7	22"	8-lbs	190/4 (0.17), 110/6 (0.22), 90/8 (0.25)	AL	AL	GR	AL	\$104.99
IA-30	5.0:1	9BB + 1RB	10.2	25"	13-lbs	200/6 (0.22), 160/8 (0.25), 110/10 (0.30)	AL	AL	GR	AL	\$114.99
IA-40	5.0:1	9BB + 1RB	11.0	28"	13-lbs	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)	AL	AL	GR	AL	\$114.99

*Every day the fish are there. In the tailouts.
On the current seams. Behind the breaks.
Find them first, and it's instant fish-on.*

**BE PRECISE. BE THOROUGH. COVER WATER.
STICK & MOVE WITH
SST RODS AND
TRIO HIGH SPEED.
COVER MORE WATER. CATCH MORE FISH.**

SST RODS: 6 spin models 8.5-10.5 feet **TRIO** REELS: sizes 30S, 40S, 50S

Float fishing or spin fishing; time spent reeling between casts is time lost forever. With a blazing fast 6.2:1 gear ratio, new Trio High Speed slashes lost time and adds more fishing to your day. Pair Trio High Speed with a technique-specific SST rod for the ultimate in salmon and steelhead performance.

okuma
HIGH PERFORMANCE | okumafishing.com

 okumafishingusa

CROSSOVER CONSTRUCTION



Scan this tag with your smartphone to learn more about Trio spinning reels

Multi-disc Japanese-oiled felt drag washers with Hydro Block

DFD: Precision Dual Force Drag system

Quick-Set anti-reverse roller bearing

Precision cut machined brass pinion gear

Precision Elliptical Gearing System

Crossover construction

Innovation at its freshest...the new Trio spinning reels from Okuma feature a unique crossover construction. We took the best from aluminum construction and lightweight graphite materials and created a distinctive new concept in reel design. The solid one piece stamped aluminum reel stem and rotor arm are paired with lightweight graphite side plates and a rotor housing which provides strength where needed, and weight savings where possible. The Trio spool construction utilizes a multi-piece construction, housing the drag system in an Aluminum Drag Chamber for added stability and smoothness, while utilizing a lightweight graphite housing for weight reduction and distinctive styling.



TRIO

Trio Reels feature:

- Multi-disc, Japanese-oiled felt drag washers
- DFD: Dual Force Drag system
- 9BB+1RB stainless steel bearings
- Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- CRC: Corrosion Resistant Coating process
- HDGI: Corrosion resistant, High density gearing
- Crossover aluminum and graphite hybrid body design
- Crossover aluminum and graphite hybrid rotor design
- Precision Elliptical Gearing System
- Hybrid spool design with graphite arbor and aluminum lip
- ADC: Aluminum Drag Chamber precision spool system
- Rigid, forged aluminum handle design
- Hydro Block water tight drag seal
- Heavy duty, solid aluminum, anodized bail wire
- RESII: Computer balanced Rotor Equalizing System
- Trio spinning reels are backed by a 1-year warranty



Trio-30



Trio-40S



**PRECISION
ELLIPTICAL
GEARING**



Trio

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	MSRP
<i>Standard speed spinning reels</i>											
Trio-20	5.0:1	9BB + 1RB	8.8	22"	18-lbs	190/4 (0.17), 110/6 (0.22), 90/8 (0.25)	AL/GR	GR	AL/GR	AL/GR	\$74.99
Trio-30	5.0:1	9BB + 1RB	10.3	25"	18-lbs	200/6 (0.22), 160/8 (0.25), 110/10 (0.30)	AL/GR	GR	AL/GR	AL/GR	\$74.99
Trio-40	5.0:1	9BB + 1RB	11.0	28"	20-lbs	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)	AL/GR	GR	AL/GR	AL/GR	\$79.99
Trio-55	4.5:1	9BB + 1RB	15.3	30"	24-lbs	380/10 (0.30), 340/12 (0.32), 240/15 (0.37)	AL/GR	GR	AL/GR	AL/GR	\$89.99
Trio-65A	4.8:1	9BB + 1RB	21.6	34"	22-lbs	430/12 (0.32), 310/15 (0.37), 260/20 (0.42)	AL/GR	GR	AL/GR	AL/GR	\$109.99
Trio-80a	4.8:1	9BB + 1RB	22.2	38"	22-lbs	420/15 (0.37), 350/20 (0.42), 260/25 (0.48)	AL/GR	GR	AL/GR	AL/GR	\$109.99
<i>High speed spinning reels</i>											
Trio-30S	6.2:1	9BB + 1RB	10.4	31"	18-lbs	200/6 (0.22), 160/8 (0.25), 110/10 (0.30)	AL/GR	GR	AL/GR	AL/GR	\$74.99
Trio-40S	6.2:1	9BB + 1RB	10.8	35"	20-lbs	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)	AL/GR	GR	AL/GR	AL/GR	\$79.99
Trio-55S	6.2:1	9BB + 1RB	14.7	41"	24-lbs	380/8 (0.30), 340/12 (0.32), 240/15 (0.37)	AL/GR	GR	AL/GR	AL/GR	\$89.99

EPIXOR "b"

Epixor "b" series Reels feature:

- Multi-disc, Japanese-oiled felt drag washers
- 9 stainless steel ball bearings
- Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- HDGII: Corrosion resistant, high density gearing
- CRC: Corrosion Resistant Coating process
- ALC: Rigid, diecast aluminum frame
- Precision Elliptical Gearing System
- Machined aluminum, two-tone anodized spool
- Rigid, forged aluminum handle design
- Hydro Block watertight drag seal
- Heavy duty, solid aluminum, gun smoke anodized bail wire
- RESII: Computer-balanced Rotor Equalizing System
- Narrow Blade Body design for reduced fatigue
- Epixor spinning reels are backed by a 1-year warranty

Blade Body Design

Okuma's Blade Body Design narrows the profile of the reel's frame. This feature reduces weight, eliminating the extra mass and bulk of the reel, giving the reel a much lighter and compact design with a strikingly sharp appearance.



**PRECISION
ELLIPTICAL
GEARING**



ALC
AlumiLite
Construction

RES II
ROTOR EQUALIZING SYSTEM



EPR II
E-POWER ROLLER



Epixor EF b

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	MSRP
<i>Standard speed spinning reels</i>											
EF-20b	5.0:1	9BB + 1RB	8.0	22"	8-lbs	190/4(0.17), 110/6(0.22), 90/8(0.25)	AL	GR	GR	AL	\$62.99
EF-25b	5.0:1	9BB + 1RB	8.7	24.5"	8-lbs	180/6(0.22), 140/8(0.25), 100/10(0.30)	AL	GR	GR	AL	\$65.99
EF-30b	5.0:1	9BB + 1RB	10.1	25"	13-lbs	200/6(0.22), 160/8(0.25), 110/10(0.30)	AL	GR	GR	AL	\$65.99
EF-40b	5.0:1	9BB + 1RB	10.6	28"	13-lbs	270/8(0.25), 190/10(0.30), 170/12(0.32)	AL	GR	GR	AL	\$65.99
EF-55b	4.5:1	9BB + 1RB	14.8	30"	18-lbs	380/10(0.30), 340/12(0.32), 240/15(0.37)	AL	GR	GR	AL	\$74.99
EF-65b	4.8:1	9BB + 1RB	21.6	34"	22-lbs	430/12(0.32), 310/15(0.37), 260/20(0.42)	AL	GR	GR	AL	\$89.99
EF-80b	4.8:1	9BB + 1RB	22.7	38"	22-lbs	420/15(0.37), 350/20(0.42), 260/25(0.48)	AL	GR	GR	AL	\$89.99

EPIXOR EB

Epixor EB Baitfeeding series Reels feature:

- On/Off auto trip bait feeding system
- Multi-disc, Japanese-oiled felt drag washers
- 9 stainless steel ball bearings
- Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body
- S-curve Oscillation System
- Machined aluminum, two-tone anodized, ported spool
- Spare machined aluminum, anodized spool
- Rigid, forged aluminum handle design
- Hydro Block watertight drag seal
- Corrosion resistant, stainless steel bail wire
- RESII: Computer-balanced Rotor Equalizing System
- Epixor baitfeeding reels are backed by a 1-year warranty



EB-80




Baitfeeding System:

Okuma's baitfeeding system allows anglers to disengage their spinning reel spool and allow their bait to run freely. The baitfeeding system incorporates a secondary micro-adjustable drag system at the rear of the reel that allows for precise adjustment of the spool for bait control. In order to disengage this system simply turn the handle. The On/Off lever on the rear of the reel will automatically disengage the baitfeeding system so you can fight your fish with the main drag system.



Epixor EB

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Paessure	Monofilament line capacity (diameter in mm.)		Frame	Sideplates	Rotor	Spool	MSRP
EB-30	5.0:1	9BB + 1RB	12.2	27"	12-lbs	330/6(0.22), 260/8(0.25), 180/10(0.30)	GR	GR	GR	AL	AL	\$94.99
EB-50	4.5:1	9BB + 1RB	17.4	31"	17-lbs	440/10(0.30), 390/12(0.32), 280/15(0.37)	GR	GR	GR	AL	AL	\$94.99
EB-65	4.5:1	9BB + 1RB	26.7	36"	22-lbs	540/12(0.32), 390/15(0.37), 320/20(0.42)	GR	GR	GR	AL	AL	\$104.99
EB-80	4.5:1	9BB + 1RB	28.1	40"	22-lbs	510/15(0.37), 420/20(0.42), 310/25(0.48)	GR	GR	GR	AL	AL	\$104.99




AVENGER b

Avenger b feature:

- Multi-disk, Japanese-oiled felt drag washers
- 6 BB + 1RB for ultimate smoothness
- Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body
- Precision Elliptical Gearing system
- Machined aluminum, 2-tone anodized spool
- Corrosion resistant, stainless steel bail wire
- RESII: Computer balanced rotor equalizing system
- Narrow Blade Body Design for reduced fatigue
- Avenger spinning reels are backed by a 1-year warranty



AV-40b



Blade Body Design

Okuma's Blade Body Design narrows the profile of the reel's frame. This feature reduces weight, eliminating the extra mass and bulk of the reel, giving the reel a much lighter and compact design with a strikingly sharp appearance.



PRECISION
ELLIPTICAL
GEARING



RESII
ROTOR EQUALIZING SYSTEM



QUICK SET
ANTI-REVERSE

EFRII
E-FLYING REEL



Avenger b

Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)			Frame	Sideplates	Rotor	Spool	MSRP
AV-25b	5.0:1	6BB + 1RB	8.0	25"	8-lbs	310/4 (0.15)	200/6 (0.20)	150/8 (0.25)	GR	GR	GR	AL	\$39.99
AV-30b	5.0:1	6BB + 1RB	8.2	25"	13-lbs	355/4 (0.20)	225/6 (0.25)	175/8 (0.30)	GR	GR	GR	AL	\$39.99
AV-35b	5.0:1	6BB + 1RB	9.5	29"	13-lbs	325/6 (0.25)	260/8 (0.30)	180/10 (0.35)	GR	GR	GR	AL	\$39.99
AV-40b	5.0:1	6BB + 1RB	10.0	29"	13-lbs	325/8 (0.25)	230/10 (0.30)	205/12 (0.35)	GR	GR	GR	AL	\$39.99
AV-55b	4.5:1	6BB + 1RB	14.2	30"	18-lbs	365/12 (0.30)	310/14 (0.35)	240/18 (0.40)	GR	GR	GR	AL	\$49.99
AV-65b	4.8:1	6BB + 1RB	20.6	36"	22-lbs	360/15 (0.30)	300/20 (0.40)	220/25 (0.50)	GR	GR	GR	AL	\$54.99
AV-80b	4.8:1	6BB + 1RB	21.4	40"	22-lbs	400/20 (0.45)	290/25 (0.50)	220/30 (0.55)	GR	GR	GR	AL	\$54.99

AVENGER ABF

Avenger ABF feature:

- On/Off auto trip bait feeding system
- Multi-disc, Japanese-oiled felt drag washers
- 6 stainless steel ball bearings
- Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body
- Rigid, diecast aluminum handle design
- Machined aluminum handle knob on 40-80 sizes
- S-Curve Oscillation System
- 20-size features Precision Elliptical Gearing system
- Machined aluminum, two-tone anodized, ported spool
- Spare ported graphite spool included in packaging
- Hydro Block watertight drag seal
- Corrosion resistant, stainless steel bail wire
- RESII: Computer-balanced Rotor Equalizing System
- Avenger baitfeeder reels are backed by a 1-year warranty



ABF-65



ABF-20a

Baitfeeding System:

Okuma's baitfeeding system allows anglers to disengage their spinning reel spool and allow their bait to run freely. The baitfeeding system incorporates a secondary micro-adjustable drag system at the rear of the reel that allows for precise adjustment of the spool for bait control. In order to disengage this system simply turn the handle. The On/Off lever on the rear of the reel will automatically disengage the baitfeeding system so you can fight your fish with the main drag system.



Avenger ABF

* ABF-90 reel comes with 80-size spare spool

Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	MSRP
ABF-20a	5.0:1	6BB + 1RB	8.8	25"	8-lbs	190/4(0.17), 110/6(0.22), 90/8(0.25)	GR	GR	GR	AL	\$46.99
ABF-30	5.0:1	6BB + 1RB	11.8	27"	12-lbs	330/6 (0.22), 260/8 (0.25), 180/10 (0.30)	GR	GR	GR	AL	\$46.99
ABF-40	4.5:1	6BB + 1RB	16.3	28"	14-lbs	410/8 (0.25), 290/10 (0.30), 260/12 (0.32)	GR	GR	GR	AL	\$52.99
ABF-50	4.5:1	6BB + 1RB	17.3	31"	17-lbs	440/10 (0.30), 390/12 (0.32), 280/15 (0.37)	GR	GR	GR	AL	\$52.99
ABF-65	4.5:1	6BB + 1RB	27.4	36"	22-lbs	540/12 (0.32), 390/15 (0.37), 320/20 (0.42)	GR	GR	GR	AL	\$68.99
ABF-90	4.5:1	6BB + 1RB	27.6	40"	22-lbs	590/20 (0.42), 440/25 (0.48), 330/30 (0.55)	GR	GR	GR	AL	\$68.99



STINSON^a

Stinson Reels feature (20-80 sizes):

- Multi-disc, Japanese-oiled felt drag washers
- 9BB + 1RB stainless steel bearings
- Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body
- Precision Elliptical Gearing System
- Machined aluminum, 2-tone anodized spool
- Rigid, die cast aluminum handle design
- Hydro Block water tight drag seal
- Gold anodized bail wire
- RESII: Computer balanced rotor equalizing system

Stinson Reels feature (10 sizes):

- Multi-disc, Japanese-oiled felt drag washers
- 6BB + 1RB bearings on 10-size
- Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body
- Patented S-curve Oscillation System
- Machined aluminum, 2-tone anodized spool
- Rigid, die cast aluminum handle design
- Hydro Block water tight drag seal
- Gold anodized bail wire
- RESII: Computer balanced rotor equalizing system



Stinson^a

Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	MSRP
Si-10a	5.0:1	6BB + 1RB	5.9	20"	5-lbs	270/2 (0.12), 140/4 (0.17), 90/6 (0.22)	GR	GR	GR	AL	\$39.99
Si-20a	5.0:1	9BB + 1RB	8.3	22"	8-lbs	190/4 (0.17), 110/6 (0.22), 90/8 (0.25)	GR	GR	GR	AL	\$49.99
Si-30a	5.0:1	9BB + 1RB	10.1	25"	13-lbs	200/6 (0.22), 160/8 (0.25), 110/10 (0.30)	GR	GR	GR	AL	\$49.99
Si-40a	5.0:1	9BB + 1RB	11.2	28"	13-lbs	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)	GR	GR	GR	AL	\$49.99
Si-65a	4.8:1	9BB + 1RB	21.3	34"	22-lbs	430/12 (0.32), 310/15 (0.37), 260/20 (0.42)	AL	GR	GR	AL	\$64.99
Si-80a	4.8:1	9BB + 1RB	22.2	38"	22-lbs	420/15 (0.37), 350/20 (0.42), 260/25 (0.48)	AL	GR	GR	AL	\$64.99



IGNITE

Ignite Reels feature:

- Multi-disc, Japanese-oiled felt drag washers
- 4 ball bearings for ultimate smoothness
- Quick-set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body
- Precision Elliptical Gearing System
- Machined aluminum, two-tone anodized, ported spool
- Hydro Block watertight drag seal
- Corrosion resistant, stainless steel bail wire
- RESII: Computer-balanced Rotor Equalizing System
- Ignite spinning reels are backed by a 1-year warranty



IT-20



IT-55



Ignite

Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	MSRP
IT-10	5.0:1	4BB + 1RB	5.9	20"	5-lbs	270/2 (0.12), 140/4 (0.17), 90/6 (0.22)	GR	GR	GR	AL	\$29.99
IT-20	5.0:1	4BB + 1RB	7.7	22"	8-lbs	190/4 (0.17), 110/6 (0.22), 90/8 (0.25)	GR	GR	GR	AL	\$29.99
IT-30	5.0:1	4BB + 1RB	9.4	25"	13-lbs	200/6 (0.22), 160/8 (0.25), 110/10 (0.30)	GR	GR	GR	AL	\$34.99
IT-40	5.0:1	4BB + 1RB	10.2	28"	13-lbs	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)	GR	GR	GR	AL	\$34.99
IT-55	4.5:1	4BB + 1RB	14.6	30"	18-lbs	380/10 (0.30), 340/12 (0.32), 240/15 (0.37)	GR	GR	GR	AL	\$44.99
IT-65	4.8:1	4BB + 1RB	21.6	34"	22-lbs	430/12 (0.32), 310/15 (0.37), 260/20 (0.42)	GR	GR	GR	AL	\$44.99
IT-80	4.8:1	4BB + 1RB	22.2	38"	22-lbs	420/15 (0.37), 350/20 (0.42), 260/25 (0.48)	GR	GR	GR	AL	\$44.99



SPa-25

Safina Pro

Safina Pro Reels feature:

- Multi-disc, oiled felt drag washers
- 3BB+1RB bearings drive system
- Quick-set anti-reverse roller bearing
- Corrosion resistant graphite body
- Precision Elliptical Gearing system
- Machined aluminum, 2-tone anodized, ported spool
- Oversized anodized aluminum bail wire
- RESII: Computer balanced Rotor Equalizing System
- Safina Pro spinning reels are backed by a 1-year warranty



PRECISION
ELLIPTICAL
GEARING

Safina Pro

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool
SPa-25	5.0:1	3BB + 1RB	8.6	25"	6-lbs	310/4 (0.17), 200/6 (0.22), 150/8 (0.25)	GR	GR	GR	AL
SPa-35	5.0:1	3BB + 1RB	11.0	29"	7-lbs	325/6 (0.22), 260/8 (0.25), 180/10 (0.30)	GR	GR	GR	AL
SPa-50	4.5:1	3BB + 1RB	12.2	30"	9-lbs	340/10 (0.30), 300/12 (0.32), 255/14 (0.35)	GR	GR	GR	AL
SPa-65	4.8:1	3BB + 1RB	20.2	36"	22-lbs	440/12 (0.32), 310/15 (0.37), 260/20 (0.42)	GR	GR	GR	AL
SPa-80	4.8:1	3BB + 1RB	21.2	40"	22-lbs	430/15 (0.37), 360/20 (0.42), 260/25 (0.48)	GR	GR	GR	AL



SNa-25

Safina

Safina Reels feature:

- Multi-disc, oiled felt drag washers
- 1BB bearings drive system for smoothness
- Multi-stop anti-reverse system
- Corrosion resistant graphite body
- Precision Elliptical Gearing System
- Machined aluminum, 2-tone anodized, ported spool
- Durable stainless steel bail wire
- RESII: Computer balanced Rotor Equalizing System
- Safina spinning reels are backed by a 1-year warranty



PRECISION
ELLIPTICAL
GEARING

Safina

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool
SNa-25	5.0:1	1BB	8.0	25"	6-lbs	310/4 (0.17), 200/6 (0.22), 150/8 (0.25)	GR	GR	GR	AL
SNa-35	5.0:1	1BB	10.9	29"	7-lbs	325/6 (0.22), 260/8 (0.25), 180/10 (0.30)	GR	GR	GR	AL
SNa-50	4.5:1	1BB	12.2	30"	9-lbs	340/10 (0.30), 300/12 (0.32), 255/14 (0.35)	GR	GR	GR	AL

ACUADOR

Acuador Reels feature:

- Multi-disc, Japanese-oiled felt drag washers
- 1 ball bearing for ultimate smoothness
- Multi-stop anti-reverse system
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body
- S-Curve Oscillation System
- Machined aluminum, anodized spool
- Corrosion resistant, stainless steel bail wire
- RESII: Computer-balanced Rotor Equalizing System
- Acuador spinning reels are backed by a 1-year warranty



Acuador

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max. Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool
FS-50	4.5:1	1BB	16.1	28"	17-lbs	330/10 (0.30), 290/12 (0.32), 210/15 (0.37)	GR	GR	GR	AL
FS-65	4.5:1	1BB	22.9	35"	22-lbs	440/12 (0.32), 310/15 (0.37), 260/20 (0.42)	GR	GR	GR	AL
FS-80	4.5:1	1BB	26.7	38"	22-lbs	430/15 (0.37), 360/20 (0.42), 260/25 (0.48)	GR	GR	GR	AL



CEDROS

Low profile baitcast Reels

CEDROS

Cedros Reels feature:

- ALC: Rigid diecast aluminum frame and sideplates
- TCT: Titanium coating process on sideplates
- CRC: Corrosion Resistant Coating process
- A6061-T6 machined aluminum, anodized spool
- Heavy duty, machine cut, Dura brass gearing
- Unique stainless steel clutch slider
- Multi-disc Carbonite drag system
- Micro-click drag star for precise drag settings
- 6BB+1RB stainless steel bearing drive system
- Precision Japanese ABEC-5 spool bearings
- Quick-Set anti-reverse roller bearing
- 7-position Velocity Control System
- Heavy duty aluminum handle design allows cranking closer to body
- Durable EVA handle knobs for comfort
- Easy change left side plate access port
- Zirconium line guide inserts for use with braided line
- Specifically designed for saltwater applications
- Cedros reels are backed by 3-year warranty



CJ-273



Cedros lowprofile

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
<i>Right handed lowprofile baitcast reels</i>											
CJ-273	7.3:1	6BB + 1RB	8.2	31.5"	14-lbs	205/ 10 (0.29), 160/12 (0.33), 115/14 (0.37)	AL	AL	AL	AL	\$249.99
<i>Left handed lowprofile baitcast reels</i>											
CJ-273LX	7.3:1	6BB + 1RB	8.2	31.5"	14-lbs	205/ 10 (0.29), 160/12 (0.33), 115/14 (0.37)	AL	AL	AL	AL	\$249.99

HELIOS

Helios Reels feature:

- ALC: Rigid diecast aluminum frame and handle side plate
- CRC: Corrosion Resistant Coating process
- A6061-T6 machined aluminum, anodized spool
- Heavy duty, aluminum gears and shafts
- Multi-disc Carbonite drag system
- Micro-click drag star for precise drag settings
- 9BB+1RB stainless steel bearing drive system
- Precision Japanese ABEC-5 spool bearings
- Quick-Set anti-reverse roller bearing
- 7-position Velocity Control System
- Ergonomic carbon fiber handle design allows cranking closer to body
- Easy change left side plate access port
- Lightweight at only 6.3 oz.
- Zirconium line guide inserts for use with braided line
- Helios reels are backed by a 3-year warranty program



HS-262V



QUICK SET
ANTI-REVERSE



Helios lowprofile

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
<i>Right handed lowprofile baitcast reels</i>											
HS-262V	6.2:1	9BB + 1RB	6.3	26.8"	14-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	AL	AL	GR	AL	\$219.99

KOMODO

Komodo Reels feature:

- ALC: Rigid diecast aluminum frame and side plates
- CRC: Corrosion Resistant Coating process
- Heavy duty, aluminum gearing and shafts
- A6061-T6 machined aluminum, anodized spool
- Multi-disc Carbonite drag system
- Micro-click drag star for precise drag settings
- 10BB+1RB stainless steel bearing drive system
- Precision Japanese ABEC-5 spool bearings
- Quick-Set anti-reverse roller bearing
- 7-position Velocity Control System
- Ergonomic carbon fiber handle design for reduced weight
- Durable EVA handle knobs for comfort
- Easy change left side plate access port
- Zirconium line guide inserts for use with braided line
- Lightweight at only 6.5 oz.
- Available in both right and left hand retrieve
- Komodo reels are backed by a 3-year warranty program



KDR-254V



Komodo lowprofile

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
<i>Right handed lowprofile baitcast reels</i>											
KDR-254V	5.4:1	10BB + 1RB	6.5	23.3"	14-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	AL	AL	AL	AL	\$199.99
KDR-273V	7.3:1	10BB + 1RB	6.5	31.5"	14-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	AL	AL	AL	AL	\$199.99
<i>Left handed lowprofile baitcast reels</i>											
KDR-273VLX	7.3:1	10BB + 1RB	6.5	31.5"	14-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	AL	AL	AL	AL	\$199.99



Scan this tag with
your smartphone
to learn more about
Serrano baitcast reels

SERRANO

LOW PROFILE BAITCAST REELS



SERRANO

Serrano Reels feature:

- ALC: Rigid, diecast aluminum frame
- CRC: Corrosion Resistant Coating process
- Aluminum side plate holds gears in perfect alignment
- A6061-T6 machined aluminum, anodized spool
- Magnum light spool on SR-200W for reduced weight
- Heavy duty, machine cut, Dura brass gearing
- Multi-disc Carbonite drag system
- Micro-click star drag for precise drag settings
- 10BB+1RB stainless steel bearing drive system
- Precision Japanese ABEC-5 spool bearings
- Quick-set anti-reverse roller bearing
- 8-position Velocity Control System
- Ergonomic handle design allows cranking closer to body
- Easy change left side plate access port
- Zirconium line guide inserts for use with braided line
- Serrano reels are backed by a 3-year warranty



SR-200W




SR-200



Serrano lowprofile

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
<i>Right handed lowprofile baitcast reels</i>											
SR-200	6.2:1	10BB + 1RB	7.2	26"	11-lbs	205/10(0.29), 160/12(0.33), 115/14(0.37)	AL	AL	GR	AL	\$169.99
SR-200W	6.2:1	10BB + 1RB	7.2	26"	11-lbs	160/10(0.29), 130/12(0.33), 95/14(0.37)	AL	AL	GR	AL Hi-Rise	\$169.99



Scan this tag with your smartphone to learn more about Citrix baitcast reels

CITRIX

Citrix Reels feature:

- ALC: Rigid diecast aluminum frame
- A6061-T6 machined aluminum, anodized V-shaped spool
- Multi-disc composite drag system
- 7BB+1RB bearing drive system
- Micro-click drag star for precise drag settings
- External adjustable centrifugal cast control system
- Quick-Set anti-reverse roller bearing
- Graphite side plates on both sides
- Easy change palm side plate access port
- Ergonomic handle design allows cranking closer to body
- Zirconium line guide inserts for use with braided line
- Available gear ratios: 7.3:1 and 5.4:1
- 7.3:1 gear ratio available in left hand retrieve
- Citrix reels are backed by a 1-year warranty



CI-273V



Citrix lowprofile

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
<i>Right handed lowprofile baitcast reels</i>											
CI-254V	5.4:1	7BB + 1RB	8.4	23.4"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	AL	GR	GR	AL	\$119.99
CI-273V	7.3:1	7BB + 1RB	8.4	31.6"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	AL	GR	GR	AL	\$119.99
<i>Left handed lowprofile baitcast reels</i>											
CI-273VLX	7.3:1	7BB + 1RB	8.4	31.6"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	AL	GR	GR	AL	\$119.99

KRIOS

Krios Reels feature:

- ALC: Rigid diecast aluminum frame
- A6061-T6 machined aluminum, anodized U-shaped spool
- Multi-disc composite drag system
- 5BB+1RB bearing drive system
- Micro-click drag star for precise drag settings
- External adjustable magnetic cast control system
- Internal 8-position Velocity Control System
- Quick-Set anti-reverse roller bearing
- Graphite side plates on both sides
- Easy change palm side plate access port
- Ergonomic handle design allows cranking closer to body
- Zirconium line guide inserts for use with braided line
- Available gear ratio: 7.3:1
- Available in both right and left hand retrieve
- Krios reels are backed by a 1-year warranty



KS-273W



Krios lowprofile

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
<i>Right handed lowprofile baitcast reels</i>											
KS-273W	7.3:1	5BB + 1RB	8.4	31.6"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	AL	GR	GR	AL	\$104.99
<i>Left handed lowprofile baitcast reels</i>											
KS-273WLX	7.3:1	5BB + 1RB	8.4	31.6"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	AL	GR	GR	AL	\$104.99



CALERA

Calera Reels feature:

- Corrosion resistant graphite frame and side plates
- A6061-T6 machined aluminum, anodized V-shaped spool
- Multi-disc composite drag system
- 4BB+1RB bearing drive system
- Micro-click drag star for precise drag settings
- External adjustable centrifugal cast control system
- Internal 8-position Velocity Control System
- Quick-Set anti-reverse roller bearing
- Easy change palm side plate access port
- Ergonomic handle design allows cranking closer to body
- Zirconium line guide inserts for use with braided line
- Available gear ratio: 6.6:1
- Available in both right and left hand retrieve
- Calera reels are backed by a 1-year warranty



C5-266W



QUICK SET
ANTI-REVERSE



VELOCITY
CONTROL



MICRO
CLICK
DRAG



MCS



INERTIA
FREE

Calera lowprofile

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
<i>Right handed lowprofile baitcast reels</i>											
C5-266W	6.6:1	4BB + 1RB	8.2	28.5"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	GR	GR	GR	AL	\$84.99
<i>Left handed lowprofile baitcast reels</i>											
C5-266WLX	6.6:1	4BB + 1RB	8.2	28.5"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	GR	GR	GR	AL	\$84.99



TORMENTA

Tormenta Reels feature:

- Corrosion resistant graphite frame and side plates
- A6061-T6 machined aluminum, anodized U-shaped spool
- Multi-disc composite drag system
- 2BB+1RB bearing drive system
- Micro-click drag star for precise drag settings
- External adjustable magnetic cast control system
- Quick-Set anti-reverse roller bearing
- Easy change palm side plate access port
- Ergonomic handle design allows cranking closer to body
- Zirconium line guide inserts for use with braided line
- Available gear ratio: 6.6:1
- Available in both right and left hand retrieve
- Tormenta reels are backed by a 1-year warranty



Tt-266W



Tormenta lowprofile

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
<i>Right handed lowprofile baitcast reels</i>											
Tt-266W	6.6:1	2BB + 1RB	8.0	28.5"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	GR	GR	GR	AL	\$64.99
<i>Left handed lowprofile baitcast reels</i>											
Tt-266WLX	6.6:1	2BB + 1RB	8.0	28.5"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	GR	GR	GR	AL	\$64.99

Safina Pro

Safina Pro Reels feature:

- Corrosion resistant graphite frame and side plates
- Multi-disc composite drag system
- 1BB+1RB bearing drive system
- Micro-click drag star for precise drag settings
- Quick-Set anti-reverse roller bearing
- Ceramic line guide inserts
- Available gear ratio: 6.2:1
- Machined aluminum, gold anodized spool
- External magnetic cast control system
- Safina Pro reels are backed by a 1-year warranty



Spa-266w



Safina Pro lowprofile

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
<i>Right handed lowprofile baitcast reels</i>											
SPA-266w	6.2:1	1BB + 1RB	7.1	26.8"	9-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	GR	GR	GR	AL	\$49.99

CEDROS

Cedros Reels feature:

- Machined aluminum extruded frame
- Forged aluminum, 2-tone anodized side plates
- Available in 250 and 400 sizes
- 4BB+1RB bearing drive system
- Multi-disc Carbonite drag washers
- Two-tone anodized, stamped aluminum handle arm
- Machined aluminum, anodized star
- Machined aluminum, anodized handle knob
- Swept power handle design improves cranking and reduces reel wobble
- Dual anti-reverse: Silent ratcheting and Quick-set roller bearing
- Precision machine cut brass gears
- Cross pin spool and pinion gear system
- Adjustable 6-pin velocity control system
- Recessed on/off bait-clicker on 400-size
- Engaged levelwind on all models
- Cedros reels are backed by a 1-year warranty



CJ-400



**MACHINED
RIGID FRAME**

Cedros

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
Right handed round baitcast reels (Power handle)											
CJ-250	5.1:1	4BB + 1RB	11.6	23"	10-lbs	380/8 (0.25), 270/10 (0.30), 170/15 (0.37)	AL	AL	AL	AL	\$209.99
CJ-400	5.1:1	4BB + 1RB	12.9	23"	10-lbs	270/14 (0.35), 210/18 (0.40), 180/20 (0.42)	AL	AL	AL	AL	\$209.99



Isis

Isis Reels feature:

- A6061-T6 extruded aluminum, anodized frame
- Ported frame design for reduced weight
- Forged aluminum, gun smoke anodized side plates
- Machined aluminum, gold anodized spool
- Multi-disc Carbonite drag system
- Ratcheting drag star for precise drag settings
- 4BB+1RB stainless steel bearing drive system
- Quick-Set anti-reverse roller bearing
- Dual anti-reverse with back up ratcheting system
- Precision machine cut brass main and pinion gear
- Adjustable 6-pin Velocity Control System
- Engaged levelwind on all models
- Forged aluminum twin paddle handle on all models
- On/Off bait clicker function on 400 models
- Titanium coated line guide insert
- Isis reels are backed by a 1-year warranty program



IS-400



**MACHINED
RIGID FRAME**

ISIS

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
<i>Right handed round baitcast reel (Twin paddle handle)</i>											
IS-250	5.1:1	4BB + 1RB	11.4	23"	10-lbs	380/8 (0.25), 270/10 (0.30), 170/15 (0.37)	AL	AL	AL	AL	\$209.99
IS-400	5.1:1	4BB + 1RB	12.6	23"	10-lbs	270/14 (0.35), 210/18 (0.40), 180/20 (0.42)	AL	AL	AL	AL	\$209.99
<i>Left handed round baitcast reel (Twin paddle handle)</i>											
IS-400LX	5.1:1	4BB + 1RB	12.6	23"	10-lbs	270/14 (0.35), 210/18 (0.40), 180/20 (0.42)	AL	AL	AL	AL	\$209.99

AKENA

Akena Reels feature:

- ALC: Rigid 1-pcs anodized aluminum frame
- Aluminum left and right side plates
- Machined aluminum, gold anodized spool
- Multi-disc Carbonite drag system
- 5BB+1RB Stainless steel bearing drive system
- Quick-set anti-reverse roller bearing
- Precision machine cut brass main and pinion gear
- Adjustable 6-pin Velocity Control System
- Engaged levelwind on all models
- Aluminum twin paddle handle with oversized knobs
- On/Off bait clicker function on 400-size reels
- Akena reels are backed by a 1-year warranty program



AK-400



Akena

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
<i>Right handed round baitcast reels (Twin paddle handle)</i>											
AK-250	5.1:1	5BB + 1RB	11.9	23"	10-lbs	380/8(0.25), 270/10(0.30), 170/150(0.37)	AL	AL	AL	AL	\$104.99
AK-400	5.1:1	5BB + 1RB	12.7	23"	10-lbs	270/14(0.35), 210/18(0.40), 180/20(0.42)	AL	AL	AL	AL	\$104.99



Scan this tag with your smartphone to learn more about Cedros star drag reels

CEDROS

Cedros Star Drag Reels feature:

- A6061-T6 extruded aluminum, blue anodized frame
- Frame cross bars are ported to reduce weight
- Machined aluminum, blue anodized side plates
- Machined aluminum, gun smoke anodized spool
- Multi-disc Carbonite caged drag system
- Ratcheting drag star for precise drag settings
- 5BB+1RB Japanese stainless steel bearings
- Quick-Set anti-reverse roller bearing
- Dual anti-reverse system. (Mechanical & roller bearing)
- Oversized machine cut brass gearing
- XL gearing: Drop down gear box for increased power
- Self lubricating gear system, all models
- MSS: Mechanical Stabilizing System for increased durability
- Ergo grip handle knobs featured on all models
- High speed 6.2:1 gear ratios for increased line pickup
- Cedros star drag reels are backed by a 3-year warranty

CSD-12S



Cedros Star Drag

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool	MSRP
CSD-10S	6.2:1	5BB + 1RB	18.9	40"	28-lbs	260/25 (0.48), 350/20 (0.42), 430/15 (0.37)	AL	AL	AL	\$289.99
CSD-12S	6.2:1	5BB + 1RB	19.9	40"	28-lbs	300/30 (0.55), 400/25 (0.48), 540/20 (0.42)	AL	AL	AL	\$289.99



Scan this tag with your smartphone to learn more about Cortez star drag reels

CORTEZ

Cortez Star Drag Reels feature:

- Corrosion resistant graphite frame and sideplates
- Machined aluminum, red anodized spool
- Multi-disc Carbonite drag system
- Forged aluminum, red anodized star
- Anodized aluminum swept handle reduces wobble while cranking
- 4BB+1RB stainless steel bearings
- External magnetic cast control system
- Ergo grip handle knob
- Dual anti-reverse system (mechanical & roller bearing)
- XL Gearing: Drop down gear box with 6.2:1 gear ratio
- Quick-Set anti-reverse roller bearing
- MSS: Mechanical Stabilizing System for increased durability
- Recessed thumb bar for comfort
- Self lubricating gear system, all models
- Cortez reels are backed by a 3-year warranty



CZ-10CS



Cortez Star Drag

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool	MSRP
CZ-10CS	6.2:1	4BB + 1RB	17.6	43"	18-lbs	430/15 (0.37), 350/20 (0.42), 260/25 (0.48)	GR	GR	AL	\$139.99
CZ-12CS	6.2:1	4BB + 1RB	18.4	43"	18-lbs	540/20 (0.42), 400/25 (0.48), 300/30 (0.55)	GR	GR	AL	\$139.99



CATALINA


Line Counter a



TSC

The Tension Spool Control knob is a small secondary carbon fiber drag system that incorporates an additional one-way clutch bearing that applies pressure to the spool in one direction.

This allows baits to be dropped back at a controlled rate while the boat is in gear without having the spool in complete freespool.



CATALINA Line Counter a

Catalina line counter Reels feature:

- A6061-T6 machined aluminum frame
- Machined aluminum, gold anodized spool
- TSC: Tension Spool Control System
- Mechanical line counter function measures in feet
- Stainless steel reinforcing side plate rings
- Multi-disc Carbonite drag system
- Ratcheting star drag for precise drag settings
- 3BB+2RB Stainless steel bearing drive system
- Quick-Set anti-reverse roller bearing
- Dual anti-reverse system. (Mechanical & roller bearing)
- Oversized hardened brass XL gearing system
- Self lubricating gear system, all models
- Wide Mouth Levelwind: Clearance for copper line
- Silent retrieve system for increased smoothness
- Automatic trip spool engaging mechanism
- MSS: Mechanical Stabilizing System for increased durability
- Catalina a line counter reels are backed by a 1-year warranty



CT-455Da



MSS

Strong, Stable, Smooth - Okuma's Mechanical Stabilizing System is a support system that ties the spool shaft, pinion gear, pinion gear bearing, drive shaft and main gear together with a single support system. While other reels on the market offer minimal or no gear stabilization, this Okuma design allows all of these critical parts to stay in precise alignment. Designed specifically to hold up to the demands of braided and wire line fishing, the MSS support system stabilizes the spool shaft at 3 key stress points to eliminate flex under pressure - which directly translates into a reel that is more durable, stronger and smoother than the competition.



Catalina a

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Slideplates	Spool	MSRP
CT-205Da	5.1:1	3BB + 2RB	17.3	23"	18-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	AL	GR	AL	\$214.99
CT-305Da	4.2:1	3BB + 2RB	22.7	24"	20-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	AL	GR	AL	\$224.99
CT-455Da	4.2:1	3BB + 2RB	24.4	26"	20-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	AL	GR	AL	\$234.99

CLARION

Clarion Reels feature:

- Lightweight corrosion resistant frame & side plates
- Machined aluminum, gold anodized spool
- Magnetic cast control system (203/303/453 models)
- Stainless steel reinforcing side plate rings
- Multi-disc Carbonite drag system
- Ratcheting drag star for precise drag settings
- 2BB+1RB Stainless steel bearing drive system
- Quick-Set anti-reverse roller bearing
- Dual anti-reverse system. (Mechanical and roller bearing)
- Speed Lock pinion gear system for instant engagement
- Oversized hardened brass XL gearing system
- Self lubricating gear system, all models
- Wide Mouth levelwind: Clearance for copper line
- Silent retrieve system for increased smoothness
- MSS: Mechanical Stabilizing System for increased durability
- Clarion star drag reels are backed by a 1-year warranty



Scan this tag with your smartphone to learn more about Clarion star drag reels



CLR-453L



MSS

Strong, Stable, Smooth - Okuma's Mechanical Stabilizing System is a support system that ties the spool shaft, pinion gear, pinion gear bearing, drive shaft and main gear together with a single support system. While other reels on the market offer minimal or no gear stabilization, this Okuma design allows all of these critical parts to stay in precise alignment. Designed specifically to hold up to the demands of braided and wire line fishing, the MSS support system stabilizes the spool shaft at 3 key stress points to eliminate flex under pressure – which directly translates into a reel that is more durable, stronger and smoother than the competition.



Clarion

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool	MSRP
<i>Levelwind reels</i>										
CLR-203L	5.1:1	2BB + 1RB	16.5	23"	18-lbs	230/14 (0.35), 170/18 (0.40), 160/20 (0.42)	GR	GR	AL	\$119.99
CLR-303L	4.2:1	2BB + 1RB	21.4	24"	20-lbs	460/15 (0.37), 370/20 (0.42), 280/25 (0.48)	GR	GR	AL	\$119.99
CLR-453L	4.2:1	2BB + 1RB	24.7	26"	20-lbs	510/20 (0.42), 380/25 (0.48), 290/30 (0.55)	GR	GR	AL	\$139.99
CLR-553L	4.0:1	2BB + 1RB	33.3	34"	22-lbs	680/25 (0.48), 520/30 (0.55), 440/40 (0.60)	GR	GR	AL	\$139.99
<i>High-Speed Levelwind reels</i>										
CLR-453LS	6.2:1	2BB + 1RB	22.7	41"	20-lbs	580/20(0.42), 430/25(0.48), 330/30(0.55)	GR	GR	AL	\$139.99
CLR-553LS	6.2:1	2BB + 1RB	30.7	53"	22-lbs	680/25(0.48), 520/30(0.55), 440/40(0.60)	GR	GR	AL	\$139.99

CLARION *Line Counter*

Clarion Line Counter Reels feature:

- Lightweight corrosion resistant frame & side plates
- Machined aluminum, gold anodized spool
- TSC: Tension Spool Control system for trolling
- Mechanical line counter function measures in feet
- Stainless steel reinforcing side plate rings
- Multi-disc Carbonite drag system
- Ratcheting drag star for precise drag settings
- 2BB+2RB Stainless steel bearing drive system
- Quick-Set anti-reverse roller bearing
- Dual anti-reverse system. (Mechanical and roller bearing)
- Speed Lock pinion gear system for instant engagement
- Oversized hardened brass XL gearing system
- Self lubricating gear system, all models
- Wide Mouth levelwind: Clearance for copper line
- Silent retrieve system for increased smoothness
- Automatic trip spool engaging mechanism
- MSS: Mechanical Stabilizing System for increased durability
- Clarion linecounters are backed by a 1-year warranty



CLR-304D



Wide Mouth Levelwind:

This heavy-duty, stainless steel levelwind is Titanium coated and built to withstand the punishment of braided and wire lines. The guide has been designed with an increased opening to insure proper knot clearance when fishing with double lines. This wide space allows for Albright or similar connection knots, as well as swivels and copper line to pass through the guide easier and be wound directly on the spool.



Clarion Line Counter

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool	MSRP
CLR-204D	5.1:1	2BB + 2RB	16.0	23"	18-lbs	290/14(0.35), 230/18(0.40), 210/10(0.42)	GR	GR	AL	\$149.99
CLR-304D	4.2:1	2BB + 2RB	21.6	24"	20-lbs	510/15(0.37), 420/20(0.42), 310/25(0.48)	GR	GR	AL	\$149.99
CLR-454D	4.2:1	2BB + 2RB	23.0	26"	20-lbs	580/20(0.42), 430/25(0.48), 330/30(0.55)	GR	GR	AL	\$149.99

CONVECTOR

Convector Reels feature:

- Lightweight corrosion resistant frame and side plates
- Machined aluminum, gun smoke anodized spool
- Stainless steel reinforcing side plate rings
- Multi-disc Carbonite drag system
- Ratcheting drag star for precise drag settings
- 2BB+1RB Stainless steel bearing drive system
- Quick-Set anti-reverse roller bearing
- Dual anti-reverse system. (Mechanical & roller bearing)
- Speed Lock pinion gear system
- Durable stainless steel main and pinion gear system
- XL gearing: Drop down gear box 20, 30, 45 sizes
- Self lubricating gear system, all models
- Wide Mouth levelwind ("L" models): Clearance for copper line
- Ergo grip handle knobs featured on all models
- Stainless steel Body Armor on CV-55L
- MSS: Mechanical Stabilizing System for increased durability
- Convector star drag reels are backed by a 1-year warranty



CV-45L



Convector

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool	MSRP
Levelwind reels										
CV-20L	5.1:1	2BB + 1RB	16.0	23"	18-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	AL	\$84.99
CV-30L	4.0:1	2BB + 1RB	20.9	24"	20-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	AL	\$84.99
CV-45L	4.0:1	2BB + 1RB	22.4	26"	20-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	GR	GR	AL	\$89.99
CV-55L	4.0:1	2BB + 1RB	34.7	34"	22-lbs	680/25 (0.48), 520/30 (0.55), 440/40 (0.60)	GR	GR	AL	\$104.99



CONVECTOR

Line Counter

Convector line counter Reels feature:

- Lightweight corrosion resistant frame and side plates
- Machined aluminum, gun smoke anodized spool
- Stainless steel reinforcing side plate rings
- Mechanical line counter function measures in feet
- Multi-disc Carbonite drag system
- Ratcheting drag star for precise drag settings
- 2BB+1RB Stainless steel bearing drive system
- Quick-Set anti-reverse roller bearing
- Dual anti-reverse system. (Mechanical & roller bearing)
- Speed Lock pinion gear system
- Durable stainless steel main and pinion gear system
- XL gearing: Drop down gear box on all models
- Self lubricating gear system, all models
- Wide Mouth levelwind: Clearance for copper line
- Spool stabilizing system for increased durability
- Ergo grip handle knobs featured on all models
- DLX represents left hand crank line counter models
- MSS: Mechanical Stabilizing System for increased durability
- Convector star drag reels are backed by a 1-year warranty



Anglers and charter boat captains all over the country reach for one strong and dependable reel. That reel is the Convector. This series of reels offers a wide range of sizes and models from conventional to levelwind, as well as a line counter series to fill in any missing tackle needs. The XL gearing provides durability and performance that you can count on. When it comes to drag systems, the Carbonite multi-disc system with micro-click drag adjustment rounds out this series and makes them the perfect reels for your boat.



Convector Line Counters

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool	MSRP
<i>Linecounter reels</i>										
CV-15D	5.1:1	2BB + 1RB	15.8	23"	18-lbs	330/10 (0.30), 290/12 (0.32), 240/14 (0.35)	GR	GR	AL	\$84.99
CV-20D	5.1:1	2BB + 1RB	16.5	23"	18-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	AL	\$84.99
CV-30D	4.0:1	2BB + 1RB	21.5	24"	20-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	AL	\$89.99
CV-45D	4.0:1	2BB + 1RB	22.9	26"	20-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	GR	GR	AL	\$89.99
<i>Left handed Linecounter reels</i>										
CV-20DLX	5.1:1	2BB + 1RB	16.5	23"	18-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	AL	\$84.99
CV-30DLX	4.0:1	2BB + 1RB	21.5	24"	20-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	AL	\$89.99



MAGDA^{PRO} Line Counter

Magda Pro Line Counter Reels feature:

- Lightweight corrosion resistant frame and side plates
- Corrosion resistant graphite spools
- Stainless steel reinforcing side plate rings
- Mechanical line counter function measures in feet
- Multi-disc Carbonite drag system
- 2 stainless steel ball bearings
- Durable machine cut brass gearing
- Self lubricating gear system, all models
- Stainless steel levelwind line guide system
- DLX represents left hand crank model
- Magda Pro reels are backed by a 1-year warranty



MA-20DX

Magda Pro

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool	MSRP
<i>Magda Pro line counter reels</i>										
MA-15DX	5.1:1	2BB	13.2	23"	15-lbs	330/10 (0.30), 290/12 (0.32), 240/14 (0.35)	GR	GR	GR	\$46.99
MA-20DX	5.1:1	2BB	13.8	23"	15-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	GR	\$49.99
MA-30DX	4.0:1	2BB	17.3	24"	17-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	GR	\$52.99
MA-45DX	4.0:1	2BB	18.6	26"	18-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	GR	GR	GR	\$56.99
<i>Left handed line counter reels</i>										
MA-20DLX	5.1:1	2BB	13.8	23"	15-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	GR	\$49.99
MA-30DLX	4.0:1	2BB	17.3	24"	17-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	GR	\$52.99

CLASSIC PRO

Classic Pro XP Reels feature:

- Lightweight corrosion resistant frame and side plates
- Machined aluminum, anodized spool
- Ported graphite frame design
- Stainless steel reel foot for strength
- Dependable multi-disc Rulidium drag system
- Classic Pro XP features 2 ball bearings
- Machine cut brass and stainless steel gearing
- Aluminum power handle with T-style knobs
- Self lubricating gear system
- Stainless steel levelwind line guide system
- Classic Pro XP reels are backed by a 1-year warranty

CLX Reels feature:

- Lightweight corrosion resistant frame and side plates
- Corrosion resistant graphite spools
- Ported graphite frame design
- Stainless steel reel foot for strength
- Dependable multi-disc Rulidium drag system
- CLX features a bushing drive
- Aluminum power handle with T-style knobs
- Self lubricating gear system
- Stainless steel levelwind line guide system
- CLX reels are backed by a 1-year warranty



XP-202L



CLX-300L



Classic Pro

Model	Gear Ratio	Ball Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool
<i>Classic Pro XP levelwind star drag reels</i>									
XP-202L	5.1:1	2BB	12.8	23"	12-lbs	290/14(0.35), 230/18(0.40), 210/20(0.42)	GR	GR	AL
XP-302L	3.8:1	2BB	15.6	24"	17-lbs	510/15(0.37), 420/20(0.42), 310/25(0.48)	GR	GR	AL
XP-452L	3.8:1	2BB	16.8	25"	18-lbs	580/20(0.42), 430/25(0.48), 330/30(0.55)	GR	GR	AL
<i>Classic levelwind star drag reels</i>									
CLX-200L	5.1:1	Bushing	12.0	23"	12-lbs	290/14(0.35), 230/18(0.40), 210/20(0.42)	GR	GR	GR
CLX-300L	3.8:1	Bushing	15.0	24"	17-lbs	510/15(0.37), 420/20(0.42), 310/25(0.48)	GR	GR	GR
CLX-450L	3.8:1	Bushing	16.0	25"	18-lbs	580/20(0.42), 430/25(0.48), 330/30(0.55)	GR	GR	GR



MAKAIRA

4D

Design, Drive, Drag, Durability

1. Design: Technology Driven Design.
2. Drive: Helical drive system for improved gear meshing and cranking power.
3. Drag: Carbon fiber DFD with Cal's Universal drag grease for maximum smoothness.
4. Durability: Cutting edge material and processing



Scan this tag with your
smartphone to learn more
about Makaira lever drag reels

Dual Force Drag System

The specialized carbon DFD or Dual Force Drag system used on all Makaira reels was specifically engineered to be mounted in the right side of the spool in order to bring all the mechanical workings closer together to maximize alignment and durability. The farther mechanical parts are separated the more opportunity there is for tolerance error and flexing which causes parts alignment issues.

The DFD principal was specifically designed around the "Pull Bar Drag System". The major advantage to a "Pull Bar Drag System" is that the drag is being pulled rather than pushed. The most common type of lever drag in the industry is the "Push Bar Drag System". The Push Bar System places heavy pressure on the left side plate and utilizes the frame for overall stability which is a fatal flaw in this type of design. This pressure creates frame flex, reducing drag pressure and causing tolerance alignment issues. This problem is further exaggerated on open top designs from other companies. One of the major benefits to the pull bar design is that there is no pressure placed on the frame. Therefore, our open top frame designs will not suffer frame flex found in our competitors reels.

This highly efficient drag system was designed and engineered by Tiburon Engineering USA to increase maximum drag pressure, reduce side load pressure on ball bearings and improve heat dissipation for long term smoothness over extended periods. This Okuma DFD is considered a wet drag system comprised of two carbon fiber drag washers that are sandwiched together and bonded with a fiber glass core. Pure carbon washers are coated with a thin layer of Cal Sheet's Universal drag grease for virtually zero start up inertia. These washers are compressed by two precision ground 17-4 grade stainless steel drag plates that have been ground flat then polished for maximum smoothness. These stainless steel friction drag plates have a minimum 32 Rockwell hardness allowing for high-end drag settings and consistently smooth drag performance at all ranges. The drag system is secured to the right side of the spool by a 6061-T6 grade aluminum cover that features Type-II anodizing for maximum alignment, strength and corrosion resistance.

MAKAIRA

Elite Lever Drag Reels

Makaira Reels feature:

- 6061-T6 machined aluminum frame with forged side plates
- 17-4 grade stainless steel gearing
- Helical cut gears for increased torque, smoothness and improved gear meshing
- Makaira reels all feature two-speed gearing systems
- Gold anodized two-speed gear shifter housing
- Cold forged, Type-II anodized, machined aluminum spool
- CRC: Corrosion Resistant Coating process
- Patented spool pin system for use with braided or mono lines
- Carbonite Dual Force drag system featuring Cal's universal drag grease
- Custom designed thrust bearing: Alleviates side load on heavy drag settings
- 4-pcs ABEC-5 precision Sapporo stainless steel ball bearings
- MK-80WII features 6-pcs of Sapporo ball bearings
- Double-dog, proprietary silent anti-reverse system
- Ratcheting drag lever and pre-set knob for precise drag setting
- Patented T-Bar handle with Easy Roll graphite insert on all models
- Heavy duty stainless steel ratcheting clicker system
- Heavy duty, 17-4 grade stainless steel drive and spool shafts
- Type-II gold anodized frame, side plates, spool, drag lever and handle
- Open top frame design on MK-10II, 15II, 20II, 30IISE and 50II
- Lug and plug system on all open top reel models
- Machined thumb rest on rear cross bar for improved ergonomics
- Forged aluminum full hard anodized reel foot and reel clamp
- Machine-etched marlin logo on left side plate
- Precision placement of drain holes maximizes water removal from reel
- Special screw ports around side plate screws reduces water/corrosion buildup
- Makaira lever drag reels are backed by a 5-year warranty



MK-30II



MK-30IISE



MACHINED
RIGID FRAME



DUAL FORCE DRAG

Makaira

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Monofilament line capacity (diameter in mm.)	Frame Style	Max Drag @ Strike with Freespool	Max Drag @ Full with Freespool	Frame Sideplates	Spool	MSRP
Two-Speed Lever Drag Reels											
MK-8II	4.7:1 & 2.1:1	4BB+1TB	24.2	33.5" & 15.0"	320/15 (0.37), 260/20 (0.42), 195/25 (0.48)	Topless	27-lbs	34-lbs	AL	AL	\$459.99
MK-10II	4.7:1 & 2.1:1	4BB+1TB	26.1	33.5" & 15.0"	460/15 (0.37), 380/20 (0.42), 280/25 (0.48)	Topless	27-lbs	34-lbs	AL	AL	\$459.99
MK-15II	4.7:1 & 2.1:1	4BB+1TB	26.8	33.5" & 15.0"	550/20 (0.42), 410/25 (0.48), 310/30 (0.55)	Topless	27-lbs	34-lbs	AL	AL	\$479.99
MK-20II	3.8:1 & 1.7:1	4BB+1TB	45.8	39.4" & 17.5"	870/25 (0.48), 660/30 (0.55), 530/40 (0.60)	Topless	37-lbs	55-lbs	AL	AL	\$499.99
MK-30II	3.8:1 & 1.7:1	4BB+1TB	48.0	39.4" & 17.5"	850/30 (0.55), 700/40 (0.60), 550/50 (0.70)	Crossbar	37-lbs	55-lbs	AL	AL	\$519.99
MK-30IISE	3.8:1 & 1.7:1	4BB+1TB	46.5	39.4" & 17.5"	850/30 (0.55), 700/40 (0.60), 550/50 (0.70)	Topless	37-lbs	55-lbs	AL	AL	\$529.99
MK-50II	3.2:1 & 1.3:1	4BB+1TB	61.4	37.8" & 15.3"	1000/30 (0.55), 650/50 (0.70), 400/80 (0.90)	Topless	60-lbs	85-lbs	AL	AL	\$569.99
MK-50WII	3.2:1 & 1.3:1	4BB+1TB	65.0	37.8" & 15.3"	900/50 (0.70), 780/60 (0.75), 560/80 (0.90)	Crossbar	60-lbs	85-lbs	AL	AL	\$619.99
MK-80WII	3.1:1 & 1.4:1	6BB+1TB	116.0	45.7" & 20.5"	1000/80 (0.90), 850/100 (1.0), 660/130 (1.12)	Crossbar	70-lbs	100-lbs	AL	AL	\$859.99

Silent anti-reverse:



The Makaira's proprietary anti-reverse system allows for a smoother and quieter feeling. We equate this feeling to that of a Lexus, when compared to other reels in the market. Most reels in the market hide their rough gear quality by the noise and vibration caused by the engagement and clacking of the anti-reverse pawls. The Okuma silent system is unlike any other 2-speed reel in the industry for smoothness. This anti-reverse system is supported by a 12 point double dog anti-reverse pawl system. The Makaira system is very simple in principal but the performance is extremely advanced. As you turn the reel forward the anti-reverse pawls slide open allowing a friction free and quiet retrieve. As soon as the handle is stopped or pulled backwards the anti-reverse pawls are

engaged into place by their drive shaft actuated sliding system. The strength of this anti-reverse system does not solely rely on a dog spring like found on most of our competitors reels. The sliding function does not rely heavily on a dog spring system and is mainly controlled by the forward and reverse movement applied to the drive shaft through the movement of the angler turning the handle.

Helical Cut Gearing:



Makaira lever drag reels utilize helical cut main and pinion gears. This process allows for improved gear meshing which equates to improved gear smoothness. The angled teeth found in helical cut gears engage more gradually than straight cut or spur gear teeth. This allows helical gears to run smoother and quieter compared to spur gears. Spur gears cause impact stress and noise, because of the hard meshing and can not take as much torque as helical gears because their teeth are receiving impact blows as they mesh together.

Grease and oil:



To further enhance the corrosion resistance of Makaira reels, Okuma applies our CRC or Corrosion Resistant Coating process to all internal and external parts for maximum protection. Our CRC process utilizes a coating process of Corrosion X HD formula that actually penetrates and bonds to the aluminum parts for long term protection. The extra steps taken in the assembly of the Makaira allows this reel to be a leader in the fishing tackle industry for long term use and performance. To further enhance the Makaira's function and performance, Okuma applies Cal's Universal drag grease to our carbon fiber drag washers for the smoothest wet drag system. The addition of Cal's drag grease allows for virtually zero start up inertia and smooth performance at all settings. Cal's Universal grease is also used for coating moving parts

such as the main and pinion gears for improved performance.

Makaira

Model	Brand of Spectra	Type of Braid (Hollow or Solid core)	Spectra Length	Top Shot Length
-------	------------------	---	----------------	-----------------

Braid Compacity for Makaira and Cedros reels

MK-8II	Izorline	Solid	350 yds of 50-lbs	short 3-4 ft. leader
MK-10II	Izorline	Solid	300-yds of 50-lbs	75 to 100-yds of 20 to 40-lbs
MK-15II	Izorline	Solid	300-yds of 65-lbs	80 to 100-yds of 30 to 50-lbs
MK-20II	Izorline	Solid	600-yds of 80-lbs	75-yds of 60-lbs
MK-30II	Jerry Brown	Hollow Core	800-yds of 100-lbs (HC)	80-yds of 80-lbs
MK-30IISE	Jerry Brown	Hollow Core	800-yds of 100-lbs (HC)	80-yds of 80-lbs
MK-50II	Jerry Brown	Hollow Core	600-yds of 130-lbs (HC)	50 to 80-yds of 80 to 100-lbs
MK-50WII	Jerry Brown	Hollow Core	800-yds of 130-lbs (HC)	50 to 80-yds of 80 to 100-lbs
MK-80WII	Jerry Brown	Hollow Core	1000-yds of 80-lbs (HC)	80 to 100-yds of 130-lbs

***CEDROS Machined Aluminum
Single-Speed Lever Drags***

CEDROS
10S
okuma


CEDROS

Cedros Reels feature:

- 6061-T6 Machined aluminum frame with forged side plates
- 17-4 grade precision helical cut stainless steel gearing
- Type-III hard anodized spool for maximum corrosion resistance
- CRC: Corrosion Resistant Coating process
- Carbonite Dual Force drag system featuring Cal's universal drag grease
- Custom designed thrust bearing: Alleviates side load on heavy drag settings
- 4-pcs ABEC-5 precision Sapporo stainless steel ball bearings
- Double dog, proprietary silent anti-reverse system
- Ratcheting drag lever and drag cam for precise drag setting
- Ergo grip handle knob: Perfect for jigging and live baiting
- Heavy duty stainless steel ratcheting clicker system CLD-20S
- Low-profile clicker system with stainless wishbone 8S, 10S and 15S
- Heavy duty, 17-4 grade stainless steel drive and spool shafts
- Type-II blue anodized frame, side plates, drag lever and handle
- Lug and plug system on all models for use with or without harness lugs
- Forged aluminum Type-III hard anodized reel foot and reel clamp
- Special screw ports around side plate screws reduce water/corrosion buildup
- Cedros lever drag reels are backed by a 5-year warranty



CLD-10S



Cedros

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Monofilament line capacity (diameter in mm.)	Max Drag @ Strike with Freespool	Max Drag @ Full with Freespool	Frame	Sideplates	Spool	MSRP
<i>Single-Speed Lever Drag Reels</i>											
CLD-8S	6.2:1	4BB + 1TB	23.4	42.5"	320/15(0.37), 260/20(0.42), 195/25(0.48)	27-lbs	34-lbs	AL	AL	AL	\$419.99
CLD-10S	6.2:1	4BB + 1TB	24.6	42.5"	460/15(0.37), 380/20(0.42), 280/25(0.48)	27-lbs	34-lbs	AL	AL	AL	\$419.99
CLD-15S	6.2:1	4BB + 1TB	25.8	42.5"	550/20(0.42), 410/25(0.48), 310/30(0.55)	27-lbs	34-lbs	AL	AL	AL	\$419.99
CLD-20S	6.2:1	4BB + 1TB	44.5	62.2"	870/25(0.48), 660/30(0.55), 530/40(0.60)	37-lbs	55-lbs	AL	AL	AL	\$469.99
CLD-10	4.1:1	4BB + 1TB	24.6	28.5"	460/15(0.37), 380/20(0.42), 280/25(0.48)	27-lbs	34-lbs	AL	AL	AL	\$419.99
CLD-15	4.1:1	4BB + 1TB	25.8	28.5"	550/20(0.42), 410/25(0.48), 310/30(0.55)	27-lbs	34-lbs	AL	AL	AL	\$419.99

Compact Spool Design Bearings

Two Speed Gears

Helical Cut Gearing

Silent Anti-reverse System

Okuma
LOW BACKDRAG REELS

Scan this tag with your smartphone to learn more about Andros lever drag reels



Bearings

Andros reels feature 2 precision EZO ball bearings by Sapporo Precision, Inc. in Japan. For all spool shaft bearings, Okuma uses ABEC-5 grade bearings for precision performance under all conditions. These ABEC-5 bearings allow friction free spinning for improved casting distance and reduced tension while live baiting. The drive shaft bearings feature rubber seals to prevent water penetration and are full packed with grease for longevity.

ANDROS

Andros Reels feature:

- Gear Ratios: 6.4:1 High / 3.8:1 Low
- 6-pcs ABEC-5 rated EZO Japanese ball bearings
- Quick-set, anti-reverse roller bearing
- External adjustable cast control system
- Ratchet drag lever for precise drag settings
- Ergo grip handle knob with anodized aluminum handle arm
- One screw right sideplate take down for easy internal access
- 17-4 grade stainless steel helical cut gearing
- Maximum drag at Full with complete freespool is 24 lbs
- Maximum drag at Strike with complete freespool is 15 lbs
- Carbonite drag system with Cal's drag grease
- Integrated recessed reel foot design for low profile rod fit
- Backed by a 3-year limited warranty



A-5II



MACHINED
RIGID FRAME



Andros

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Monofilament line capacity (diameter in mm.)	Max Drag @ Strike with Freespool	Max Drag @ Full with Freespool	Frame	Sideplates	Spool	MSRP
A-5II	6.4:1&3.8:1	6BB	15.5	42.1" & 24.8"	620/12 (0.32), 430/15 (0.37), 340/20 (0.42)	15.4-lbs	24.2-lbs	AL	AL	AL	\$399.99

High-Speed Lever Drag Reels

SOLTERRA

Solterra Reels feature:

- Stainless steel main gears, pinion gears and shafts
- Single-speed, High-speed and Two-speed models
- Durable corrosion resistant frame and side plates
- Stainless steel reinforcing side plate rings
- Forged aluminum, gold anodized spool
- Carbonite drag system with Cal's universal drag grease
- 5BB stainless steel shielded ball bearings, 20-50W models
- 4BB+1RB stainless steel shielded bearings, 10/15 models
- Double-dog, proprietary silent anti-reverse
- Dual anti-reverse system on all 10/15 sizes
- Ratcheting drag lever for precise drag setting
- Stainless steel Body Armor reduces frame flex, 20-50W models
- Patented T-Bar handle with Easy Roll graphite insert, 20-50W models
- Ergo grip comfort handle on all 10/15 models
- Low profile On/Off clicker with stainless steel wishbone
- Strong Arm Levelwind: Stainless steel with Ti coating, "L" models
- Left handed models available: SLR-10LX and SLR-15LX
- High Speed 6.0:1 gear ratios on SLR-10CS and SLR-15CS
- Open top frame design on SLR-10CS and SLR-15CS
- Solterra lever drag reels are backed by a 1-year warranty



SLR-10L



SLR-15CS



SLR-15L



SLR-20L



Solterra

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Monofilament line capacity (diameter in mm.)	Max Drag @ Strike with Freespool	Max Drag @ Full with Freespool	Frame	Sideplates	Spool	MSRP
<i>High-speed open top frame reels</i>											
SLR-10CS	6.0:1	5HPB + 1RB	23.0	42"	460/15 (0.37), 380/20 (0.42), 280/25 (0.48)	15-lbs	22-lbs	GR	GR	AL	\$134.99
SLR-15CS	6.0:1	5HPB + 1RB	24.2	42"	550/20 (0.42), 410/25 (0.48), 310/30 (0.55)	15-lbs	22-lbs	GR	GR	AL	\$134.99
<i>Levelwind reels</i>											
SLR-10L	4.2:1	5HPB + 1RB	24.1	29"	460/15 (0.37), 380/20 (0.42), 280/25 (0.48)	15-lbs	22-lbs	GR	GR	AL	\$144.99
SLR-15L	4.2:1	5HPB + 1RB	25.5	29"	550/20 (0.42), 410/25 (0.48), 310/30 (0.55)	15-lbs	22-lbs	GR	GR	AL	\$144.99
SLR-20L	3.5:1	5-HPB	39.5	32"	620/25 (0.48), 480/30 (0.55), 400/40 (0.60)	26-lbs	33-lbs	GR	GR	AL	\$184.99
SLR-50L	3.1:1	5-HPB	53.0	32"	830/30 (0.55), 520/50 (0.70), 310/80 (0.90)	32-lbs	40-lbs	GR	GR	AL	\$224.99



Solterra

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Monofilament line capacity (diameter in mm.)	Max Drag @ Strike with Freespool	Max Drag @ Full with Freespool	Frame	Sideplates	Spool	MSRP
<i>Standard Single speed Lever Drags (Features closed frame with top cross bar and harness lugs)</i>											
SLR-20	3.5:1	5-HPB	37.8	32"	620/25(0.48), 480/30(0.55), 400/40(0.60)	26-lbs	33-lbs	GR	GR	AL	\$169.99
SLR-30	3.5:1	5-HPB	38.5	32"	640/30(0.55), 540/40(0.60), 400/50(0.70)	26-lbs	33-lbs	GR	GR	AL	\$189.99
SLR-50W	3.1:1	5-HPB	51.0	32"	710/50(0.70), 600/60(0.75), 420/80(0.90)	32-lbs	40-lbs	GR	GR	AL	\$209.99
<i>Two-Speed Lever Drags (Features closed frame with top cross bar and harness lugs)</i>											
SLR-20II	3.8:1/1.7:1	5-HPB	38.0	35" & 15"	620/25(0.48), 480/30(0.55), 400/40(0.60)	26-lbs	33-lbs	GR	GR	AL	\$229.99
SLR-30II	3.8:1/1.7:1	5-HPB	39.0	35" & 15"	640/30(0.55), 540/40(0.60), 400/50(0.70)	26-lbs	33-lbs	GR	GR	AL	\$249.99
SLR-50II	3.1:1/1.3:1	5-HPB	50.0	32" & 13"	830/30(0.55), 520/50(0.70), 310/80(0.90)	32-lbs	40-lbs	GR	GR	AL	\$279.99
SLR-50WII	3.1:1/1.3:1	5-HPB	51.5	32" & 13"	710/50(0.70), 600/60(0.75), 420/80(0.90)	32-lbs	40-lbs	GR	GR	AL	\$319.99
<i>Left-Handed Levelwind reels</i>											
SLR-10LX	4.2:1	5HPB + 1RB	24.2	29"	460/15 (0.37), 380/20 (0.42), 280/25 (0.48)	15-lbs	22-lbs	GR	GR	AL	\$144.99
SLR-15LX	4.2:1	5HPB + 1RB	25.5	29"	550/20 (0.42), 410/25 (0.48), 310/30 (0.55)	15-lbs	22-lbs	GR	GR	AL	\$144.99

Rod Technology

IM-8 Graphite

Okuma uses IM-8 grade graphite in conjunction with our Evo Graph technology to produce one of the strongest yet most responsive blanks available in our GS series. IM-8 graphite is a commonly-referred-to term in the fishing industry which describes the stiffness-to-weight ratio of a graphite blank. IM-8 graphite is around 45 million modulus for added responsiveness, increased power and reduced weight. For comparison purposes, standard graphite is only around 33 million modulus.

IM-6 Graphite

At 38 million modulus, IM-6 graphite is a perfect blend of strength and sensitivity. Currently IM-6 is one of the more popular grades of graphite used for mid-range priced rods due to its improved sensitivity and durability characteristics.



The EVO Graph technology brings carbon fiber to new levels for rod development. The Evo Graph system uses a carbon fiber weave to wrap the outside layer of the rod blank for increased strength. The multi-directional Evo Graph fibers allow improved hoop strength and sensitivity for overall performance and longevity.

E-Glass

The term E-Glass refers to a grade of fiberglass that has a high strength-to-weight ratio for rod blank production. Due to its long history for both strength and durability, this material has earned a strong reputation for being one of the most durable rod blank materials for saltwater blank construction. Okuma uses both E-Glass and E-Glass/Graphite compositions to produce some of the strongest and most responsive blanks on the market.

TiCl guides

Pacific Bay's TiCl coated boat guides feature stainless steel rings and frames. These guides all feature a super hard chrome undercoating for maximum saltwater durability. For ultimate strength these guides are all welded with silver solder reinforcement.

Limited Lifetime Warranty

Specific high-end Okuma rod models are backed by a limited lifetime factory warranty. These rod series represent Okuma's highest-end product range for rod development and quality. For more information on Okuma's lifetime warranty program, please contact our customer service department at (800) GO-OKUMA.

Aluminum Oxide

Originally introduced by the Fuji Corporation as the "Hard" ring, Aluminum Oxide has grown in popularity to be one of the most commonly used ring materials in today's market. The success of Aluminum Oxide is due to its ability to produce a thin profile and very hard composition. As a result of these two features, Aluminum Oxide is a perfect material able to withstand the high friction and stresses of today's modern fishing lines. Aluminum Oxide guide rings are offered by several manufacturers and are usually diamond polished for a smooth surface to eliminate friction and increase casting distance.



Alconite Rings:

Alconite is a material used on Fuji's New Concept guide frames to reduce heat and friction caused by braided lines. This material is thinner and lighter for an overall better feel on your rod. Alconite is also 1.8 times harder than Hardloy, making this the perfect material for fishing with any of the super braids on the market. Both Alconite and Hardloy are registered trademarks of the Fuji Corporation.



New Concept frames:

The precision placement of Fuji's New Concept guide frames on a rod blank dramatically increases a rod's performance. Fuji describes the improvements as having Greater Sensitivity, Greater Castability, Increased Accuracy, Improved Weight Balance, Greater Hooking Power, and Reduced Line Twist, while Maximizing Rod Power. The increased performance of these guides stems from a 60% reduction in weight when compared to other standard rod components. In addition, by adding more guides the overall drag resistance placed on the rod is dramatically reduced allowing anglers to land their fish more easily. New Concept Guides is a registered trademark of the Fuji Corporation.

Graphite butt

Graphite rod butts are most commonly used on saltwater rod applications because of their ease of sliding in and out of rod holders. This is especially true when trolling and the rod is under heavy pressure. Foam style butts will hang up in the rod holder and will be harder to slide out when a fish is hooked. These durable nylon rod butts will not cut or groove like traditional style foam rod butts.

Channel Lock®

Channel Lock® Aluminum Butts: The Channel Lock design on Pacific Bay's aluminum rod butts allows for improved rod and reel seat alignment with a grooved channel that is integrated into the top of the reel seat. This channel allows the reel to seat properly every time without side to side slippage. These durable aluminum butts are machined from marine-grade aluminum for maximum strength. For durability these butts are all anodized to prevent corrosion. Channel Lock is a registered trademark of Pacific Bay International, Inc.



HELIOS

Helios Rods feature:

- 40-Ton carbon, ultra sensitive blank construction
- Rods starting in the 3.6 oz. range
- Designed with ALPS Mini Guide System
- Ultra hard Zirconium guide inserts for braided line
- Zero foregrip design for improved balance and weight reduction
- Machined aluminum reel seat thread with Fuji hood
- Durable, lightweight Pac Bay MINIMA reel seat and trigger
- Split grip butt design for reduced weight & improved balance
- Comfortable EVA rear grips
- Fuji moveable hook keeper for precise keeper placement
- Helios rods are backed by a limited lifetime warranty



Helios Mini Guide rods come with a convenient Fuji EZ Moveable Hook Keeper. This lightweight, yet strong hook keeper attaches and detaches from the rod quickly and easily and can be placed anywhere on the rod. It folds down easily when not in use and comes

with two different size O-rings to accommodate different rod diameters.



A Pac Bay MINIMA casting reel seat

Helios Mini guides Casting rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz)	MSRP
<i>Mini guides Casting Rods</i>												
HS-CM-701M	M	F	7'0"	8-17 lbs	1/4-5/8	1-pcs	N/A	9-3/4"	9 + Tip	A	3.6	\$174.99
HS-CM-701MH	MH	F	7'0"	10-20 lbs	1/4-1	1-pcs	N/A	10-3/4"	9 + Tip	A	3.7	\$174.99
HS-CM-701H	H	F	7'0"	12-25 lbs	3/8-1-1/4	1-pcs	N/A	10-3/4"	9 + Tip	A	4.0	\$174.99
HS-CM-761H	H	F	7'6"	12-25 lbs	3/8-1-1/4	1-pcs	N/A	12"	10 + Tip	A	4.3	\$174.99
HS-CM-761XH	XH	F	7'6"	15-30 lbs	1/2-2	1-pcs	N/A	12"	10 + Tip	A	5.0	\$174.99



C³-40X CARBON CONE CONCEPT

If your weekend is booked, traveling from place to place, fishing every tournament, then you need the rod that will help you win these tournaments. If you're a bass junkie or redbait angler, the C3 Carbon Cone Concept rod is what you truly need. Once you put it in your hand, it will be something you truly want. The C3 rod was designed with light, yet sensitive, 40 ton graphite and X-fast actions. This rod is great for pulling fish out of heavy cover and for casting baits a mile. Additionally, the C3 rod is one of the lightest in its class, and its feather like feel allows you to fish it for hours with very little arm and wrist fatigue. What makes this rod different than other rods in the market is the 100% carbon grips that have been lightly sanded, creating a very unique feel. They even feel tacky to the touch when the grips are wet. Okuma was looking to develop a tournament angler's rod, so quality components are an essential part of this rod series. C3 uses Pac Bay MINIMA reel seats to reduce weight. Also to reduce weight we used Titanium guide frames with Zirconium inserts and added ALPS low-profile guides on the casting models' tip section to reduce weight and create better rod action. Pound-for-pound, this is the perfect high-end tournament-fishing rod, and rest assured, it even comes with the Okuma Limited Lifetime Warranty.



Every new C3-40X rod incorporates a Pac Bay MINIMA reel seat. These lightweight, yet strong reel seats are combined with the split rear grip design and no fore grip for one of the lightest, most comfortable handle systems available. These reel seats are up to 30% lighter than conventional reel seats and the skeletal layout gives the angler maximum contact with the rod. The results are less fatigue, increased sensitivity and more fish in the boat.



C3-40X rods come with a convenient Fuji EZ Moveable Hook Keeper. This lightweight, yet strong hook keeper attaches and detaches from the rod quickly and easily and can be placed anywhere on the rod. It folds down easily

when not in use and comes with two different size O-rings to accommodate different rod diameters.

C³-40X Carbon Cone Concept Rods feature:

- 40-Ton carbon, ultra sensitive blank construction
- Custom 1K woven "Carbon Cone" grip configuration
- Ultra hard Zirconium guide inserts for braided line
- ALPS Titanium guide frames on all spinning models
- ALPS Titanium guide frames on all casting rods
- Fuji reel seat hood with carbon threads
- Durable, lightweight Pac Bay MINIMA reel seat
- Split grip butt for reduced weight & improved balance
- Fuji moveable hook keeper for precise keeper placement
- C3 rods are backed by a limited lifetime warranty



A Pac Bay MINIMA spinning reel seat



B Pac Bay MINIMA casting reel seat

C3-40x Carbon Cone Concept Rods

Model	Rod Power	Reel Tapar	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz)	MSRP
<i>Casting Rods</i>												
C3x-C-661M	M	F	6'6"	8-17lbs	1/4-5/8	1-pcs	1-1/4"	9"	8 + Tip	B	3.4	\$149.99
C3x-C-661MH	MH	F	6'6"	10-20lbs	1/4-1	1-pcs	1-1/4"	9"	8 + Tip	B	3.6	\$149.99
C3x-C-681MH	MH	F	6'8"	10-20lbs	3/16-3/4	1-pcs	1-1/4"	9"	9 + Tip	B	3.9	\$149.99
C3x-C-681H	H	F	6'8"	12-20lbs	3/8-1	1-pcs	1-1/4"	9"	9 + Tip	B	4.5	\$159.99
C3x-C-6101MH	MH	F	6'10"	12-20lbs	1/4-1	1-pcs	1-1/4"	9"	9 + Tip	B	4.0	\$159.99
C3x-C-701ML	ML	F	7'0"	6-12lbs	1/8-3/8	1-pcs	1-1/4"	9"	9 + Tip	B	3.7	\$159.99
C3x-C-701M	M	F	7'0"	8-17lbs	1/4-5/8	1-pcs	1-1/4"	9"	9 + Tip	B	3.8	\$159.99
C3x-C-701MH	MH	F	7'0"	10-20lbs	1/4-1	1-pcs	1-1/4"	9"	9 + Tip	B	4.2	\$159.99
C3x-C-721H	H	F	7'2"	12-20lbs	3/8-1	1-pcs	1-1/4"	11"	9 + Tip	B	5.4	\$169.99
C3x-C-721XH	XH	F	7'2"	15-30lbs	1/2-2	1-pcs	1-1/4"	11"	9 + Tip	B	5.6	\$169.99
C3x-C-761M	M	F	7'6"	8-17lbs	3/8-3/4	1-pcs	1-1/4"	9"	11 + Tip	B	4.4	\$169.99
C3x-C-7101M	M	F	7'10"	8-17lbs	1/4-1	1-pcs	1-1/4"	10"	11 + Tip	B	5.8	\$169.99
<i>Swimbait rods</i>												
C3x-C-7111H	H	F	7'11"	15-30 lbs	1-5	1-pcs	1-1/4"	14"	10 + Tip	B	5.7	\$189.99
C3x-C-7111XH	XH	F	7'11"	20-40 lbs	2-8	1-pcs	1-1/4"	14"	10 + Tip	B	6.4	\$189.99
<i>Spinning Rods</i>												
C3x-S-661M	M	F	6'6"	8-17 lbs	1/4-5/8	1-pcs	1-1/2"	7"	6 + Tip	A	3.4	\$149.99
C3x-S-661MH	MH	F	6'6"	10-20 lbs	1/4-1	1-pcs	1-1/2"	7"	6 + Tip	A	3.7	\$149.99
C3x-S-681ML	ML	F	6'9"	6-10 lbs	1/8-1/2	1-pcs	1-1/2"	7"	7 + Tip	A	3.6	\$159.99
C3x-S-6101L	L	F	6'10"	4-8 lbs	1/8-3/8	1-pcs	1-1/2"	7"	7 + Tip	A	3.8	\$159.99
C3x-S-6101MH	MH	F	6'10"	6-14 lbs	1/16-5/8	1-pcs	1-1/2"	8"	7 + Tip	A	4.2	\$159.99
C3x-S-701ML	ML	F	7'0"	6-12 lbs	1/8-3/8	1-pcs	1-1/2"	7"	7 + Tip	A	3.9	\$159.99
C3x-S-701M	M	F	7'0"	8-17 lbs	1/4-5/8	1-pcs	1-1/2"	7"	7 + Tip	A	4.2	\$159.99
C3x-S-701MH	MH	F	7'0"	10-20 lbs	1/4-1	1-pcs	1-1/2"	7"	7 + Tip	A	4.4	\$169.99
C3x-S-741ML	ML	F	7'4"	6-12 lbs	1/8-3/8	1-pcs	1-1/2"	8"	7 + Tip	A	4.0	\$169.99
C3x-S-761M	M	F	7'6"	8-17 lbs	3/8-3/4	1-pcs	1-1/2"	7"	8 + Tip	A	4.2	\$169.99

CITRIX

Citrix Rods feature:

- IM8 graphite blank construction
- Lightweight EVA split grips for reduced weight
- Zero foregrip design for improved balance and weight reduction
- ALPS stainless steel guide frames
- Zirconium line guide inserts for use with braid or mono lines
- Pac Bay MINIMA reel seat for reduced weight
- Custom anodized aluminum reel seat threads for strength and balance
- Stainless steel hook keeper
- Citrix rods are backed by a limited lifetime warranty



A Pac Bay MINIMA reel seat



B Pac Bay MINIMA reel seat with trigger

Scan this tag with your smartphone to learn more about Citrix rods



Citrix Rod

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>												
Ci-C-661M	M	F	6' 6"	8-17 lbs	1/4-5/8	1-pcs	N/A	9-3/4"	10 + Tip	B	4.0	\$119.99
Ci-C-661MH	MH	F	6' 6"	10-20 lbs	1/4-1	1-pcs	N/A	9-3/4"	10 + Tip	B	4.0	\$119.99
Ci-C-681MH	MH	F	6' 8"	10-20 lbs	1/4-1	1-pcs	N/A	9-3/4"	10 + Tip	B	4.2	\$119.99
Ci-C-701ML	ML	F	7' 0"	6-12 lbs	1/8-3/8	1-pcs	N/A	9-3/4"	10 + Tip	B	3.8	\$119.99
Ci-C-701M	M	F	7' 0"	8-17 lbs	1/4-5/8	1-pcs	N/A	9-3/4"	10 + Tip	B	4.2	\$119.99
Ci-C-701MH	MH	F	7' 0"	10-20 lbs	1/4-1	1-pcs	N/A	9-3/4"	10 + Tip	B	4.3	\$119.99
<i>Spinning Rods</i>												
Ci-S-661ML	ML	F	6' 6"	6-12 lbs	1/8-3/8	1-pcs	N/A	7-3/4"	7 + Tip	A	3.8	\$119.99
Ci-S-661M	M	F	6' 6"	8-17 lbs	1/4-5/8	1-pcs	N/A	7-3/4"	7 + Tip	A	4.2	\$119.99
Ci-S-661MH	MH	F	6' 6"	10-20 lbs	1/4-1	1-pcs	N/A	7-3/4"	7 + Tip	A	4.3	\$119.99
Ci-S-691ML	ML	F	6' 9"	6-10 lbs	1/8-1/2	1-pcs	N/A	9-1/2"	7 + Tip	A	4.0	\$119.99
Ci-S-701M	M	F	7' 0"	8-17 lbs	1/4-5/8	1-pcs	N/A	9-1/2"	7 + Tip	A	4.3	\$119.99
Ci-S-701MH	MH	F	7' 0"	10-20 lbs	1/4-1	1-pcs	N/A	9-1/2"	7 + Tip	A	4.4	\$119.99



CITRIX

TRAVEL RODS

Citrix Travel Rods feature:

- IM8 graphite blank construction
- Custom 4-pcs travel design
- Lightweight EVA split grips for reduced weight
- Zero foregrip design for improved balance and weight reduction
- ALPS stainless steel guide frames
- Zirconium line guide inserts for use with braid or mono lines
- Pac Bay MINIMA reel seat for reduced weight
- Custom anodized aluminum reel seat threads for strength and balance
- Stainless steel hook keeper
- Convenient travel rod tube
- Citrix rods are backed by a limited lifetime warranty



A Pac Bay MINIMA spinning reel seat



B Pac Bay MINIMA trigger reel seat

Citrix Travel Rod

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Travel Casting Rods</i>												
CIT-C-724M	M	F	7' 2"	8-17 lbs	1/4-5/8	4-pcs	N/A	10-1/2"	9 + Tip	B	4.4	\$119.99
<i>Travel Spinning Rods</i>												
CIT-S-664ML	ML	F	6' 6"	6-12 lbs	1/8-3/8	4-pcs	N/A	8-3/4"	6 + Tip	A	4.0	\$119.99
CIT-S-724ML	ML	F	7' 2"	6-12 lbs	1/8-3/8	4-pcs	N/A	8-3/4"	7 + Tip	A	4.3	\$119.99
CIT-S-724M	M	F	7' 2"	8-17 lbs	1/4-5/8	4-pcs	N/A	8-3/4"	7 + Tip	A	4.5	\$119.99

EV_x "a" Specialty Rods



A Fuji DPS pipe spinning reel seat with split rear cork grips



B ACS Fuji trigger reel seat with split rear cork grips



C ACS Fuji trigger reel seat with straight cork rear grips

EV_x "a" Specialty Rods feature:

- IM-8 graphite blank construction
- Crank bait rods are glass blank construction
- ALPS stainless steel guide frames
- Zirconium guide inserts for braided line
- Fuji ACS trigger reel seat on casting models
- Fuji DPS carbon reel seat on spinning models
- Premium cork full or split grips
- Casting rods with rear split grip & no foregrip
- Spinning rods with rear split grip & no foregrip
- Crank bait rods with full rear cork butt, no foregrip
- Integrated compressed cork butt cap
- EV_x rods are backed by a limited lifetime warranty



EV_x "a" Specialty Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>												
EVx-C-601Ma	M	MF	6'0"	8-17 lbs	1/4-5/8	1-pcs	N/A	7-3/4"	9 + Tip	B	3.4	\$94.99
EVx-C-661MLa	ML	MF	6'6"	6-12 lbs	1/8-3/8	1-pcs	N/A	9-3/4"	10 + Tip	B	3.6	\$94.99
EVx-C-661Ma	M	MF	6'6"	8-17 lbs	1/4-5/8	1-pcs	N/A	9-3/4"	10 + Tip	B	3.8	\$94.99
EVx-C-661MHa	MH	F	6'6"	10-20 lbs	1/4-1	1-pcs	N/A	9-3/4"	10 + Tip	B	4.0	\$94.99
EVx-C-661Ha	H	MF	6'6"	12-25 lbs	3/8-1-1/4	1-pcs	N/A	9-3/4"	10 + Tip	B	4.2	\$94.99
EVx-C-681MHa	MH	MF	6'8"	10-20 lbs	1/4-1	1-pcs	N/A	9-3/4"	10 + Tip	B	3.8	\$94.99
EVx-C-691MHa	MH	MF	6'9"	12-25 lbs	3/8-1-1/2	1-pcs	N/A	9-3/4"	10 + Tip	B	4.2	\$94.99
EVx-C-701MLa	ML	MF	7'0"	6-12 lbs	1/8-3/8	1-pcs	N/A	9-3/4"	10 + Tip	B	3.4	\$94.99
EVx-C-701Ma	M	F	7'0"	8-17 lbs	1/4-5/8	1-pcs	N/A	9-3/4"	10 + Tip	B	3.8	\$94.99
EVx-C-701MHa	MH	F	7'0"	10-20 lbs	1/4-1	1-pcs	N/A	9-3/4"	10 + Tip	B	4.2	\$94.99
EVx-C-761H-Ta	H	MF	7'6"	12-25 lbs	3/8-1-1/4	1-pcs Tele	N/A	9-3/4"	10 + Tip	B	5.8	\$94.99
EVx-C-751MHa	MH	MF	7'5"	10-20 lbs	1/4-1	1-pcs	N/A	10-3/4"	9 + Tip	B	4.4	\$109.99
EVx-C-751Ha	H	F	7'5"	12-25 lbs	3/8-1-1/4	1-pcs	N/A	10-3/4"	9 + Tip	B	5.0	\$109.99
<i>Crank Bait Rods</i>												
EVx-CB-661Ma	M	S/M	6'6"	12-25 lbs	1/4-1	1-pcs	N/A	9"	10 + Tip	C	6.6	\$79.99
EVx-CB-701Ma	M	S/M	7'0"	12-25 lbs	1/4-1	1-pcs	N/A	9"	10 + Tip	C	7.4	\$79.99
EVx-CB-781Ma	M	S/M	7'8"	12-25 lbs	1/4-1	1-pcs	N/A	10"	10 + Tip	C	8.5	\$94.99
<i>Spinning Rods</i>												
EVx-S-662Ma	M	MF	6'6"	8-17 lbs	1/4-5/8	2-pcs	N/A	7-3/4"	7 + Tip	A	4.2	\$94.99
EVx-S-702Ma	M	MF	7'0"	8-17 lbs	1/4-5/8	2-pcs	N/A	8-1/2"	7 + Tip	A	4.6	\$94.99
EVx-S-661MLa	ML	MF	6'6"	6-12 lbs	1/8-3/8	1-pcs	N/A	7-3/4"	7 + Tip	A	3.8	\$94.99
EVx-S-661Ma	M	MF	6'6"	8-17 lbs	1/4-5/8	1-pcs	N/A	7-3/4"	7 + Tip	A	4.0	\$94.99
EVx-S-661MHa	MH	F	6'6"	10-20 lbs	1/4-1	1-pcs	N/A	7-3/4"	7 + Tip	A	4.2	\$94.99
EVx-S-691MLa	ML	MF	6'9"	6-10 lbs	1/8-1/2	1-pcs	N/A	9-1/2"	7 + Tip	A	3.6	\$94.99
EVx-S-6101La	L	M	6'10"	4-8 lbs	1/8-3/8	1-pcs	N/A	9-1/2"	7 + Tip	A	3.6	\$94.99
EVx-S-701La	L	MF	7'0"	4-8 lbs	1/8-3/8	1-pcs	N/A	7-3/4"	7 + Tip	A	3.6	\$94.99
EVx-S-701MLa	ML	MF	7'0"	6-12 lbs	1/8-3/8	1-pcs	N/A	8-1/2"	7 + Tip	A	3.8	\$94.99
EVx-S-701Ma	M	F	7'0"	8-17 lbs	1/4-5/8	1-pcs	N/A	9-1/2"	7 + Tip	A	4.0	\$94.99
EVx-S-701MHa	MH	F	7'0"	10-20 lbs	1/4-1	1-pcs	N/A	9-1/2"	7 + Tip	A	4.4	\$94.99
EVx-S-731La	L	MF	7'3"	6-10 lbs	1/8-1/2	1-pcs	N/A	7-3/4"	7 + Tip	A	3.8	\$94.99



EVX MUSKY Rods

EVx Musky Rods feature:

- IM-8 graphite blank construction
- ALPS stainless steel guide frames
- Zirconium guide inserts for braided line
- ALPS, welded Tungsten Carbide tip
- Premium Fuji reel seats
- Premium cork, fore and rear grips
- Integrated compressed cork butt cap
- Telescopic "T": Easy storage and longer rods for casting
- Stainless steel hook keepers
- EVx Musky rods are backed by a limited lifetime warranty



A Fuji Trigger reel seat



B Fuji Trigger reel seat with split butt cork grips

EVA Musky Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
EVx-C-6101XH	XH	F	6'10"	50-100 lbs	4-12	1-pcs	5-1/2"	12-1/4"	7 + Tip	A	9.6	\$104.99
EVx-C-741H	H	MF	7'4"	30-80 lbs	2-10	1-pcs	5-1/2"	15"	8 + Tip	A	10.4	\$104.99
EVx-C-761H	H	MF	7'6"	30-65 lbs	2-6	1-pcs	5-1/2"	14"	8 + Tip	A	8.8	\$114.99
EVx-C-801H	H	MF	8'0"	30-65 lbs	2-6	1-pcs	5-1/2"	14"	9 + Tip	A	10.0	\$114.99
<i>Telescopic Musky rods</i>												
EVx-C-861H-Ta	H	MF	8'6"	30-65 lbs	2-8	1-pcs Tele	5-1/2"	16"	9 + Tip	B	8.7	\$129.99
EVx-C-861XH-Ta	XH	MF/F	8'6"	50-100 lbs	4-12	1-pcs Tele	5-1/2"	16"	9 + Tip	B	9.4	\$129.99
EVx-C-861XXH-Ta	XXH	F	8'6"	65-130 lbs	4-16	1-pcs Tele	5-1/2"	16"	9 + Tip	B	11.7	\$129.99
EVx-C-931H-Ta	H	MF/F	9'3"	50-100 lbs	2-10	1-pcs Tele	5-1/2"	16"	10 + Tip	B	9.7	\$129.99



Walleye Actions • •

DEAD EYE

Technique Specific • •

DeadEye Rods feature:

- 23 Walleye technique specific actions
- Sensitive and responsive IM-8 blanks: Spinning Jigging, Crankbait and multi-purpose baitcasting rods
- Durable and responsive carbon composite blanks: Bottom Bouncer, Slow Death and Dead Stick Rods
- Tubular glass rod blanks for ultimate durability on trolling rods: Planer, Big Board and Leadcore rods
- One-piece, two-piece and telescopic models
- Featuring full cork grips, split cork grips or shrink tube butt designs with EVA triangular fore grips
- Spinning Jig, Crankbait, Bottom Bouncer, Dead Stick and All Purpose baitcast rods use ALPS gun smoke stainless steel guide frames with hardened Zirconium inserts
- Open Water Trolling/Planer Board, Leadcore, Slow Death and Big Board rods use gun smoke stainless steel guide frames with polished titanium oxide inserts
- 1-year warranty on Open Water, Leadcore, and Big Board rods
- Limited Lifetime warranty on Spinning Jig, Crankbait, Bottom Bouncer, Dead Stick, Slow Death and all Purpose Baitcast rods



A Spinning reel seat with split cork grips



B Casting rod with split cork grips



C Casting rod with full cork butt section



D Shrink tube butt section with trigger reel seat



E Casting rod with full cork butt section and no fore grip



DEAD EYE Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Spinning Jig Rod</i>												
DE-S-661-MLFT	ML	F	6'6"	4-10 lbs	1/16-3/8	1-pcs	2"	9"	6 + Tip	A	3.9	\$99.99
DE-S-701-MLFT	ML	F	7'0"	4-10 lbs	1/16-3/8	1-pcs	2"	9"	7 + Tip	A	4.1	\$99.99
DE-S-701-MFT	M	F	7'0"	6-12 lbs	1/8-5/8	1-pcs	2"	9"	7 + Tip	A	4.4	\$99.99
DE-S-662ML	ML	F	6'6"	4-10 lbs	1/16-3/8	2-pcs	2"	9"	6 + Tip	A	4.4	\$99.99
DE-S-661ML	ML	F	6'6"	4-10 lbs	1/16-3/8	1-pcs	2"	9"	6 + Tip	A	4.0	\$99.99
DE-S-662M	M	F	6'6"	6-12 lbs	1/8-5/8	2-pcs	2"	9"	6 + Tip	A	4.4	\$99.99
DE-S-661M	M	F	6'6"	6-12 lbs	1/8-5/8	1-pcs	2"	9"	6 + Tip	A	4.3	\$99.99
DE-S-701ML	ML	F	7'0"	4-10 lbs	1/16-3/8	1-pcs	2"	9"	7 + Tip	A	4.2	\$99.99
DE-S-702M	M	F	7'0"	6-12 lbs	1/8-5/8	2-pcs	2"	9"	7 + Tip	A	4.6	\$99.99
DE-S-701M	M	F	7'0"	6-12 lbs	1/8-5/8	1-pcs	2"	9"	7 + Tip	A	4.3	\$99.99
DE-S-762M	M	F	7'6"	6-12 lbs	1/8-5/8	2-pcs	2"	9"	8 + Tip	A	4.8	\$99.99
DE-S-761M	M	F	7'6"	6-12 lbs	1/8-5/8	1-pcs	2"	9"	8 + Tip	A	4.6	\$99.99
<i>Crankbait Rod</i>												
DE-C-701M	M	MF	7'0"	10-20 lbs	1/2-3	1-pcs	N/A	9-3/4"	9 + Tip	B	7.3	\$99.99
<i>Bottom Bouncer Rods</i>												
DE-CBR-7101M-T	M	MF	7'10"	6-20 lbs	1/2-3	1-pcs Tele	2 3/4"	12"	9 + Tip	C	5.9	\$99.99
DE-CBR-861M-T	M	MF	8'6"	6-20 lbs	1/2-3	1-pcs Tele	2 3/4"	12"	9 + Tip	C	6.7	\$94.99
<i>Dead Stick Rods</i>												
DE-CDS-861M-T	M	M	8'6"	6-15 lbs	1/8-3/4	1-pcs Tele	2"	10-1/2"	9 + Tip	B	6.2	\$94.99
<i>Open Water Trolling / Planner Board Rods</i>												
DE-C-762ML	ML	S	7'6"	8-17 lbs	1/2-2	2-pcs	4 3/4"	12-3/4"	9 + Tip	D	7.3	\$49.99
DE-C-861M-T	M	M	8'6"	10-20 lbs	1/4-2-1/2	1-pcs Tele	4 3/4"	12-3/4"		D	11.4	\$39.99
DE-PB-1002M	M	MF	10'0"	8-20 lbs	1/2-3	2-pcs	4 3/4"	10-3/4"	10 + Tip	D	10.4	\$74.99
<i>Leadcore Rod</i>												
DE-LC-762M	M	M	7'6"	10-20 lbs	1/2-2-1/2	2-pcs	4 3/4"	12-3/4"	7 + Tip	D	11.3	\$39.99
<i>Slow Death Rod</i>												
DE-CSD-1062M	M	M	10'6"	8-17 lbs	1/4-1-1/2	2-pcs	2 3/8"	13-3/8"	12 + Tip	D	8.0	\$84.99
<i>Big Board rod</i>												
DE-CBB-701ML	ML	M	7'0"	8-20 lbs	1/2-2	1-pcs	5 1/4"	10-1/2"	8 + Tip	D	8.2	\$39.99
DE-CBB-761L	L	M	7'6"	8-20 lbs	1/2-2	1-pcs	5 1/4"	10-1/2"	8 + Tip	D	8.5	\$39.99
<i>All Purpose Baltcast Rod</i>												
DE-CAP-701M-T	M	M	7'0"	8-17 lbs	1/4-1	1-pcs Tele	N/A	9-3/4"	9 + Tip	E	5.6	\$99.99

Guide Select

Swimbait Rods

Guide Select Swimbait Rods feature:

- IM-8 graphite blank construction
- Evo Graph: 1K woven carbon reinforced blank
- Fuji Alconite guide inserts. Compatible with braided line
- Fuji lightweight New Concept guide frames
- Split-butt grip on "A/B" handle styles for improved balance
- Fuji reel seats with black hood finish
- Premium cork, fore and rear grips
- Leverage grip on "C" handle for improved casting leverage
- Telescopic "T": Easy storage and longer rods for casting
- Stainless steel hook keepers
- Guide Select rods are backed by a limited lifetime warranty



A Full cork rear grip



B Split cork with black butt cap



C Split cork with leverage grip

Guide Select swimbait

Model	Action	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>												
GS-C-761MH	MH	M	7'6"	12-25 lbs	1/2-5	1 pcs	2-3/5"	13-1/2"	8 + Tip	A	6.2	\$129.99
GS-C-761H	H	MF	7'6"	15-30 lbs	1-5	1 pcs	3-1/2"	14"	9 + Tip	B	7.4	\$129.99
GS-C-7111MH	MH	MF	7'11"	12-25 lbs	3/4-3	1 pcs	3-1/2"	14-1/2"	10 + Tip	C	7.0	\$129.99
GS-C-7111H	H	MF	7'11"	15-30 lbs	1-6	1 pcs	3-1/2"	15"	10 + Tip	C	7.1	\$129.99
GS-C-7111XH	XH	F	7'11"	15-40 lbs	2-10	1 pcs	3-1/2"	14-1/2"	10 + Tip	C	9.0	\$129.99
<i>Telescopic Casting Rod</i>												
GS-C-7111H-T	H	MF	7'11"	15-30lbs	1-6	1 Tele	3-1/2"	15"	10 + Tip	C	8.2	\$129.99



Guide Select

With the ever growing popularity of swimbait fishing, Okuma has developed a series of rods in the Guide Select series specifically designed to throw these large baits. Our swimbait specialists have spent hundreds of hours on the water researching the correct actions for this technique and have come up with 6 rods that will cover any swimbait application. Constructed with IM8 graphite, these light weight, responsive blanks are coupled with the best components available on the market today. The FUJI reel seat and FUJI New Concept Guides with Alconite inserts balance these workhorse rods so you can effectively fish all day without wearing yourself out. Couple all of this with Okuma's unprecedented lifetime warranty, you are sure to fish with confidence knowing that you have the best rod available. Listed below are a few suggestions for some of the popular Swimbait / Hardbaits that are on the market:

GS-C-761MH - Smaller hardbaits / Swimbait (MattiLures Bluegills, Rago Hard Raptor, 5 - 7 inch Triple Trout and 6 - 8 inch Castaic Platins, 9 inch MS Slammers, Megabait LA Sliders)

GS-C-761H - Medium-sized Swimbait / Hardbaits (Huddleston Deluxe, 10 inch Triple Trout, 12 inch MS Slammer, 10 inch Castaic Platinum)

GS-C-761XH - Large Swimbait (9 & 10 inch Stocker Trout, 12 inch Castaic Baits, Huddleston Deluxe, Rago Live Trout Softbait, MattiLures Trout)

GS-C-7111MH - Smaller Swimbait / Hardbaits (MattiLures Bluegill & Bass, 7 inch MS Slammers, 6 inch Castaic Platinum, 7 inch Stocker Trout, Rago Bluegill, Megabait LA Sliders)

GS-C-7111H - Medium-sized Swimbait / Large Hardbaits (9 & 12 Inch MS Slammers, 10 inch Triple Trout, 10 inch Castaic Platinum, Rago Hard Raptor)

GS-C-7111XH - Large Swimbait (9 & 10 inch Stocker Trout, 12 inch Castaic Baits, Huddleston Deluxe, Rago Live Trout Softbait, MattiLures Trout)



ReFlexions

Are you in the market for a rod that does not burn a hole in your pocket book, yet has the action and power of a high-end, high-priced rod? If you are, then try a cast with the new Reflexions rod. You might be an every-so-often fisherman, or you could be a top tournament angler; either way, you will love these rods. Designed to have great action, we wanted the person who fishes every chance they get, to pick this rod up and know that they are getting a quality fishing rod. Reflexions rods are formulated with graphite-construction blanks and cork grips, delivering great feel. To reduce weight, we added split-butt sections and thru-blank reel seats on casting models. Good guides are essential on fishing rods, so Reflexions rods have stainless steel guide frames with Zirconium inserts, which deliver long, smooth casts with reduced friction. Put this rod in your hand, you will be happy that you did.



A Standard pipe reel seat with split butt cork



B Trigger reel seat with split butt cork

ReFlexions Rods feature:

- IM-6 graphite blank construction
- Low profile stainless steel guide frames
- Hard Zirconium inserts. Compatible with braided line
- Split butt reduces weight and improves balance
- Premium cork, fore and rear grips
- Stainless steel hooded reel seat
- Thru-blank reel seat with exposed blank
- ReFlexions rods are backed by a limited lifetime warranty

Reflexion

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP.
<i>2-Piece Casting Rods</i>												
Rx-C-662ML	ML	MF	6'6"	4-10 lbs	1/16-5/16	2-pcs	2"	9"	7 + Tip	B	3.8	\$59.99
Rx-C-662M	M	MF	6'6"	8-17 lbs	1/4-5/8	2-pcs	2"	9"	7 + Tip	B	3.9	\$59.99
<i>Casting Rods</i>												
Rx-C-661M	M	MF	6'6"	8-17 lbs	1/4-5/8	1-pcs	2"	9"	8 + Tip	B	4.4	\$59.99
Rx-C-661MH	MH	MF	6'6"	10-20 lbs	1/4-1	1-pcs	2"	9"	8 + Tip	B	4.4	\$59.99
Rx-C-701ML	ML	MF	7'0"	6-15 lbs	1/8-5/8	1-pcs	2"	9"	8 + Tip	B	4.6	\$59.99
Rx-C-701M	M	F	7'0"	8-17 lbs	1/4-5/8	1-pcs	2"	9"	8 + Tip	B	4.9	\$59.99
Rx-C-701MH	MH	MF	7'0"	12-25 lbs	3/8-1-1/4	1-pcs	2"	9"	8 + Tip	B	5.1	\$59.99
Rx-C-7101M-T	M	MF	7'10"	10-20 lbs	1/4-1	1-pcs Tele	2-3/4"	13-1/2"	8 + Tip	B	6.6	\$59.99
<i>2-Piece Spinning Rods</i>												
RX-S-492MH	MH	M	4'9"	6-17 lbs	1/4-5/8	2-pcs	2-2/5"	8-3/4"	5 + Tip	A	3.3	\$59.99
RX-S-562MH	MH	M	5'6"	8-17 lbs	1/4-1	2-pcs	2-1/2"	8-3/4"	5 + Tip	A	3.7	\$59.99
Rx-S-602ML	ML	MF	6'0"	4-10 lbs	1/16-5/16	2-pcs	2-1/2"	11"	5 + Tip	A	3.4	\$59.99
RX-S-602M	M	MF	6'0"	4-14 lbs	1/8-3/4	2-pcs	2-1/2"	11"	5 + Tip	A	4.2	\$59.99
Rx-S-662ML	ML	M	6'6"	4-10 lbs	1/16-5/16	2-pcs	2"	7"	6 + Tip	A	3.8	\$59.99
RX-S-662M	M	M	6'6"	8-17 lbs	1/4-5/8	2-pcs	2"	7"	6 + Tip	A	4.1	\$59.99
Rx-S-662MH	MH	MF	6'6"	10-20 lbs	1/4-1	2-pcs	2"	7"	6 + Tip	A	4.3	\$59.99
Rx-S-702ML	ML	MF	7'0"	6-15 lbs	1/8-5/8	1-pcs	2"	7"	6 + Tip	A	4.7	\$59.99
Rx-S-702M	M	M	7'0"	8-17 lbs	1/4-5/8	1-pcs	2"	7"	6 + Tip	A	4.8	\$59.99
<i>1-Piece Spinning Rods</i>												
RX-S-591M	M	F	5'9"	6-10 lbs	1/8-3/8	1-pcs	2-1/2"	11"	6 + Tip	A	4	\$59.99
RX-S-601L	L	MF	6'0"	4-8 lbs	1/16-5/16	1-pcs	2-1/2"	11"	6 + Tip	A	3.6	\$59.99
Rx-S-601M	M	MF	6'0"	8-17 lbs	1/4-5/8	1-pcs	2"	7"	6 + Tip	A	4	\$59.99
Rx-S-661ML	ML	MF	6'6"	4-10 lbs	1/16-5/16	1-pcs	2"	7"	6 + Tip	A	4.3	\$59.99
Rx-S-661M	M	F	6'6"	8-17 lbs	1/4-5/8	1-pcs	2"	7"	6 + Tip	A	4.4	\$59.99
Rx-S-661MH	MH	F	6'6"	10-20 lbs	1/4-1	1-pcs	2"	7"	6 + Tip	A	5	\$59.99
RX-S-691ML	ML	MF	6'9"	6-10 lbs	1/8-1/2	1-pcs	2-1/2"	8"	6 + Tip	A	4	\$59.99
Rx-S-701ML	ML	MF	7'0"	6-15 lbs	1/8-5/8	1-pcs	2"	7"	6 + Tip	A	4.7	\$59.99
Rx-S-701M	M	MF	7'0"	8-17 lbs	1/4-5/8	1-pcs	2"	7"	6 + Tip	A	5.2	\$59.99
Rx-S-701MH	MH	MF	7'0"	12-25 lbs	3/8-1-1/4	1-pcs	2"	7"	6 + Tip	A	5.4	\$59.99



SST

SST Rods feature:

- Technique and species specific rod actions
- Sensitive IM-8 graphite rod blank construction
- E-glass rod blank construction on Halibut rods
- Durable stainless steel guide frames
- Zirconium guide inserts reduce friction from braided lines
- Halibut/Sturgeon rods use heavy duty boat guide frames
- Custom 1-K woven carbon fiber pipe reel seat on Salmon rods
- Custom IM-8 graphite pipe reel seat on UL and most spinning rods
- Premium fore and rear grips on all models
- Halibut rods feature a triangular shaped foregrip with shrink tubing.
- Integrated compressed cork butt cap, non skid surface
- Stainless steel hook keeper
- All SST rods are backed by a 1-year warranty



A Pipe reel seat with IM-6 graphite insert



D Carbon fiber pipe spinning reel seat



B Standard trigger reel seat



E Fuji DPS reel seat with graphite butt and aluminum gimbal




C Carbon fiber pipe with Fuji hood and trigger



F Special non-slip seine cord grip

SST

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Application	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>													
SST-C-7101MGM	MG-M	F	7' 10"	8-17 lbs	1/8-3/8	1 pcs	2-3/8"	13-3/8"	M Magnum Taper	10 + Tip	B	6.2	\$79.99
SST-C-801H	H	MF	8'0"	15-50 lbs	1-6	1 pcs	3-1/2"	13-3/8"	Salmon	10 + Tip	B	7.6	\$79.99
SST-C-862ML	ML	M	8'6"	6-12 lbs	3/16-1/2	2 pcs	2-3/8"	13-3/8"	Steelhead Casting	11 + Tip	B	6.6	\$79.99
SST-C-862M	M	M/MF	8'6"	8-17 lbs	1/4-5/8	2 pcs	2-3/8"	13-3/8"	Steelhead Casting	11 + Tip	B	7.2	\$79.99
SST-C-862MH	MH	MF	8'6"	10-25 lbs	3/8-3/4	2 pcs	2-3/8"	13-3/8"	Medium Heavy	11 + Tip	B	8.0	\$79.99
SST-C-862MGH	MG-H	F	8'6"	30-65 Braid	1-6	2 pcs	3-1/2"	13-3/8"	H Magnum Taper	9 + Tip	C	8.4	\$84.99
SST-C-902MH	MH	MF	9'0"	15-50 lbs	1-6	2 pcs	3-1/2"	13-3/8"	Salmon	9 + Tip	C	8.0	\$84.99
SST-C-932MGXH	MG-XH	F	9'3"	40-80 Braid	2-8	2 pcs	3-1/2"	13-3/8"	XH Magnum Taper	10 + Tip	C	9.0	\$84.99
SST-C-962ML	ML	M	9'6"	6-12 lbs	1/4-1/2	2 pcs	2-3/8"	13-3/8"	Drifting	13 + Tip	B	7.6	\$79.99
SST-C-1062M	M	M	10'6"	10-20 lbs	3/8-1/2	2 pcs	2-3/8"	13-3/8"	Float Drifting	12 + Tip	B	7.2	\$79.99
SST-C-1062MH	MH	MF	10'6"	15-50 lbs	2-8	2 pcs	3-1/2"	13-3/8"	Salmon Herring	11 + Tip	C	8.2	\$84.99
SST-C-1002M	M	M	10'0"	8-17 lbs	3/8-3/4	2 pcs	2-3/8"	13-3/8"	Float Drifting	12 + Tip	B	7.2	\$84.99
SST-C-1062H	H	MF	10'6"	20-60 lbs	4-16	2 pcs	7-1/2"	14-3/8"	Salmon Herring	11 + Tip	C	10.4	\$84.99
SST-C-1242M	M	M/MF	12'4"	10-25 lbs	1-5	2 pcs	7-1/2"	13-3/8"	Salmon Herring	13 + Tip	C	8.7	\$89.99
<i>Spinning Rods</i>													
SST-S-561ML	ML	MF	5'6"	4-8 lbs	1/8-3/8	1 pcs	2"	7"	Multi-purpose Spin	5 + Tip	A	3.4	\$44.99
SST-S-562ML	ML	MF	5'6"	4-8 lbs	1/8-3/8	2 pcs	2"	7"	Multi-purpose Spin	5 + Tip	A	3.5	\$44.99
SST-S-601ML	ML	MF	6'0"	4-8 lbs	1/8-3/8	1 pcs	2"	7"	Multi-purpose Spin	6 + Tip	A	3.7	\$44.99
SST-S-602ML	ML	M	6'0"	4-8 lbs	1/8-3/8	2 pcs	2"	7"	Multi-purpose Spin	6 + Tip	A	3.7	\$44.99
SST-S-602M	M	M	6'0"	6-10 lbs	1/4-5/8	2 pcs	2"	7"	Multi-purpose Spin	6 + Tip	A	4.0	\$49.99
SST-S-611ML	ML	MF	6'6"	4-8 lbs	1/8-3/8	1 pcs	2"	7-7/8"	Multi-purpose Spin	6 + Tip	A	4.0	\$49.99
SST-S-662ML	ML	MF	6'6"	4-8 lbs	1/8-3/8	2 pcs	2"	7-7/8"	Multi-purpose Spin	6 + Tip	A	4.2	\$49.99
SST-S-662M	ML	MF	6'6"	6-10 lbs	1/4-5/8	2 pcs	2"	7-7/8"	Multi-purpose Spin	6 + Tip	A	4.4	\$49.99
SST-S-702ML	ML	M	7'0"	4-8 lbs	1/8-3/8	2 pcs	2"	9-1/2"	Multi-purpose Spin	7 + Tip	A	4.8	\$54.99
SST-S-702M	M	MF	7'0"	6-10 lbs	1/4-5/8	2 pcs	2"	9-1/2"	Multi-purpose Spin	7 + Tip	A	4.8	\$54.99
SST-S-762M	M	M	7'6"	8-17 lbs	3/8-1	2 pcs	2-3/8"	11"	Salmon Spin	7 + Tip	A	7.6	\$54.99
SST-S-802MH	MH	F	8'0"	12-30 lbs	1/2-2	2 pcs	2-3/8"	11"	Salmon Spin	7 + Tip	D	7.6	\$79.99
SST-S-862ML	ML	MF	8'6"	6-12 lbs	3/16-1/2	2 pcs	2-3/8"	11"	Steelhead Spin	8 + Tip	A	5.6	\$79.99
SST-S-862M	M	M	8'6"	8-17 lbs	1/4-5/8	2 pcs	2-3/8"	11"	Steelhead Spin	8 + Tip	A	6.4	\$79.99
SST-S-862MH	MH	MF	8'6"	10-20 lbs	3/8-1/2	2 pcs	2-3/8"	11"	Salmon Spin	8 + Tip	A	6.1	\$79.99
SST-S-902M	M	M	9'0"	8-17 lbs	3/8-1	2 pcs	2-3/8"	11"	Steelhead Spin	9 + Tip	A	5.9	\$79.99
SST-S-902MH	MH	MF	9'0"	10-30 lbs	3/8-1/2-2	2 pcs	2-3/8"	12"	Salmon Spin	8 + Tip	A	7.8	\$79.99
SST-S-962L	L	M	9'6"	4-10 lbs	1/8-3/8	2 pcs	2-3/8"	11"	Side Drifting	10 + Tip	A	6.0	\$79.99
SST-S-962ML	ML	MF	9'6"	6-12 lbs	1/4-1/2	2 pcs	2-3/8"	11"	Float Drifting	10 + Tip	A	6.6	\$79.99
SST-S-1062ML	ML	MF	10'6"	6-12 lbs	3/16-1/2	2 pcs	2-3/8"	11"	Float Drifting	11 + Tip	A	6.8	\$79.99
SST-S-1062M	M	M	10'6"	8-17 lbs	3/8-3/4	2 pcs	2-3/8"	11"	Float Drifting	11 + Tip	A	7.0	\$79.99
<i>Kokanee Spinning Rods</i>													
SST-S-702L	L	M	7'0"	4-10 lbs	1/8-3/4	2 pcs	2"	8-3/4"	Kokanee	7 + Tip	A	4.2	\$52.99
SST-S-762L	L	M	7'6"	4-10 lbs	1/8-3/4	2 pcs	2"	8-3/4"	Kokanee	7 + Tip	A	4.4	\$52.99
<i>Kokanee Casting Rods</i>													
SST-C-702L	L	M	7'0"	4-10 lbs	1/8-3/4	2 pcs	2"	11"	Kokanee	10 + Tip	B	5.2	\$52.99
SST-C-762L	L	M	7'6"	4-12 lbs	1/4-1	2 pcs	2"	11"	Kokanee	10 + Tip	B	5.4	\$52.99
<i>Trout UL Rods</i>													
SST-S-501UL	UL	M	5'0"	2-6 lbs	1/16-3/8	1 pcs	2"	7"	Trout	5 + Tip	A	3.4	\$44.99
SST-S-562UL	UL	M	5'6"	2-6 lbs	1/16-3/8	2 pcs	2"	7"	Trout	5 + Tip	A	3.6	\$44.99
SST-S-602UL	UL	M	6'0"	2-6 lbs	1/8-3/8	2 pcs	2"	7"	Trout	5 + Tip	A	3.8	\$44.99
SST-S-662UL	UL	M	6'6"	2-6 lbs	1/8-3/8	2 pcs	2"	8"	Trout	6 + Tip	A	4.0	\$44.99
SST-S-702UL	UL	M	7'0"	2-8 lbs	1/8-3/8	2 pcs	2"	9-1/2"	Trout	7 + Tip	A	4.4	\$44.99
<i>Halibut Rods</i>													
SST-C-561H	H	MF	5'6"	50-100 lbs	N/A	1 pcs	13"	10-3/4"	Halibut	5 + Tip	E	21	\$79.99
SST-C-561XH	XH	MF/F	5'6"	80-120 lbs	N/A	1 pcs	13"	10-3/4"	Halibut	5 + Tip	E	23	\$79.99
<i>Sturgeon Rods</i>													
SST-C-1202H	H	MF	12'0"	20-40 lbs	1-6	2 pcs	5-7/8"	29-1/2"	Trout	8 + Tip	F	28.8	\$94.99
SST-C-13102XH	XH	M/MF	13'10"	20-50 lbs	8-12	2 pcs	9"	33-1/2"	Sturgeon	11 + Tip	F	44	\$94.99



CRAPPIE *high performance*

CRAPPIE Rods feature:

- IM-6 graphite blank construction
- Crappie specific actions
- Low profile stainless steel guide frames
- Split grip butt design reduces weight & improves balance
- Premium cork fore and rear grips
- Custom skeleton reel seat design on spinning models
- Crappie rods are backed by a 1-year limited warranty



A Spinning reel seat



B Trigger reel seat

CRAPPIE High Performance Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>												
CHP-C-501L	L	M	5'0"	4-8 lbs	1/16 ~ 5/16	1 pcs	2"	8-1/4"	8 + Tip	B	3.1	\$59.99
CHP-C-561L	L	M	5'6"	4-8 lbs	1/16 ~ 5/16	1 pcs	2"	8-1/4"	8 + Tip	B	3.4	\$59.99
CHP-C-601L	L	M	6'0"	4-8 lbs	1/16 ~ 5/16	1 pcs	2"	10"	8 + Tip	B	3.9	\$59.99
CHP-C-661L	L	M	6'6"	4-8 lbs	1/16 ~ 5/16	1 pcs	2"	10"	8 + Tip	B	4.3	\$59.99
<i>Spinning Rods</i>												
CHP-S-501L	L	M	5'0"	4-8 lbs	1/16 ~ 5/16	1 pcs	2"	8-5/8"	5 + Tip	A	3.1	\$59.99
CHP-S-561L	L	M	5'6"	4-8 lbs	1/16 ~ 5/16	1 pcs	2"	8-5/8"	5 + Tip	A	3.3	\$59.99
CHP-S-601L	L	M	6'0"	4-8 lbs	1/16 ~ 5/16	1 pcs	2"	8-5/8"	6 + Tip	A	3.7	\$59.99
CHP-S-661L	L	M	6'6"	4-8 lbs	1/16 ~ 5/16	1 pcs	2"	8-5/8"	6 + Tip	A	4.1	\$59.99



Celilo

Celilo Rods feature:

- Sensitive graphite composite blanks
- Aluminum oxide guide inserts
- Stainless steel hooded reel seats
- Fore and rear cork grips
- Stainless steel hook keeper
- Thru-blank handle design
- 1-year limited rod warranty
- STA models feature rubber shrink tube handle grips



A Thru blank reel seat (trigger) long cork



B Standard pipe reel seat with long cork butt

The fisheries of the Northeast and Northwest have been in turmoil, to say the least. However the future looks bright. The lake trout have come back strong in the last few years, and the Northwest rivers are seeing the strongest runs of salmon and steelhead in recent history. With input from some of the top fishermen on these waters, we developed the Celilo series. Throwing modesty out the window, we nailed these actions and developed the perfect salmon, trout, and bottom bouncing graphite rods. Although beautiful, you don't have to take out that second mortgage to load the boat with them.

CELILO Graphite Rods

Model	Reel Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>												
CE-C-762Ha	H	MF	7'10"	10-30 lbs	3/4-2-1/2	2-pcs	2-3/4"	13"	8 + Tip	A	8.8	\$52.99
CE-C-802Ha	H	MF	8'6"	12-25 lbs	1/2-4	2-pcs	3-1/2"	12-3/4"	9 + Tip	A	9.0	\$52.99
CE-C-862MLa	ML	MF	8'6"	6-12 lbs	3/16-1/2	2-pcs	2-3/4"	12"	9 + Tip	A	6.8	\$52.99
CE-C-862Ma	M	F	8'6"	8-17 lbs	1/4-5/8	2-pcs	2-3/4"	12"	9 + Tip	A	7.4	\$52.99
CE-C-862MHa	MH	F	8'6"	10-20 lbs	3/8-3/4	2-pcs	2-3/4"	12"	9 + Tip	A	7.6	\$52.99
CE-C-862Ha	H	F	9'0"	12-25 lbs	1/2-4	2-pcs	3-1/2"	13-1/2"	9 + Tip	A	8.4	\$52.99
CE-C-902MHa	MH	MF	9'0"	15-50 lbs	1-6	2-pcs	3-1/2"	13-1/2"	9 + Tip	A	7.8	\$52.99
CE-C-902Ha	H	MF	9'0"	15-30 lbs	3/4-2	2-pcs	4"	13-1/2"	9 + Tip	A	9.0	\$52.99
CE-C-902XHa	XH	F	9'6"	20-40 lbs	1-5	2-pcs	3-1/2"	13-1/4"	9 + Tip	A	10.8	\$52.99
CE-C-962MLa	ML	MF	9'6"	6-12 lbs	1/4-1/2	2-pcs	3-1/2"	12-1/8"	9 + Tip	A	8.0	\$52.99
CE-C-1062Ha	H	MF	10'6"	15-50 lbs	N/A	2-pcs	3-1/2"	14"	12 + Tip	A	8.2	\$52.99
<i>Spinning Rods</i>												
CE-S-862UL-1	UL	M	8'6"	2-6 lbs	1/32-3/8	2-pcs	2-5/8"	10-3/8"	8 + Tip	B	6.0	\$52.99
CE-S-862ML-1	ML	M	8'6"	6-12 lbs	3/16-1/2	2-pcs	2-1/2"	12"	7 + Tip	B	7.0	\$52.99
CE-S-862M-2	ML	MF	8'6"	8-17 lbs	1/4-5/8	2-pcs	2-1/2"	12"	7 + Tip	B	7.6	\$52.99
CE-S-862H-1	H	MF	8'6"	12-25 lbs	1/2-4	2-pcs	3-1/2"	13-1/2"	7 + Tip	B	9.6	\$52.99
CE-S-862L-1	L	M	8'6"	4-8	1/8-3/8	2-pcs	2-1/2"	12"	10 + Tip	B	7.2	\$52.99
CE-S-962ML-1	ML	M	9'6"	6-12 lbs	1/4-1/2	2-pcs	3-1/2"	12-1/8"	10 + Tip	B	7.4	\$52.99
CE-S-1002ML-1	ML	M	10'0"	4-12 lbs	1/16-1/4	2-pcs	3-1/2"	14-1/2"	6 + Tip	B	8.4	\$52.99

Celilo

Specialty Rods

Celilo Specialty Rods feature:

- Sensitive graphite composite blanks
- Aluminum oxide guide inserts
- Fuji guides on 701H and 701XH
- Stainless steel hooded reel seats
- Aluminum gimbal on Halibut and Sturgeon rods
- Rugged graphite butt section on Halibut rod
- 1-year limited rod warranty



A Standard reel seat with graphite butt and aluminum silver gimbal



B Standard reel seat with EVA butt and rubber butt cap



C Trigger reel seat with cork butt and rubber butt cap



D Standard pipe reel seat with cork butt and rubber butt cap



E Trigger reel seat with cork butt and plastic butt cap



CELILLO Specialty Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Kokanee Rod</i>												
CE-C-702L	L	M	7' 0"	2-8 lbs	1/8-1/2	2-pcs	2-1/2"	11"	7 + Tip	E	5.8	\$41.99
<i>CELILLO Big Water Halibut / Sturgeon Rods</i>												
CE-C-461H	H	XF	4' 6"	40-100 lbs	N/A	1-pcs	13"	8"	4 + Tip	A	19.2	\$46.99
CE-C-561H	H	F/XF	5' 6"	40-100 lbs	N/A	1-pcs	13"	8"	5 + Tip	A	21	\$46.99
CE-C-701H	H	F	7' 0"	20-50 lbs	N/A	1-pcs	10"	12-1/4"	9 + Tip	A	17	\$46.99
CE-C-701XH	XH	F	7' 0"	30-80 lbs	N/A	1-pcs	10"	12-1/4"	9 + Tip	A	18	\$46.99
CE-C-1102	H	M/MF	11' 0"	15-40 lbs	4-6	2-pcs	5-1/2"	24"	7 + Tip	B	17.6	\$74.99
CE-S-1102	H	M/MF	11' 0"	15-40 lbs	4-6	2-pcs	5-1/2"	24"	5 + Tip	B	17.8	\$74.99
<i>CELILLO West coast Canadian Salmon / Steelhead Rods</i>												
CM-C-902MH	MH	MF	9' 0"	20-30 lbs	3-10	2-pcs	9"	10-5/8"	9 + Tip	D	13.4	\$62.99
CM-C-1062M	M	MF	10' 6"	12-20 lbs	1/4-3	2-pcs	3-1/2"	13-3/4"	9 + Tip	C	10	\$62.99
CM-C-1062MH	MH	MF	10' 6"	15-25 lbs	2-8	2-pcs	10-7/8"	8-3/4"	9 + Tip	D	9	\$62.99
CM-C-1062H	H	MF	10' 6"	20-30 lbs	4-12	2-pcs	12-1/2"	8-1/2"	11 + Tip	D	13.8	\$62.99
CM-C-1102M	M	M/MF	11' 0"	12-25 lbs	1/2-4	2-pcs	3-1/2"	14"	11 + Tip	C	12.8	\$62.99

Celilo

Ultra light

Celilo Rods feature:


- Sensitive graphite composite blanks
- Aluminum oxide guide inserts
- Stainless steel hooded reel seats
- Fore and rear cork grips
- Stainless steel hook keeper
- Thru-blank handle design
- 1-year limited rod warranty



A Standard pipe reel seat and cork

CELILLO Ultra light

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Spinning Rods</i>												
CE-S-461UL-1	UL	M	4' 6"	1-4 lbs	1/32-3/16	1 pcs	2"	6-1/4"	4 + Tip	A	3	\$23.99
CE-S-502UL-1	UL	M	5' 0"	1-4 lbs	1/32-3/16	2 pcs	2"	6-1/4"	4 + Tip	A	3.2	\$23.99
CE-S-562UL-1	UL	M	5' 6"	2-6 lbs	1/32-1/4	2 pcs	2"	6-1/4"	5 + Tip	A	3.4	\$23.99
CE-S-602UL-1	UL	M	6' 0"	2-6 lbs	1/32-1/4	2 pcs	2"	6-1/4"	5 + Tip	A	3.5	\$23.99
CE-S-662UL-1	UL	M	6' 6"	2-6 lbs	1/32-3/8	2 pcs	2"	6-1/4"	6 + Tip	A	3.6	\$29.99
CE-S-702L-1	L	M	7' 0"	4-10 lbs	3/16-5/8	2 pcs	2-3/4"	7-3/8"	7 + Tip	A	3.8	\$29.99
CE-S-762L-1	L	M	7' 6"	4-10 lbs	3/16-5/8	2 pcs	2-3/4"	7-3/8"	7 + Tip	A	3.9	\$36.99



CONNOISSEUR Steelhead Rods

Connoisseur Rods feature:

- Steelhead specific rod actions
- Sensitive graphite composite blank construction
- Aluminum oxide guide inserts
- Stainless steel guide frames
- Stainless steel hooded reel seat
- Trigger reel seat on casting models
- Specialty Michigan handle design available
- Specialty Noodle rods specified as "N"
- Premium cork, fore and rear grips
- Stainless steel hook keepers
- Connoisseur rods are backed by a 1-year warranty



A Standard spinning reel seat



B Spinning reel seat long grip



C Trigger reel seat with long grip



D Michigan handle

CONNOISSEUR Steelhead Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz)	MSRP
<i>Casting Rods</i>												
CQ-C-862MH-1	MH	MF	8'6"	8-20 lbs	3/8-1	2 pcs	2-1/2"	13-1/2"	8 + Tip	C	8.2	\$42.99
<i>Spinning Rods</i>												
CQ-S-862M-1	M	MF	8'6"	10-20 lbs	1/8-1/4	2 pcs	3-1/2"	13-2/5"	7 + Tip	B	7.8	\$46.99
CQ-S-862MH-1	MH	MF	8'6"	15-25 lbs	1/2-4	2 pcs	3-3/4"	13-3/5"	7 + Tip	B	8.2	\$46.99
CQ-S-902ML-1	ML	MF	9'0"	6-12 lbs	1/8-1/4	2 pcs	8"	3-3/8"	9 + Tip	D	5.9	\$46.99
CQ-S-1002ML-1	ML	MF	10'0"	6-12 lbs	1/8-1/4	2 pcs	8"	3-3/8"	9 + Tip	D	6.2	\$46.99
<i>Noodle Rods</i>												
CQ-N-902L-1	L	M	9'0"	2-8 lbs	1/16-1/4	2 pcs	7"	8"	7 + Tip	A	5.6	\$46.99
CQ-N-1002L-1	L	M	10'0"	4-12 lbs	1/16-1/4	2 pcs	7"	9-5/8"	8 + Tip	A	7.0	\$56.99



Tarvos Rods feature:

- Graphite composite rod blank construction
- Stainless steel guide frames
- Durable titanium oxide guide inserts
- Stainless steel hooded reel seat
- Split grip butt design for reduced weight & improved balance
- Comfortable EVA fore and rear grips
- Stainless steel hook keeper
- Tarvos rods are backed by a 1-year limited warranty

A Screw down spinning reel seat

B Trigger reel seat

Tarvos Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz)	MSRP
<i>Casting Rods</i>												
TV-C-661M	M	M/MF	6'6"	6~15 lbs	1/4~3/4	1-pcs	2"	10-1/4"	8 + Tip	B	4.5	\$39.99
TV-C-661MH	MH	M/MF	6'6"	8~17 lbs	1/4~1	1-pcs	2"	10-1/4"	8 + Tip	B	5.1	\$39.99
TV-C-701M	M	M/MF	7'0"	6~15 lbs	1/4~3/4	1-pcs	2"	10-1/4"	9 + Tip	B	4.8	\$39.99
TV-C-701MH	MH	M/MF	7'0"	8~17 lbs	1/4~1	1-pcs	2"	10-1/4"	9 + Tip	B	5.5	\$39.99
<i>Spinning Rods</i>												
TV-S-601M	M	M/MF	6'0"	6~15 lbs	1/8~5/8	1-pcs	2-1/2"	8-1/4"	6 + Tip	A	3.9	\$39.99
TV-S-602M	M	M/MF	6'0"	6~15 lbs	1/8~5/8	2-pcs	2-1/2"	8-1/4"	6 + Tip	A	4.5	\$39.99
TV-S-661ML	ML	M/MF	6'6"	4~10 lbs	1/8~5/16	1-pcs	2-1/2"	8-1/4"	6 + Tip	A	4.4	\$39.99
TV-S-662ML	ML	M/MF	6'6"	4~10 lbs	1/8~5/16	2-pcs	2-1/2"	8-1/4"	6 + Tip	A	4.4	\$39.99
TV-S-661M	M	M/MF	6'6"	6~15 lbs	1/8~5/8	1-pcs	2-1/2"	8-1/4"	6 + Tip	A	4.2	\$39.99
TV-S-662M	M	M/MF	6'6"	6~15 lbs	1/8~5/8	2-pcs	2-1/2"	8-1/4"	6 + Tip	A	4.9	\$39.99
TV-S-702M	M	M/MF	7'0"	6~15 lbs	1/4~3/4	2-pcs	2-1/2"	8-1/4"	6 + Tip	A	5.1	\$39.99
TV-S-701M	M	M/MF	7'0"	6~15 lbs	1/4~3/4	1-pcs	2-1/2"	8-1/4"	6 + Tip	A	4.8	\$39.99
TV-S-701MH	MH	M/MF	7'0"	8~17 lbs	1/4~1	1-pcs	2-1/2"	8-1/4"	6 + Tip	A	5.6	\$39.99




MAKAIRA

SALTWATER CARBON TECHNOLOGY

MAKAIRA Rods feature:

- Carbon composite rod blank technology
- ALPS deep press 316 stainless guide frames
- Hard Zirconium guide inserts for compatibility with braided lines
- Custom ALPS aluminum reel seats with Abalone under lay
- IGFA tournament rods with full straight or bent aluminum rod butts
- Shrink tube grips for ultimate durability
- ALPS roller guides on trolling rods with large knot clearance
- Aluminum gimbals on trolling and popping rods
- Integrated rubber butt cap/gimbal design on all casting and spinning rods
- Custom abalone decoration above fore grip
- Custom leather wrapped foregrip on IGFA Stand Up rods
- Makaira Rods are backed by a limited lifetime warranty



New ALPS RX Premium Roller Guides



* Tournament IGFA series rods feature black and gold RX roller guides

* All Roller Trolling rods feature gunsmoke RX roller guides



Makaira Live Bait Spinning and Jig Casting rods feature a unique integrated butt cap design. This cap features a gimbal design which is normally only offered in a machined aluminum cap. The innovative cap is made from a very durable hard rubber and allows the angler to use the rod with or without a gimbal rod belt, while still remaining comfortable in all fishing positions. It also keeps the rod stable in almost any style of rod holder.



Makaira Abalone Saltwater Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Live Bait and Jig Spinning Rods</i>												
MK-S-701ML	ML	F	7' 0"	12-20 lbs	N/A	1-pcs	11-3/4"	12-5/8"	6 + Tip	A	14.9	\$184.99
MK-S-701M	M	F	7' 0"	15-25 lbs	N/A	1-pcs	11-3/4"	12-5/8"	6 + Tip	A	15.0	\$184.99
MK-S-701MH	MH	F	7' 0"	20-30 lbs	N/A	1-pcs	11-3/4"	12-5/8"	6 + Tip	A	15.7	\$184.99
<i>Live Bait and Jig Rods</i>												
MK-C-661MH	MH	F	6' 6"	15-40 lbs	N/A	1-pcs	11-3/4"	12-5/8"	6 + Tip	A	14.4	\$169.99
MK-C-661H	H	F	6' 6"	20-50 lbs	N/A	1-pcs	11-3/4"	12-5/8"	6 + Tip	A	15.5	\$169.99
MK-C-701ML	ML	F	7' 0"	12-20 lbs	N/A	1-pcs	11-3/4"	12-5/8"	8 + Tip	A	14.2	\$169.99
MK-C-701M	M	F	7' 0"	15-25 lbs	N/A	1-pcs	11-3/4"	12-5/8"	8 + Tip	A	14.5	\$169.99
MK-C-701MH	MH	F	7' 0"	20-30 lbs	N/A	1-pcs	11-3/4"	12-5/8"	8 + Tip	A	15.3	\$174.99
MK-C-701H	H	F	7' 0"	25-40 lbs	N/A	1-pcs	11-3/4"	12-5/8"	8 + Tip	A	14.8	\$184.99
<i>Spinning Popping Rods</i>												
MK-S-741XH	XH	MF	7' 4"	60-100lbs	2-10 oz	1-pcs	10"	17"	6 + Tip	B	17.2	\$219.99
MK-S-762XH	XH	MF	7' 6"	60-100lbs	2-10 oz	2-pcs	10"	17"	6 + Tip	B	18.2	\$219.99
MK-S-862H	H	MF	8' 6"	40-60lbs	3-8 oz	2-pcs	11-1/2"	17"	7 + Tip	B	19.8	\$219.99
<i>West Coast Live Bait and Jig Rods</i>												
MK-C-801M	M	F	8' 0"	10-25 lbs	1/2-1-3/4 oz	1-pcs	30" total Length		9 + Tip	C	11.5	\$149.99
MK-C-801MH	MH	F	8' 0"	15-30 lbs	3/4-3 oz	1-pcs	30" total Length		9 + Tip	C	12.7	\$149.99
MK-C-801H	H	F	8' 0"	20-40 lbs	1-4 oz	1-pcs	30" total Length		9 + Tip	C	16.0	\$149.99
MK-C-801XH	XH	F	8' 0"	30-50 lbs	2-5 oz	1-pcs	30" total Length		9 + Tip	C	16.6	\$149.99
<i>West Coast Jig Rods</i>												
MK-C-901MH	MH	F	9' 0"	15-30 lbs	1-4 oz	1-pcs	31" total Length		9 + Tip	C	15.1	\$159.99
MK-C-901H	H	F	9' 0"	20-40 lbs	2-5 oz	1-pcs	31" total Length		9 + Tip	C	16.2	\$159.99
MK-C-901XH	XH	F	9' 0"	30-60 lbs	2-6 oz	1-pcs	31" total Length		9 + Tip	C	17.2	\$159.99
<i>Trolling Rods All Roller Guides</i>												
MK-TR-801H	H	M/MF	6' 0"	30-80 lbs	N/A	1-pcs	16"	11-5/8"	5 + Tip	B	25.2	\$319.99
MK-TR-801XH	XH	M/MF	6' 0"	40-100 lbs	N/A	1-pcs	16"	11-5/8"	5 + Tip	B	26.1	\$329.99
MK-TR-801XXH	XXH	M/MF	6' 0"	50-120 lbs	N/A	1-pcs	16"	11-5/8"	5 + Tip	B	27.0	\$339.99
<i>Makaira IGFA Straight butt Stand-up Rods</i>												
MK-TR-581-30S	H	M/MF	5'8"	30-lbs IGFA	N/A	2-pcs	8"	11-3/4"	4 + Tip	D	35.7	\$399.99
MK-TR-581-50S	XH	M/MF	5'8"	50-lbs IGFA	N/A	2-pcs	8"	11-3/4"	4 + Tip	D	37.2	\$434.99
MK-TR-5101-80S	XXH	M/MF	5'10"	80-lbs IGFA	N/A	2-pcs	8"	14"	4 + Tip	D	41.1	\$519.99
<i>Makaira IGFA Bent butt Stand-up Rods</i>												
MK-TR-5101-50B	XH	M/MF	5'10"	50-lbs IGFA	N/A	2-pcs	8"	14-3/4"	4 + Tip	E	44.6	\$499.99
MK-TR-5101-80B	XXH	M/MF	5'10"	80-lbs IGFA	N/A	2-pcs	8"	14-3/4"	4 + Tip	E	47.0	\$579.99

*Braided line changed the game. thinner
stronger and more responsive, it's time
for a reel to showcase what's possible.*

PICK UP THE NEW ANDROS AND REALIZE,

THE FUTURE FITS IN THE PALM OF YOUR HAND.

THE NEXT EVOLUTION OF THE TWO-SPEED.



ANDROS
rods and reels

Cut from aluminum and stainless steel and holding more than 400-yards of 50lb braid, the Andros 5II delivers more reel than you've ever thought possible. Pair with an Andros rod, and experience more from every fish.

okuma
HIGH PERFORMANCE

okumafishing.com



ANDROS

Jigging

Andros Jigging Rods feature:

- IM6 graphite rod blank construction
- Two-piece design for easy transportation
- Handle ferrule connection allows for natural bend of the rod and 1-pc feel
- Split-butt design for reduced weight and added comfort
- Anodized aluminum, etched butt cap
- ALPS machined aluminum reel seat with finger grooves for comfort
- Orange carbon fiber pipe under reel seat
- ALPS 316-SS shaft frames with Zirconium inserts for use with braided line
- Designed to compliment Okuma Andros 5II lever drag reel
- Andros jigging rods are backed by a limited lifetime warranty



A ALPS triangular shaped reel seat with finger grooves and split butt




B ALPS pipe reel seat with split butt design



C ALPS triangular shaped reel seat with finger grooves and full EVA butt

Andros Jigging

Model	Action	Rod Taper	Rod Length	Braided Line Wt.	Lure Weight	Sections	Foregrip length	Reargrip length	Number of guides	Handle style	Weight (oz)	MSRP
<i>Casting Split Rear Grip Rods</i>												
A-C-602ML	ML	F	6'0"	30-80 lbs	75-180 g	2 pcs	7-1/2"	14"	7 + Tip	A	10.0	\$159.99
A-C-602M	M	F	6'0"	65-120 lbs	130-270 g	2 pcs	7-1/2"	14"	7 + Tip	A	11.0	\$159.99
A-C-602MH	MH	F	6'0"	80-150 lbs	170-320 g	2 pcs	7-1/2"	14"	7 + Tip	A	12.8	\$159.99
A-C-602H	H	F	6'0"	80-200 lbs	270-325 g	2 pcs	7-1/2"	14"	7 + Tip	C	14.0	\$159.99
<i>Casting Full Grip Rods</i>												
A-C-602MH-FG MH		F	6'0"	80-150 lbs	170-320 g	2 pcs	7-1/2"	14"	7 + Tip	C	13.5	\$159.99
A-C-602H-FG H		F	6'0"	80-200 lbs	270-325 g	2 pcs	7-1/2"	14"	7 + Tip	C	14.5	\$159.99
<i>Spinning Split Rear Grip Rods</i>												
A-S-602ML	ML	F	6'0"	30-80 lbs	75-180 g	2 pcs	7-1/2"	14"	6 + Tip	B	9.8	\$159.99
A-S-602M	M	F	6'0"	65-120 lbs	130-270 g	2 pcs	7-1/2"	14"	6 + Tip	B	11.0	\$159.99
A-S-602MH	MH	F	6'0"	80-150 lbs	170-320 g	2 pcs	7-1/2"	14"	6 + Tip	B	12.8	\$159.99



CEDROS Speed Jig

Cedros Rods feature:

- E-glass blank offers incredible pulling power
- Glass blanks offer shock reduction when using braided line
- Zirconium guide inserts reduce friction from braided lines
- ALPS high-rise 316 stainless steel guide frames
- High-rise frames keep the line off the blank and foregrip
- ALPS pyramid-shaped two-tone anodized aluminum reel seat
- Pyramid reel seat is more ergonomic and offers more control
- Ribbed EVA foregrip improved grip and rod control
- Split-butt rear grip increases rod control and improved technique
- Jig Clincher: Secures the jig from swinging while running
- Machined aluminum gimbal on 561XXH and 601XH models
- Cedros jigging rods are backed by a limited lifetime warranty



A Split EVA butt section



B Split butt with blue aluminum gimbal



C Graphite butt section with blue aluminum gimbal



D Full hypalon butt section with ALPS reel seat



If you're an Angler that desires the perfect vertical jigging rod, then Cedros Speed Jig Rods are your answer. Designed with a unique flex-to-power distribution, these rods allow your rod tip to work your jig properly while developing the proper transition between the shock of a fish strike and rod power for bringing a fish to the rail. Extensive innovation was created into the design of this rod producing comfort with spiral shaped EVA foregrips and an open area rear grip, allowing you to work the rod without hanging up on your clothing which can result in improper jig action and incredible discomfort. Once you put a reel on your Cedros rod you will see why they truly are the ultimate jig rods around.

Cedros Speed Jig Rod

Model	Rod Power	Rod Taper	Rod Length	Braided Line Wt.	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Spinning Rods</i>												
CJ-S-601M	M	M	6'0"	30-65 lbs	30-160g	1-pcs	7-1/2"	14"	5 + Tip	A	12.4	\$109.99
CJ-S-601MH	MH	M/MF	6'0"	50-100 lbs	90-200g	1-pcs	7-1/2"	14"	5 + Tip	A	13.7	\$109.99
CJ-S-601XH	XH	MF	6'0"	65-200 lbs	300-500g	1-pcs	9"	14"	5 + Tip	A	16.8	\$119.99
CJ-S-701M	M	M	7'0"	30-65 lbs	30-160g	1-pcs	7-1/2"	11-1/2"	7 + Tip	A	14.0	\$129.99
CJ-S-701MH	MH	M/MF	7'0"	50-100 lbs	90-200g	1-pcs	7-1/2"	11-1/2"	7 + Tip	A	17.6	\$129.99
<i>Casting Rods</i>												
CJ-C-561XXH	XXH	MF/F	5'6"	80-200 lbs	500-700g	1-pcs	6-3/8"	13"	7 + Tip	B	16.2	\$119.99
CJ-C-601M	M	M	6'0"	30-65 lbs	30-160g	1-pcs	7-1/2"	14"	8 + Tip	A	12.0	\$109.99
CJ-C-601MH	MH	MF	6'0"	50-100 lbs	90-200g	1-pcs	7-1/2"	14"	8 + Tip	A	13.5	\$109.99
CJ-C-601H	H	MF	6'0"	65-150 lbs	160-325g	1-pcs	7-1/2"	14"	8 + Tip	A	15.0	\$109.99
CJ-C-601XH	XH	MF/F	6'0"	65-200 lbs	300-500g	1-pcs	6-3/8"	13"	8 + Tip	B	16.6	\$119.99
CJ-C-661M	M	M	6'6"	30-65 lbs	30-160g	1-pcs	6-3/8"	14"	9 + Tip	A	12.8	\$119.99
CJ-C-661MH	MH	MF	6'6"	50-100 lbs	90-200g	1-pcs	6-3/8"	14"	9 + Tip	A	15.4	\$119.99
CJ-C-661H	H	MF/F	6'6"	65-150 lbs	160-325g	1-pcs	6-3/8"	14"	9 + Tip	A	15.9	\$119.99
<i>Northern CA Halibut & Sturgeon Rods</i>												
CJ-C-801ML	ML	M	8'0"	10-15 mono	N/A	1-pcs	6-3/8"	15"	10 + Tip	D	15.0	\$139.99
CJ-C-801M	M	M	8'0"	12-20 mono	N/A	1-pcs	6-3/8"	15"	10 + Tip	D	14.4	\$139.99
CJ-C-801MH	MH	M/MF	8'0"	15-25 mono	N/A	1-pcs	6-3/8"	15"	10 + Tip	D	15.6	\$139.99
<i>Alaskan Halibut Rod</i>												
CJAH-C-561XH	XH	FX/F	5'6"	65-200 lbs	300-500g	1-pcs	13"	10-1/2"	5 + Tip	A	26.4	\$129.99

CEDROS Coastal

Cedros Coastal Rods feature:

- Lightweight, sensitive graphite composite rod blanks
- Extra fast actions designed for positive hook sets
- ALPS Stainless steel double footed guide frames
- ALPS Zirconium oxide inserts for braided line
- Premium grade fore and rear grip cork handles
- Custom ALPS anodized aluminum reel seat
- All Cedros inshore rods are 1-pcs blank construction
- Stainless steel hook keepers
- Pac Bay rubber butt cap
- Cedros Coastal rods are backed by a limited lifetime warranty



Okuma's Cedros Coastal inshore rods are a perfect fit whether you're casting from the deck of an inshore boat or tossing artificials while stalking the beach. We started with a lightweight, sensitive yet strong graphite composite 1-piece rod blank. Next, we added ALPS stainless steel double-footed guide frames along with ALPS Zirconium oxide inserts. These guides are built to handle the tough strains put on by the combination of braided line and rugged inshore gamefish. We incorporated a sleek looking custom ALPS aluminum reel seat complete with matching blue anodizing. Other features include a sturdy Pac Bay rubber butt cap, stainless steel hook keepers and Okuma's lifetime warranty. Cedros Coastal rods – going Coastal never felt so good...



A Full cork butt with ALPS pipe reel seat and Pac Bay rubber butt cap



B Split cork butt with ALPS trigger reel seat

Cedros Coastal Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>												
CC-C-701MH	MH	MF	7'0"	12-25 lbs	3/4-1-1/2	1-pcs	3-1/4"	10-1/2"	9 + Tip	B	6.4	\$134.99
CC-C-701H	H	MF	7'0"	15-30 lbs	1-3	1-pcs	3-1/4"	10-1/2"	9 + Tip	B	6.7	\$134.99
CC-C-761M	M	M/MF	7'6"	10-20 lbs	1/2-1	1-pcs	3-1/2"	13-1/2"	9 + Tip	B	6.4	\$146.99
CC-C-761MH	MH	M/MF	7'6"	12-25 lbs	3/4-1-1/2	1-pcs	3-1/2"	13-1/2"	9 + Tip	B	8.2	\$146.99
CC-C-761H	H	MF	7'6"	15-30 lbs	1-3	1-pcs	3-1/2"	13-1/2"	9 + Tip	B	8.6	\$146.99
CC-C-761XH	XH	MF/F	7'6"	20-40 lbs	1-1/2-4-1/2	1-pcs	3-1/2"	13-1/2"	9 + Tip	B	9.2	\$146.99
CC-C-801M	M	M/MF	8'0"	10-20 lbs	1/2-1	1-pcs	3-1/2"	13-1/2"	10 + Tip	B	7.4	\$156.99
CC-C-801MH	MH	MF/F	8'0"	12-25 lbs	3/4-1-1/2	1-pcs	3-1/2"	13-1/2"	10 + Tip	B	8.2	\$156.99
CC-C-801H	H	MF/F	8'0"	15-30 lbs	1-3	1-pcs	3-1/2"	13-1/2"	10 + Tip	B	8.6	\$156.99
CC-C-801XH	XH	MF/F	8'0"	20-40 lbs	1-1/2-4-1/2	1-pcs	3-1/2"	13-1/2"	10 + Tip	B	9.8	\$156.99
CC-C-861H	H	MF/F	8'6"	15-30 lbs	1-3	1-pcs	3-1/2"	13-1/2"	10 + Tip	B	11.2	\$159.99
CC-C-861XH	XH	MF/F	8'6"	20-40 lbs	1-1/2-4-1/2	1-pcs	3-1/2"	13-1/2"	10 + Tip	B	12.2	\$159.99
<i>Spinning Rods</i>												
CC-S-661M	M	M/MF	6'6"	6-12 lbs	1/8-1/2	1-pcs	2-3/8"	9-1/4"	6 + Tip	A	7.2	\$124.99
CC-S-661MH	MH	MF	6'6"	6-15 lbs	1/4-5/8	1-pcs	2-3/8"	9-1/4"	6 + Tip	A	7.3	\$124.99
CC-S-701M	M	M/MF	7'0"	8-17 lbs	3/8-1	1-pcs	2-3/8"	10-5/8"	6 + Tip	A	7.4	\$124.99
CC-S-701MH	MH	MF	7'0"	10-20 lbs	1/2-1-1/2	1-pcs	2-3/8"	10-5/8"	6 + Tip	A	8.6	\$124.99
CC-S-701H	H	MF	7'0"	15-30 lbs	1/2-2	1-pcs	3-1/4"	11-1/4"	6 + Tip	A	9.2	\$124.99
CC-S-761M	M	MF	7'6"	8-17 lbs	1/4-3/4	1-pcs	3-1/4"	11-1/4"	7 + Tip	A	7.8	\$124.99
CC-S-761MH	MH	MF	7'6"	10-20 lbs	1/2-1-1/2	1-pcs	3-1/4"	11-1/4"	7 + Tip	A	9.7	\$124.99
CC-S-801M	M	M/MF	8'0"	8-17 lbs	3/8-3/4	1-pcs	3-1/4"	11-1/4"	8 + Tip	A	9.0	\$124.99
CC-S-801MH	MH	MF	8'0"	10-20 lbs	1/2-1-1/2	1-pcs	3-1/4"	12"	8 + Tip	A	9.6	\$124.99



Hawaiian Custom Rods feature:

- Actions include Ulua spinning Popping rod and Ulua conventional Slide Bait rods
- All rods feature a custom Abalone wrap
- Popping rod features an ALPS aluminum reel seat and ALPS guides with zirconium inserts
- Slide Bait rods feature a stainless steel rod butt, bell holder, Fuji reel seats, and "Hilo Style" guides
- Menpachi rods feature a split butt design to reduce weight and improve balance
- Menpachi rods feature ALPS 316 grade stainless steel guide frames with zirconium inserts
- Menpachi rods feature Fuji reel seats and high grade cork handles
- All Okuma Hawaiian Custom Sticks are backed by a one year warranty



A Split cork butt section with Fuji reel seat



B Stainless steel butt section with ALPS aluminum reel seat



C EVA foam grips with aluminum gimbal

Hawaiian HCS Custom Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Popping Rods</i>												
HWP-S-902MH	MH	MF	9'0"	20-35lbs	3-1/2-6-3/4	2-pcs	8-3/4"	21-1/2"	6 + Tip	C	19.5	\$219.99
<i>Ulua Slide Bait Rods</i>												
HWU-C-1302H	H	MF	13'0"	60-80lbs	6-10	2-pcs	6-3/4"	36-1/2"	7 + Tip	B	37.0	\$229.99
HWU-C-1302XH	XH	F	13'0"	80-100lbs	9-14	2-pcs	6-3/4"	36-1/2"	7 + Tip	B	40.2	\$229.99
<i>Menpachi Rods</i>												
HWM-S-1002MH	MH	M/MF	10'0"	12-25 lbs	1/2-1-3/4	2-pcs	4"	20-1/4"	9 + Tip	A	8.4	\$149.99
HWM-S-1202MH	MH	M/MF	12'0"	12-25 lbs	1/2-1-3/4	2-pcs	4"	20-1/4"	11 + Tip	A	10.8	\$149.99
HWM-S-1302MH	MH	M/MF	13'0"	12-25 lbs	1/2-1-3/4	2-pcs	4"	20-1/4"	12 + Tip	A	12.5	\$164.99



NOMAD

Inshore Travel Rods

Nomad Inshore Travel Rods feature:

- OC9 Technology: Durable graphite rod blank with carbon outer wrap
- 3-section rod blank for easy break down while traveling
- All models are 7'0" with inshore actions
- 2-tip actions included per rod. (Example ML/M or M/MH)
- European spigot ferrule connection: Offers feel of a 1-pcs rod
- Waterproof travel bag with shoulder strap
- Split-butt rear grip design
- ALPS guides with Zirconium inserts
- ALPS 2-tone anodized aluminum reel seat
- ALPS machined aluminum trigger reel seat on casting models
- Non slip grip above each ferrule connection for easy assembly
- Durable cork fore and rear grips
- Nomad Inshore Travel rods are backed by a limited lifetime warranty



A Cork split butt design with ALPS silver and blue trigger reel seat



B Cork split butt design with ALPS silver and blue reel seat

NOMAD INSHORE Travel Rods

Model	Rod Power	Rod Taper	Length	Line Wt.	Sections	Gimbal Type	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>												
NTI-C-703ML-M	ML/M	M	7'0"	6-15 / 10-17	3+1 pcs	N/A	2"	10-1/2"	9 + Tip	A	6.8	\$156.99
NTI-C-703M-MH	M/MH	M	7'0"	10-17 / 12-20	3+1 pcs	N/A	2"	10-1/2"	9 + Tip	A	6.9	\$156.99
<i>Spinning Rods</i>												
NTI-S-703ML-M	ML/M	M	7'0"	6-15 / 10-17	3+1 pcs	N/A	2"	10-1/2"	9 + Tip	B	7.0	\$156.99
NTI-S-703M-MH	M/MH	M	7'0"	10-17 / 12-20	3+1 pcs	N/A	2"	10-1/2"	9 + Tip	B	7.2	\$156.99



NOMAD

Nomad Travel rods feature:

- Durable graphite rod blank with carbon outer wrap
- 3-section rod blank for easy break down while traveling
- 2-tip actions included per rod. (Example L/M or M/MH)
- European spigot ferrule connection: Offers feel of a 1-pc. rod
- Waterproof travel bag with shoulder strap
- Zirconium guide inserts reduce friction from braided lines
- ALPS high-rise 316 stainless steel guide frames
- High-rise frames keep the line off the blank and foregrip
- ALPS pyramid-shaped two-tone anodized aluminum reel seat
- Pyramid reel seat is more ergonomic and offers more control
- Non-slip grip above each ferrule connection for easy assembly
- Comfortable EVA foam fore and rear grips
- Machined aluminum, blue anodized gimbal
- Nomad Travel rods are backed by a limited lifetime warranty





Now you can pack up your rods with ease and head to any exotic location. Okuma Nomad saltwater rods are all rod you need when planning your exotic fishing trip. These rods allow you to create two rods in one. What is extremely unique about this rod series is that the rod comes with (2) different action tips allowing you the versatility to fish different scenarios depending on what fish are biting and the conditions you are faced with. The innovative and extremely durable European Spigot ferrule design may look different, but it has been tested giving you all the feel and power of a one piece rod that comes in three sections for easy transportation. The connections come together and pull apart simply with the rubberized ferrule grip connection system. Nomad saltwater rods use top quality components such as ALPS 316 stainless steel guide frames with Zirconium inserts and two tone anodized aluminum ALPS reel seats. All Nomad rods come with a waterproof carrying case that will hold your rods securely and will easily fit above your seat on the plane.



A ALPS silver and blue reel seat with blue aluminum gimbal

NOMAD Travel Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Gimbal Type	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>												
NT-C-663UL-L	UL/L	M	6'6"	10-17 / 10-20	3+1 pcs	Aluminum	10-1/2"	12-1/2"	6 + Tip	A	12.7	\$189.99
NT-C-663M-MH	M/MH	M	6'6"	15-30 / 20-60	3+1 pcs	Aluminum	10-1/2"	12-1/2"	6 + Tip	A	17.4	\$189.99
NT-C-703UL/L	UL/L	M	7'0"	10-17 / 10-20	3+1 pcs	Aluminum	12-3/4"	12-1/2"	6 + Tip	A	12.6	\$189.99
NT-C-703L-ML	L/ML	M	7'0"	10-20 / 12-30	3+1 pcs	Aluminum	12-3/4"	12-1/2"	6 + Tip	A	17	\$189.99
NT-C-703M-MH	M/MH	M	7'0"	15-30 / 20-60	3+1 pcs	Aluminum	12-3/4"	12-1/2"	6 + Tip	A	18.8	\$189.99
<i>Spinning Rods</i>												
NT-S-663UL/L	UL/L	M	6'6"	10-17 / 10-20	3+1 pcs	Aluminum	10-1/2"	12-1/2"	5 + Tip	A	13.2	\$189.99
NT-S-703UL/L	UL/L	M	7'0"	10-17 / 10-20	3+1 pcs	Aluminum	10-1/2"	12-1/2"	5 + Tip	A	14.2	\$189.99
NT-S-703L-ML	L/ML	M	7'0"	10-20 / 12-30	3+1 pcs	Aluminum	12-3/4"	12-1/2"	5 + Tip	A	16.8	\$189.99
NT-S-703M-MH	M/MH	M	7'0"	15-30 / 20-60	3+1 pcs	Aluminum	12-3/4"	12-1/2"	5 + Tip	A	19.1	\$189.99

CEDROS Surf Rod



Cedros Surf Rods feature:

- IM-6 graphite blank construction
- ALPS Zirconium guide inserts
- ALPS stainless steel double footed guide frames
- Fuji stainless steel hoods on reel seats
- Reel seats feature custom 1-K woven carbon pipes
- Custom non slip rubber shrink tube handle
- Tip over butt ferrule connection
- Soft-touch EVA cushions above & below reel seat
- Pac Bay rubber butt cap
- Cedros Surf rods are backed by a limited lifetime warranty



A Rubber shrink tube handle with carbon fiber pipe reel seat

Cedros Surf Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>												
CS-S-1002MH	MH	MF	10'0"	15-30 lbs	2-4	2 pcs	6-1/2"	20-1/2"	6 + Tip	A	11.8	\$109.99
CS-C-1202MH	MH	MF/F	12'0"	15-30 lbs	2-4	2 pcs	7-1/2"	27"	7 + Tip	A	15.4	\$124.99
<i>Spinning Rods</i>												
CS-S-762M	M	MF	7'6"	10-20 lbs	1/2-2	2 pcs	4-3/4"	16"	5 + Tip	A	7.6	\$79.99
CS-S-802M	M	MF	8'0"	12-20 lbs	5/8-3	2 pcs	5"	16"	5 + Tip	A	8.0	\$89.99
CS-S-902M	M	MF	9'0"	12-25 lbs	1-3-1/4	2 pcs	6-1/4"	18-3/4"	5 + Tip	A	11.0	\$99.99
CS-S-1002MH	MH	MF	10'0"	15-30 lbs	2-4	2 pcs	6-1/4"	18-3/4"	5 + Tip	A	12.4	\$109.99
CS-S-1102H	H	MF	11'0"	20-40 lbs	3-8	2 pcs	7-1/2"	24-1/2"	6 + Tip	A	16.6	\$124.99
CS-S-1202MH	MH	MF/F	12'0"	15-30 lbs	2-4	2 pcs	9-1/4"	25-1/2"	6 + Tip	A	16.9	\$124.99



SOLARIS SURF

Solaris Surf Rods feature:

- IM-6 graphite blank construction
- Fuji aluminum oxide guide inserts
- Stainless steel double footed guide frames
- Fuji stainless steel hooded reel seats
- Cork wrapped non-slip fore and rear grips
- Soft-touch EVA cushions above and below reel seat
- Rubber/stainless steel butt cap
- Solaris Surf rods are backed by a limited lifetime warranty

A Cork tape with Fuji reel seat



Solaris Surf Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>												
SS-C-1002H-1	H	F	10'0"	20-40 lbs	3-8	2 pcs	7-1/2"	22-7/8"	6 + Tip	A	21.2	\$92.99
SS-C-1102H-1	H	F	11'0"	20-40 lbs	3-8	2 pcs	7-1/4"	25-1/4"	7 + Tip	A	25.8	\$92.99
SS-C-1202MH-1	MH	MF/F	12'0"	20-40 lbs	3-8	2 pcs	8-3/8"	27-1/8"	7 + Tip	A	26.9	\$104.99
<i>Spinning Rods</i>												
SS-S-802M-1	M	F	8'0"	15-30 lbs	1/2-3	2 pcs	4-7/8"	17-3/4"	5 + Tip	A	10.8	\$64.99
SS-S-902M-1	M	F	9'0"	15-30 lbs	2-6	2 pcs	7"	20"	6 + Tip	A	12.9	\$84.99
SS-S-1002MH-1	MH	F	10'0"	20-40 lbs	3-8	2 pcs	7"	22"	5 + Tip	A	22.0	\$104.99
SS-S-1102H-1	H	F	11'0"	20-40 lbs	3-8	2 pcs	7-3/8"	25-1/2"	6 + Tip	A	26.8	\$114.99
SS-S-1202MH-1	MH	MF/F	12'0"	20-40 lbs	3-8	2 pcs	9-1/2"	26"	6 + Tip	A	21.4	\$124.99

LONGITUDE



Longitude Surf Rods feature:

- Sensitive graphite composite blank
- Aluminum oxide guide inserts
- Double footed stainless steel guide frames
- Stainless steel hooded reel seats
- Cork wrapped non slip fore and rear grips
- Soft-touch EVA cushions above and below reel seat
- Pac Bay rubber butt cap
- Longitude Surf rods are backed by a 1-year warranty

A Cork tape handle



Longitude Surf Rods

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>												
LC-C-902H-1	H	MF/F	9'0"	15-40 lbs	1-4	2 pcs	7"	19-1/4"	6 + Tip	A	14.8	\$54.99
LC-C-1202H-1	H	F	12'0"	20-40 lbs	3-8	2 pcs	9-1/2"	25-1/2"	6 + Tip	A	28.8	\$79.99
<i>Spinning Rods</i>												
LC-S-802M-1	M	MF	8'0"	15-30 lbs	1/2-3	2 pcs	5-1/8"	17-1/4"	5 + Tip	A	10.8	\$44.99
LC-S-902H-1	H	MF/F	9'0"	15-40 lbs	1-4	2 pcs	7"	19-1/4"	6 + Tip	A	18.0	\$54.99
LC-S-1002H-1	H	F	10'0"	20-40 lbs	3-8	2 pcs	7-1/8"	22-1/8"	6 + Tip	A	21.6	\$64.99
LC-S-1102H-1	H	F	11'0"	20-40 lbs	3-8	2 pcs	7-1/2"	25"	6 + Tip	A	26.8	\$64.99
LC-S-1202H-1	H	F	12'0"	20-40 lbs	3-8	2 pcs	9-1/2"	25-1/2"	6 + Tip	A	30.6	\$79.99

Sarasota

Sarasota Rods feature:

- Durable E-glass blank construction
- Glass fiber outer wrap increases hoop strength
- Double footed stainless steel guide frames
- "HD" model uses heavy duty-style guide frames
- "T" uses Pac Bay roller stripper and tip guides
- Polished titanium oxide guide inserts
- Stainless steel hooded reel seats
- Heavy duty aluminum hooded reel seat on "HD/T" models
- Graphite gimbals on all models
- Custom epoxy wrapped foregrip transition cone
- Sarasota rods are backed by a 1-year warranty



A EVA butt with stainless steel hooded reel seat

Sarasota Saltwater

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Gimbal Type	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>												
Sr-C-661ML	ML	MF	6'6"	15-30 lbs	1 pc	Graphite	7-1/2"	12-3/4"	8 + Tip	A	14.2	\$49.99
Sr-C-661M	M	MF	6'6"	20-40 lbs	1 pc	Graphite	7-1/2"	12-3/4"	8 + Tip	A	14.3	\$49.99
Sr-C-661MH	MH	MF	6'6"	30-50 lbs	1 pc	Graphite	7-1/2"	12-3/4"	8 + Tip	A	14.5	\$49.99
Sr-C-701ML	ML	MF	7'0"	15-30 lbs	1 pc	Graphite	7-1/2"	12-3/4"	9 + Tip	A	14.8	\$49.99
Sr-C-701M	M	MF	7'0"	20-40 lbs	1 pc	Graphite	7-1/2"	12-3/4"	9 + Tip	A	15.4	\$49.99
<i>Spinning Rods</i>												
Sr-S-661ML	ML	MF	6'6"	15-30 lbs	1 pc	Graphite	7-1/2"	12-3/4"	5 + Tip	A	14.8	\$49.99
Sr-S-661M	M	MF	6'6"	20-40 lbs	1 pc	Graphite	7-1/2"	12-3/4"	5 + Tip	A	15.2	\$49.99
Sr-S-701ML	ML	MF	7'0"	15-30 lbs	1 pc	Graphite	7-1/2"	12-3/4"	6 + Tip	A	15.2	\$49.99
Sr-S-701M	M	MF	7'0"	20-40 lbs	1 pc	Graphite	7-1/2"	12-3/4"	6 + Tip	A	15.8	\$49.99

Blue Diamond

Blue Diamond Spinning rods feature:

- Durable E-glass blank construction
- Blank is reinforced with an outer graphite layer
- Round EVA foregrip on all spinning models
- Aluminum oxide guide inserts
- Double footed stainless steel guide frames
- Stainless hooded reel seats
- Rubber butt cap on spinning and surf models
- Blue Diamond rods are backed by a 1-year warranty

Blue Diamond

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Gimbal Type	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Spinning Rods</i>												
BD-S-702M-1	M	S/M	7'0"	12-25 lbs	2-pcs	No	6"	12-3/4"	5 + Tip	A	8.6	\$27.99
BD-S-802M-1	M	S/M	8'0"	12-25 lbs	2-pcs	No	6"	12-3/4"	6 + Tip	A	9.1	\$32.99
BD-S-902M-1	M	S/M	9'0"	12-25 lbs	2-pcs	No	6"	13-1/2"	6 + Tip	A	12.2	\$39.99
BD-S-1002MH-1	MH	M/MF	10'0"	20-40 lbs	2-pcs	No	6"	15"	6 + Tip	A	15.8	\$39.99
BD-S-1202MH-1	MH	M/MF	12'0"	20-40 lbs	2-pcs	No	6"	15-3/4"	7 + Tip	A	18.8	\$44.99

A EVA with SUS cushioned reel seat and rubber butt cap



A Standard pipe reel seat with EVA grips

Tundra

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Spinning Rods</i>												
TU-70	M	M/MF	7'0"	6-15 lbs	1/4-3/4	2-pcs	3-3/4"	11-3/4"	4 + Tip	A	9.7	\$15.99
TU-80	M	M/MF	8'0"	10-20 lbs	1/2-1-1/2	2-pcs	4"	14-3/4"	5 + Tip	A	10.8	\$19.99
TU-100	MH	M/MF	10'0"	10-25 lbs	3/4-2-1/2	2-pcs	4"	16-1/2"	5 + Tip	A	20.8	\$24.99
TU-120	MH	M/MF	12'0"	10-30 lbs	1-5	2-pcs	4"	16-1/2"	6 + Tip	A	27.2	\$29.99
TU-130	MH	M/MF	13'0"	10-30 lbs	2-6	3-pcs	4-1/4"	21-3/4"	4 + Tip	A	31.8	\$34.99
TU-150	MH	M/MF	15'0"	10-30 lbs	2-8	3-pcs	4-1/2"	22-1/4"	5 + Tip	A	41.5	\$34.99

TUNDRA

Tundra Rods feature:

- Durable glass fiber rod blank construction
- 2-pcs blank construction on 7- to 12-ft. models
- 3-pcs blank construction on 13- and 15-ft. models
- Reinforced double footed guides on all models
- Long lasting ceramic guide inserts
- 13- and 15-ft. rods feature a fold down stripper guide
- Stainless steel hooded reel seats
- Comfortable EVA foam fore and rear grips
- 13- and 15-ft. rods feature a split butt grip configuration
- Durable rubber butt cap
- Tundra Surf rods are backed by a 1-year warranty

Quickly gaining a reputation as the surf rods that can take a beating day after day, the Tundra series combines durability and strength with a fast tip for sensitive action. The reinforced blanks are fitted with graphite and stainless steel reel seats and extra long, full EVA grips for comfort.



CONVECTOR GL

Convector GL Rods feature:

- Great Lakes-style trolling rod actions
- Durable E-glass blank construction
- Evo Graph: 1K woven carbon reinforced blank
- Durable aluminum oxide guide inserts
- Triangular shaped EVA foregrip, reduces rod twist
- High density EVA rear grip
- Casting guides are all double foot construction
- Double foot, stainless steel welded guides on "CL" models
- All models feature a durable graphite gimbal for trolling
- Convector GL rods are backed by a limited lifetime warranty



A Fuji reel seat, EVA butt and graphite gimbal



Convector GL

Casting Rods for Lake Trolling

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Application	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
CGL-C-802ML	ML	MF	8'0"	8-17 lbs	2 pcs	Downrigger	5-1/2"	12-1/2"	9 + Tip	A	8.6	\$79.99
CGL-C-802M	M	MF	8'0"	10-20 lbs	2 pcs	Downrigger	5-1/2"	12-1/2"	9 + Tip	A	8.2	\$79.99
CGL-C-802MH	MH	MF	8'0"	12-25 lbs	2 pcs	Downrigger	5-1/2"	12-1/2"	9 + Tip	A	10.2	\$79.99
CGL-C-862M	M	MF	8'6"	10-20 lbs	2 pcs	Downrigger	5-1/2"	12-1/2"	10 + Tip	A	8.2	\$79.99
CGL-C-862MH	MH	MF	8'6"	12-25 lbs	2 pcs	Downrigger	5-1/2"	12-1/2"	10 + Tip	A	12.2	\$79.99
CGL-C-902M	M	MF	9'0"	10-25 lbs	2 pcs	Dipsy Diver	5-1/2"	12-1/2"	10 + Tip	A	10.4	\$79.99
CGL-C-1002M	M	M	10'0"	12-30 lbs	2 pcs	Dipsy Diver	5-1/2"	12-1/2"	11 + Tip	A	11.0	\$79.99

Copper / Leadcore Trolling Rods

CGL-CL-802M	M	M	8'0"	12-27 lbs	2 pcs	Copper	5-1/2"	12-1/2"	8 + Tip	A	11.2	\$79.99
CGL-CL-902M	M	M	9'0"	12-27 lbs	2 pcs	Copper	5-1/2"	12-1/2"	9 + Tip	A	13.4	\$94.99



CLASSIC PRO GLT

Classic Pro GLT Rods feature:

- Salmon and Striper specialty rods
- Durable E-glass blank construction
- Durable titanium oxide guide inserts
- Stainless steel guide frames
- Copper line rod features stainless steel welded guides
- Triangular shaped EVA foregrip (All models but spinning)
- Rubber shrink tube butt. Improves rod holder removal and durability
- Casting guides are all double foot construction
- Precision Trolling models are telescopic Salmon trolling rods
- All rods feature a custom mirror finished rod blank
- Tip over butt ferrule connection for increased strength
- Stainless steel hook keepers
- Classic Pro GLT rods are backed by a 1-year warranty

A Standard pipe reel seat with shrink tube butt section, no gimbal

B Standard pipe reel seat with shrink tube butt section, with gimbal

C Trigger reel seat with shrink tube butt section, no gimbal.

D Standard pipe reel seat with EVA grips

Classic PRO

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Lake Trolling</i>											
CP-LT-762M	M	MF	7'6"	12-20 lbs	2-pcs	5-1/2"	11"	7 + Tip	A	11.2	\$29.99
<i>Down Rigger</i>											
CP-DR-702M	M	S	7'0"	10-20 lbs	2-pcs	5-1/2"	11"	9 + Tip	A	10.6	\$29.99
CP-DR-762ML	ML	S	7'6"	8-20 lbs	2-pcs	5-1/2"	11"	9 + Tip	A	10.6	\$29.99
CP-DR-802M	M	S	8'0"	10-20 lbs	2-pcs	5-1/2"	9-3/4"	11 + Tip	A	12.2	\$29.99
CP-DR-862M	M	S	8'6"	10-25 lbs	2-pcs	6-3/4"	11-3/4"	11 + Tip	A	11.8	\$29.99
<i>Dipsy Diver</i>											
CP-DD-902M	M	M	9'0"	10-25 lbs	2-pcs	6-3/4"	11"	11 + Tip	A	13.1	\$32.99
CP-DD-1002M	M	M	10'0"	12-30 lbs	2-pcs	7-3/4"	12"	11 + Tip	A	17.6	\$36.99
CP-DD-1062M	M	M	10'6"	12-30 lbs	2-pcs	8-3/4"	12"	10 + Tip	A	18.6	\$36.99
<i>Precision Trolling</i>											
CP-PB-7101M-T	M	M	7'10"	10-20 lbs	1-tele	2-3/4"	12-3/4"	8 + Tip	C	11.6	\$36.99
CP-PB-861M-T	M	M/MF	8'6"	10-20 lbs	1-tele	2-3/4"	12"	9 + Tip	A	11.1	\$36.99
CP-PB-901M-T	M	M/MF	9'0"	10-20 lbs	1-tele	2-3/4"	12"	10 + Tip	A	11.3	\$36.99
<i>Copper/Leadcore Trolling</i>											
CP-CL-862M	M	M/MF	8'6"	12-27 lbs	2-pcs	6-3/4"	9"	11 + Tip	A	13.2	\$41.99
<i>Salmon Rods</i>											
CP-C-862M	M	M	8'6"	10-20 lbs	2-pcs	4-1/2"	11"	11 + Tip	A	11.8	\$29.99
CP-C-862MH	MH	M	8'6"	12-25 lbs	2-pcs	4-1/2"	11"	11 + Tip	A	12.0	\$29.99
CP-C-902M	M	M	9'0"	10-20 lbs	2-pcs	4-1/2"	11"	11 + Tip	A	11.9	\$32.99
CP-C-902MH	MH	M	9'0"	12-25 lbs	2-pcs	4-1/2"	11"	11 + Tip	A	12.3	\$32.99
<i>Salmon, Jetty Pier Spinning Rods</i>											
CP-S-862MH	MH	M	8'6"	12-25 lbs	2-pcs	3-3/4"	12"	11 + Tip	A	11.4	\$32.99
CP-S-902MH	MH	M	9'0"	12-25 lbs	2-pcs	3-3/4"	12"	11 + Tip	A	12.4	\$32.99
<i>Striper Live-Bait "Down" Fishing Rods</i>											
CST-LB-701ML	ML	S/M	7'0"	6-20 lbs	1-pcs	5-1/4"	10-1/2"	8 + Tip	C	8.7	\$29.99
CST-LB-761L	L	S/M	7'6"	6-20 lbs	1-pcs	5-1/4"	10-1/2"	9 + Tip	C	9.0	\$29.99
CST-LB-761ML	ML	M	7'6"	10-20 lbs	1-pcs	5-1/4"	12"	9 + Tip	C	9.4	\$29.99
<i>Striper Umbrella Rig Rod</i>											
CST-UR-761MH	MH	M/MF	7'6"	12-25 lbs	1-pcs	8"	14"	8 + Tip	C	16.5	\$32.99
<i>Catfish Rods</i>											
CCF-C-802M	M	M/MF	8'0"	10-20 lbs	2-pcs	4"	15-1/2"	9 + Tip	D	10.2	\$29.99
CCF-C-902M	M	M	9'0"	10-25 lbs	2-pcs	4"	16-1/2"	9 + Tip	D	11.8	\$29.99



Blue Diamond

Blue Diamond Rods feature:

- Durable E-glass blank construction
- Blank is reinforced with an outer graphite layer
- Triangular EVA foam foregrip on casting and trolling
- Stainless hooded reel seats
- Graphite gimbals on casting and trolling models
- Wire line rods use Pac Bay roller guides
- "T" is roller tip and stripper and "TR" is all rollers
- Limited 1-year rod warranty

As rod building technology advances, we find it possible to offer high-end features in our mid level multi-purpose rod series. The Blue Diamond series of lightweight, fast action rods are made with an E-glass core for strength. We add an outer layer of graphite for super responsive action. The result is a series of lightweight and strong multi-purpose rods that are destined to become a fixture on boats across the country.



A EVA with graphite gimbal, SUS hooded reel seat



B EVA with oversized black aluminum hoods and graphite gimbal.

Blue Diamond

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Gimbal Type	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Casting Rods</i>												
BD-C-762ML-1	ML	S	7'6"	8-20 lbs	2 pcs	GR	6"	9-3/4"	9 + Tip	A	7.4	\$49.99
BD-C-802H-1	H	S/M	8'0"	15-30 lbs	2 pcs	GR	6-3/4"	11"	9 + Tip	A	10.4	\$49.99
BD-C-862ML-1	ML	S/M	8'6"	8-20 lbs	2 pcs	GR	6"	9-3/4"	11 + Tip	A	8.4	\$49.99
BD-C-862M-1	M	S/M	8'6"	12-25 lbs	2 pcs	GR	6"	9-3/4"	11 + Tip	A	8.8	\$49.99
BD-C-1002MH-1	MH	M	10'0"	12-30 lbs	2 pcs	GR	6"	11-3/4"	10 + Tip	A	10.0	\$56.99
<i>Wire Line Trolling Rods with all roller guides</i>												
BD-TR-862MH-1	MH	M	8'6"	Wire	2 pcs	GR	6-3/4"	11"	6 + Tip	B	12.4	\$79.99
BD-TR-1002MH-1	MH	M	10'0"	Wire	2 pcs	GR	6-3/4"	11"	7 + Tip	B	16.0	\$94.99



Sea Demon

Salt water engineered

Sea Demon combos feature:

- 2BB+1RB drive system on SDO reels
- 2BB drive system on Classic Pro reels
- Multi-disc composite drag system
- Machined aluminum spool on SDO reels
- Corrosion resistant graphite spools on Classic Pro
- Corrosion resistant graphite body and side plates
- Stainless steel levelwind system
- Ergo grip power handles on SDO reels
- T-shaped ABS handle knobs on Classic Pro
- On/Off bait clicker on all conventional combos
- Durable glass fiber blank construction
- Double footed stainless steel guide frames
- Polished titanium oxide guide inserts
- Stainless steel hooded reel seats
- Graphite gimbals on all models
- Limited 1-year rod warranty

Sea Demon Combos

Model	Action	Length	Sections	Reel Model	Bearings	Rod/Reel style	Guide Type	Line Capacity	MSRP
<i>Sea Demon Combos with SDO reel with aluminum spool</i>									
SC-601M-S45L	M	6' 0"	1 pcs	S-45L	2BB + 1RB	Conventional	Titanium Oxide	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	\$104.99
SC-701ML-S30L	ML	7' 0"	1 pcs	S-30L	2BB + 1RB	Conventional	Titanium Oxide	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	\$104.99
SC-701M-S30L	M	7' 0"	1 pcs	S-30L	2BB + 1RB	Conventional	Titanium Oxide	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	\$104.99
<i>Sea Demon Combos with Classic Pro reels with graphite spool</i>									
SC-701ML-302C	ML	7' 0"	1 pcs	CL-302C	2BB	Conventional	Titanium Oxide	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	\$74.99
SC-701ML-302L	ML	7' 0"	1 pcs	CL-302L	2BB	Conventional	Titanium Oxide	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	\$74.99



Great Lakes Trolling Combos

Great Lakes Combos Feature:

- Specific Great Lakes Trolling rod actions
- Durable E-glass blank construction
- Double footed aluminum oxide guides
- Stainless steel hooded reel seats
- Comfortable EVA foam grips.
- Machine cut brass gearing
- Corrosion resistant graphite spools
- Power handles standard on all models
- Limited 1-year rod warranty

Great Lakes Combos

Model	Action	Length	Sections	Reel Model	Bearings	Rod/Reel style	Guide Type	Line Capacity	MSRP
<i>Star drag downrigger trolling combo</i>									
CPDR-862M-300L	M	8'8"6"	2-pcs	CLX-300L	Bushing	Downrigger	Aluminum Oxide	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	\$69.99
<i>Line counter trolling combos</i>									
CP-PB-710MT-20DX	M	7'10"	1-pcs Tele	MA-20DX	2BB	Planer Board	Aluminum Oxide	290/17(0.35), 230/18(0.40), 210/20(0.42)	\$69.99
<i>Lake trolling combos</i>									
CP-LT-762M-20DX	M	7'6"	2-pcs	MA-20DX	2BB	Lake Troll	Aluminum Oxide	290/17(0.35), 230/18(0.40), 210/20(0.42)	\$79.99
CP-DR-762L-20DX	L	7'6"	2-pcs	MA-20DX	2BB	Downrigger	Aluminum Oxide	290/17(0.35), 230/18(0.40), 210/20(0.42)	\$79.99
CPDR-862M-30DX	M	8'6"	2-pcs	MA-30DX	2BB	Downrigger	Aluminum Oxide	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	\$79.99
CPCL-862M-45DX	M	8'6"	2-pcs	MA-45DX	2BB	Copper/Leadcore	Aluminum Oxide	580/20(0.42), 430/25(0.48), 330/30(0.55)	\$79.99
CPC-902MH-30DX	MH	9'0"	2-pcs	MA-30DX	2BB	Salmon	Aluminum Oxide	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	\$84.99
CP-DD-1002-30DX	MH	9'0"	2-pcs	MA-30DX	2BB	Dipsy Diver	Aluminum Oxide	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	\$89.99



AVENGER

Avenger Combos Feature:

- Spinning and star drag reels pre-spooled with line
- Aluminum spool on spinning combos
- Corrosion resistant graphite spool on star drag combos
- Patented On/Off baitfeeding system on ABF combos
- EVA grips on baitfeeding and star drag combos
- Cork grips on standard spinning combos
- Avenger surf and pier spinning combos feature EVA grips
- Avenger star drag reels feature a 1BB drive system
- Avenger spinning and baitfeeding reels feature 6BB+1RB
- Limited 1-year warranty

Avenger Combos

Model	Action	Length	Sections	Reel Model	Bearings	Rod/Reel style	Guide Type	Line Capacity	Spoiled with line	MSRP
<i>Conventional levelwind combos</i>										
AV-661ML-300L	ML	6'6"	1 pcs	AV-300L	1BB	Levelwind	Aluminum Oxide	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	Yes	\$74.99
AV-701M-300L	L	7'0"	1 pcs	AV-300L	1BB	Levelwind	Aluminum Oxide	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	Yes	\$79.99
<i>Baitfeeder spinning Combos</i>										
ABF-701M-S0	M	7'0"	1 pcs	ABF-50	6BB + 1RB	Spinning	Aluminum Oxide	380/10 (0.30), 340/12 (0.32), 240/15 (0.37)	Yes	\$79.99
ABF-701MH-65	MH	7'0"	1 pcs	ABF-65	6BB + 1RB	Spinning	Aluminum Oxide	430/12 (0.32), 310/15 (0.37), 260/20 (0.42)	Yes	\$94.99



DIEZEL Combos

Diezel Combos feature:

- Multi-disc felt and stainless steel drag system
- All models feature 1 ball bearing drive system
- Machined aluminum, gold anodized spools
- Corrosion resistant graphite body and side plates
- Durable glass fiber rod blank construction
- Stainless steel guide frames on rod
- Aluminum oxide guide inserts for durability
- Dense EVA foam fore and rear grips
- Limited 1-year warranty

Diezel Combos

Model	Action	Length	Reel Model	Bearings	Sections	Rod/Reel style	Guide Type	Line Capacity	MSRP
<i>Spinning combos</i>									
DZ-S-701-65	MH	7'0"	DZ-65	1 BB	1 pcs	Spinning	Aluminum Oxide	440/12 (0.32), 310/15 (0.37), 260/20 (0.42)	\$56.99
DZ-S-802-65	MH	8'0"	DZ-65	1 BB	2 pcs	Spinning	Aluminum Oxide	440/12 (0.32), 310/15 (0.37), 260/20 (0.42)	\$56.99
DZ-S-1002-80	MH	10'0"	DZ-80	1 BB	2 pcs	Spinning	Aluminum Oxide	430/15 (0.37), 360/20 (0.42), 260/25 (0.48)	\$69.99



DIEMOS

Diemos Combos feature:

- Multi-disc, Japanese-oiled felt drag washers
- Spinning reel features 3BB+1RB drive system
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body
- S-Curve Oscillation System
- Machined aluminum, two-tone anodized, ported spool
- Red anodized protective body guard
- Carbon composite blank construction
- Stainless steel guide inserts and guide frames
- Compressed cork fore and rear grips
- Split butt design improves balance and reduces weight
- Stainless steel hooded reel seat
- Limited 1-year warranty

Diemos Combos

Model	Action	Length	Sections	Reel Model	Bearings	Rod/Reel style	Guide Type	Line Capacity	Line Capacity	MSRP
<i>2-piece Spinning combos</i>										
DI-S-602-20	M	6'0"	2 pcs	DI-20	3BB + 1RB	Spinning	Stainless Insert	290/4 (0.17), 180/6 (0.22), 140/8 (0.25)	No	\$56.99
DI-S-662-30	M	6'6"	2 pcs	DI-30	3BB + 1RB	Spinning	Stainless Insert	330/6 (0.22), 260/8 (0.25), 180/10 (0.30)	No	\$56.99
DI-S-702-30	M	7'0"	2 pcs	DI-30	3BB + 1RB	Spinning	Stainless Insert	330/6 (0.22), 260/8 (0.25), 180/10 (0.30)	No	\$56.99



NEMESIS

Nemesis Combos feature:

- Composite rod blank construction
- Stainless steel guide frames and inserts
- Multi-disc front drag system
- Machined aluminum, 2-tone anodized spool
- Split butt rod design for reduced weight
- Neo-cork fore and rear grips
- Corrosion resistant reel body
- Limited 1-year warranty

Nemesis Combos

Model	Action	Length	Sections	Reel Color	Bearings	Guide Type	With Line	Line Capacity	Spooled with line	MSRP
NS-602-20	M	6'0"	2 pcs	NS-20	3BB + 1RB	Spinning	Stainless Insert	290/4 (0.17) 180/6 (0.22) 140/8 (0.25)	No	\$54.99
NS-662-30	M	6'6"	2 pcs	NS-30	3BB + 1RB	Spinning	Stainless Insert	330/6 (0.22) 260/8 (0.25) 180/10 (0.30)	No	\$54.99
NS-702-30	M	7'0"	2 pcs	NS-30	3BB + 1RB	Spinning	Stainless Insert	330/6 (0.22) 260/8 (0.25) 180/10 (0.30)	No	\$59.99



CALYNN

Calynn Combos

Calynn Combos feature:

- Multi-disc, Japanese-oiled felt drag washers
- Spinning reel features 3BB+1RB drive system
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body
- Precision Elliptical Gearing System
- Machined aluminum, silver anodized, ported spool
- Narrow Blade Body Design for reduced fatigue
- 100% high carbon graphite blank design
- Comfortable EVA foregrip design
- Compressed cork rear grip butt section
- Split butt improves balance and reduces weight
- Stainless steel guide frames with titanium oxide inserts
- Stainless steel hooded reel seat
- Limited 1-year warranty

Spinning Combos

Model	Action	Length	Sections	Reel Model	Bearings	Rod/Reel Type	Guide Type	Line Capacity	Spooled with line	MSRP
CY-662ML-20	ML	6'6"	2 pcs	Calynn-20	3BB + 1RB	Spinning	Aluminum Oxide	190/4 (0.17), 110/6 (0.22), 90/8 (0.25)	No	\$66.99
CY-662M-30	M	6'6"	2 pcs	Calynn-30	3BB + 1RB	Spinning	Aluminum Oxide	200/6 (0.22), 160/8 (0.25), 110/10 (0.30)	No	\$66.99
CY-702ML-20	ML	7'0"	2 pcs	Calynn-20	3BB + 1RB	Spinning	Aluminum Oxide	190/4 (0.17), 110/6 (0.22), 90/8 (0.25)	No	\$66.99
CY-702M-30	M	7'0"	2 pcs	Calynn-30	3BB + 1RB	Spinning	Aluminum Oxide	200/6 (0.22), 160/8 (0.25), 110/10 (0.30)	No	\$66.99



Xpressions

Xpressions Combos feature:

- Graphite composite blank construction
- 1BB+1RB bearing drive for smoothness
- Quick-set anti-reverse bearing
- Multi-disc oil felt drag washers
- Durable aluminum oxide guide inserts
- Comfortable cork fore and rear grips
- Machined aluminum anodized spools
- Xpressions combos are pre-spooled with line
- Limited 1-year rod warranty



Xpressions Combos

Model	Action	Length	Sections	Reel Model	Bearings	Rod/Reel style	Guide Type	Line Capacity	Spooled with line	MSRP
XPS-862M-40Sa	M	8'6"	2 pcs	XPS-40	1BB + 1RB	Spinning	Stainless Steel	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)	Yes	\$56.99

Safina

Safina Combos feature:

- Glass fiber rod blank construction
- 1BB bearing drive for smoothness
- Multi-disc oil felt drag washers
- Durable Dura-flow stainless steel guides
- Comfortable neo-cork fore and rear grips
- Machined aluminum 2-toned anodized spool
- Limited 1-year rod warranty



Safina combos

Model	Action	Length	Sections	Reel Model	Bearings	Guide Type	With Line	Line Capacity
SNa-502UL-25	UL	5'0"	2 pcs	SNa-25	1BB	UL-Spinning	No	270/6 (0.22), 210/8 (0.25)
SNa-562UL-25	UL	5'6"	2 pcs	SNa-25	1BB	UL-Spinning	No	270/6 (0.22), 210/8 (0.25)
SNa-602UL-25	UL	6'0"	2 pcs	SNa-25	1BB	UL-Spinning	No	270/6 (0.22), 210/8 (0.25)
SNa-702UL-25	UL	7'0"	2 pcs	SNa-25	1BB	UL-Spinning	No	270/6 (0.22), 210/8 (0.25)

Safina Pro

Safina Pro Combos feature:

- Graphite composite rod blank construction
- 3BB + 1RB bearing drive for smoothness
- 1-Quick Set anti-reverse roller bearing
- Multi-disc oil felt drag washers
- Durable Dura-flow stainless steel guides
- Comfortable EVA foam fore and rear grips
- Machined aluminum 2-toned anodized spool
- Limited 1-year rod warranty



Safina Pro combos

Model	Action	Length	Sections	Reel Model	Bearings	Guide Type	With Line	Line Capacity
SPa-602-25	M	6'0"	2 pcs	SNa-25	3BB+1RB	Stainless Steel	No	270/6 (0.22), 210/8 (0.25)
SPa-662-35	M	6'6"	2 pcs	SNa-35	3BB+1RB	Stainless Steel	No	290/8 (0.25), 200/10 (0.30)
SPa-702-35	M	7'0"	2 pcs	SNa-35	3BB+1RB	Stainless Steel	No	290/8 (0.25), 200/10 (0.30)



Fin Chaser b Series Combos feature:

- Multi colored combo series
- Durable glass fiber rod blank construction
- 1 ball bearing drive on 6'0" – 10'0" models
- Multi-disc drag washers
- Durable ceramic guide inserts
- Comfortable cork fore and rear grips on 6'0"-6'6"
- EVA grips on 7'0"-10'0" models
- Spinning reels are all front drag control
- Two-tone anodized aluminum spools
- Fin Chaser combos are pre-spooled with line
- Limited 1-year warranty




Almost a cultural icon, the beloved

Fin Chaser features a ball bearing drive and a machined aluminum spool on all models.

Fin Chaser b Series Combos

Model	Action	Length	Sections	Reel Model	Bearings	Reel Color	With Line	Line Capacity
FN-602-25Bb	ML	6' 0"	2 pcs	FN-25	1BB	Blue	Yes	180/6 (0.22), 140/8 (0.25), 100/10 (0.30)
FN-602-25Sb	M	6' 0"	2 pcs	FN-25	1BB	Silver	Yes	180/6 (0.22), 140/8 (0.25), 100/10 (0.30)
FN-602-25PKb	ML	6' 0"	2 pcs	FN-25	1BB	Pink	Yes	180/6 (0.22), 140/8 (0.25), 100/10 (0.30)
FN-602-25Rb	ML	6' 0"	2 pcs	FN-25	1BB	Red	Yes	180/6 (0.22), 140/8 (0.25), 100/10 (0.30)
FN-602-25Yb	ML	6' 0"	2 pcs	FN-25	1BB	Yellow	Yes	180/6 (0.22), 140/8 (0.25), 100/10 (0.30)
FN-662-25Bb	MH	6' 6"	2 pcs	FN-25	1BB	Blue	Yes	180/6 (0.22), 140/8 (0.25), 100/10 (0.30)
FN-662-25Sb	M	6' 6"	2 pcs	FN-25	1BB	Silver	Yes	180/6 (0.22), 140/8 (0.25), 100/10 (0.30)
FN-662-25PKb	M	6' 6"	2 pcs	FN-25	1BB	Pink	Yes	180/6 (0.22), 140/8 (0.25), 100/10 (0.30)
FN-662-25Rb	M	6' 6"	2 pcs	FN-25	1BB	Red	Yes	180/6 (0.22), 140/8 (0.25), 100/10 (0.30)
FN-662-25Yb	M	6' 6"	2 pcs	FN-25	1BB	Yellow	Yes	180/6 (0.22), 140/8 (0.25), 100/10 (0.30)
FN-70-40Bb	MH	7' 0"	2 pcs	FN-20	1BB	Blue	Yes	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)
FN-70-40Yb	MH	7' 0"	2 pcs	FN-40	1BB	Yellow	Yes	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)
FN-80-40Bb	MH	8' 0"	2 pcs	FN-40	1BB	Blue	Yes	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)
FN-80-40Yb	MH	8' 0"	2 pcs	FN-40	1BB	Yellow	Yes	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)
FN-90-65Bb	MH	9' 0"	2 pcs	FN-65	1BB	Blue	Yes	440/12 (0.32), 310/15 (0.37), 260/20 (0.42)
FN-90-65Yb	MH	9' 0"	2 pcs	FN-65	1BB	Yellow	Yes	440/12 (0.32), 310/15 (0.37), 260/20 (0.42)
FN-100-65Bb	MH	10' 0"	2 pcs	FN-65	1BB	Blue	Yes	440/12 (0.32), 310/15 (0.37), 260/20 (0.42)
FN-100-65Yb	MH	10' 0"	2 pcs	FN-65	1BB	Yellow	Yes	440/12 (0.32), 310/15 (0.37), 260/20 (0.42)



BOUNDARY

Boundary Combos feature:

- Narrow modern reel body design
- Graphite body and rotor on reel
- Electroplated graphite spool design
- Glass fiber rod blank for maximum durability
- 1 Ball Bearing Drive System for smoothness
- Comfortable EVA fore and rear grips on rod
- Rods are all 2-pcs construction for easy transportation
- Limited 1-year warranty



Boundary Combos

Model	Action	Length	Sections	Reel Model	Bearings	Guide Type	With Line	Line Capacity
B-S-562-20	M	5' 6"	2 pcs	B-20	1BB	Ceramic	Yes	290/4 (0.17), 180/6 (0.22), 140/8 (0.25)
B-S-602-20	M	6' 0"	2 pcs	B-20	1BB	Ceramic	Yes	330/6 (0.22), 260/8 (0.25), 180/10 (0.30)
B-S-662-30	M	6' 6"	2 pcs	B-30	1BB	Ceramic	Yes	330/6 (0.22), 260/8 (0.25), 180/10 (0.30)
B-S-702-40	M	7' 0"	2 pcs	B-40	1BB	Ceramic	Yes	410/8 (0.25), 290/10 (0.30), 260/12 (0.32)
B-S-802-40	MH	8' 0"	2 pcs	B-40	1BB	Ceramic	Yes	410/8 (0.25), 290/10 (0.30), 260/12 (0.32)
B-S-902-65	MH	9' 0"	2 pcs	B-65	1BB	Ceramic	Yes	440/12 (0.32), 310/15 (0.37), 260/20 (0.42)



Steeler

Steeler Combos feature:

- Durable glass fiber rod blank construction
- 1BB drive system for durability
- Multi-disc drag washer system
- Steeler rod blanks are all 2-pcs design
- Durable ceramic guide inserts
- Comfortable EVA fore and rear grips
- Spinning reels are all rear drag control
- Corrosion resistant graphite spools
- Steeler combos are pre-spooled with line
- Limited 1-year warranty



Steeler "b" Combos

Factory balanced, multi-purpose matching color, spinning combos.

Model	Action	Length	Sections	Reel Color	Bearings	Guide Type	With Line	Line Capacity
SLR-562-25Bb	M	5'6"	2 pcs	Blue	1BB	Ceramic	Yes	310/4 (0.15), 200/6 (0.22), 150/8 (0.25)
SLR-562-25Gb	M	5'6"	2 pcs	Gold	1BB	Ceramic	Yes	310/4 (0.15), 200/6 (0.22), 150/8 (0.25)
SLR-562-25PKb	M	5'6"	2 pcs	Pink	1BB	Ceramic	Yes	310/4 (0.15), 200/6 (0.22), 150/8 (0.25)
SLR-602-30Bb	M	6'0"	2 pcs	Blue	1BB	Ceramic	Yes	355/4 (0.20), 225/6 (0.22), 175/8 (0.25)
SLR-602-30Gb	M	6'0"	2 pcs	Gold	1BB	Ceramic	Yes	355/4 (0.20), 225/6 (0.22), 175/8 (0.25)
SLR-602-30PKb	M	6'0"	2 pcs	Pink	1BB	Ceramic	Yes	355/4 (0.20), 225/6 (0.22), 175/8 (0.25)
SLR-662-30Bb	M	6'6"	2 pcs	Blue	1BB	Ceramic	Yes	355/4 (0.20), 225/6 (0.22), 175/8 (0.25)
SLR-662-30Gb	M	6'6"	2 pcs	Gold	1BB	Ceramic	Yes	355/4 (0.20), 225/6 (0.22), 175/8 (0.25)
SLR-662-30PKb	M	6'6"	2 pcs	Pink	1BB	Ceramic	Yes	355/4 (0.20), 225/6 (0.22), 175/8 (0.25)



Tundra Combos feature:

- 1BB ball bearing drive for smoothness
- Corrosion resistant graphite spool
- Multi-disc oiled felt drag system
- Durable glass fiber rod blank construction
- Reinforced double footed guides on all models
- Long lasting ceramic guide inserts
- Stainless steel hooded reel seats
- Comfortable EVA foam fore and rear grips
- Durable rubber butt cap
- Tundra combos are pre-spooled with line
- Limited 1-year warranty

TUNDRA

Tundra Combos

Model	Action	Length	Reel Model	Bearings	Sections	Rod/Reel style	Guide Type	Line Capacity	Spooled with line	MSRP
TU-702-50	M	7'0"	TU-50	1 BB	2 pcs	Spinning	Aluminum Oxide	330/10 (0.30), 290/12 (0.32), 210/15 (0.37)	Yes	\$36.99
TU-802-60	M	8'0"	TU-60	1 BB	2 pcs	Spinning	Aluminum Oxide	360/12 (0.32), 250/15 (0.37), 210/20 (0.42)	Yes	\$36.99
TU-902-65	MH	9'0"	TU-65	1 BB	2 pcs	Spinning	Aluminum Oxide	440/12 (0.32), 310/15 (0.37), 260/20 (0.42)	Yes	\$44.99
TU-1002-80	MH	10'0"	TU-80	1 BB	2 pcs	Spinning	Aluminum Oxide	430/15 (0.37), 360/20 (0.42), 260/25 (0.48)	Yes	\$44.99
TU-1202-80	MH	12'0"	TU-80	1 BB	2 pcs	Spinning	Aluminum Oxide	430/15 (0.37), 360/20 (0.42), 260/25 (0.48)	Yes	\$49.99



Cascade Combos feature:

- Durable glass fiber rod blank construction
- 1BB drive system for durability
- Multi-disc drag washer system
- Cascade rod blanks are all 2-pcs design
- Durable ceramic guide inserts
- Comfortable EVA fore and rear grips
- Spinning reels are all front drag control
- Corrosion resistant graphite spools
- Cascade combos are pre-spooled with line
- Limited 1-year warranty

Cascade

Cascade Spinning Combos

Model	Action	Length	Sections	Reel Model	Bearings	Rod/Reel style	With Line	Line Capacity
CS-502-20	ML	5' 0"	2 pcs	SF-20	1BB	Spinning	Yes	170/4 (0.17), 100/6 (0.22), 80/8 (0.25)
CS-602-20	ML	6' 0"	2 pcs	SF-20	1BB	Spinning	Yes	170/4 (0.17), 100/6 (0.22), 80/8 (0.25)
CS-662-30	M	6' 6"	2 pcs	SF-30	1BB	Spinning	Yes	200/6 (0.22), 160/8 (0.25), 110/10 (0.30)
CS-702-40	M	7' 0"	2 pcs	SF-40	1BB	Spinning	Yes	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)

CEDROS

Cedros Saltwater Fly Reels feature:

- Maintenance-free waterproof drag system
- Multi-disc Carbonite and stainless steel drag system
- Roller bearing engages drag system in one direction
- 2BB + 1RB stainless steel bearing drive system
- Precision machined stainless steel spool shaft
- Anodized aluminum, machined rigid frame
- Machined aluminum, large arbor spool design
- Forged aluminum, full hard anodized reel foot
- Easy-to-change left to right hand retrieval conversion
- 7/8 and 8/9 feature full caged frame design



CE-8/9



**MACHINED
RIGID FRAME**

Cedros

Model	Line Weight	Weight (oz.)	Bearings	Line Retrieve	Fly line capacity	Frame	Spool	Spool Width	Spool Diam.	MSRP
CE-5/6	5,6 wt.	6.0	2BB + 1RB	10"	WF-5, 130yds/20lbs	AL	AL	28mm	82mm	\$189.99
CE-7/8	7,8 wt.	6.6	2BB + 1RB	11"	WF-7, 150yds/20lbs	AL	AL	31mm	88mm	\$199.99
CE-8/9	8,9 wt.	7.4	2BB + 1RB	12"	WF-8, 250yds/20lbs	AL	AL	34mm	95mm	\$209.99
<i>Spare spools</i>										
CE-5/6 Spool	5,6 wt.	3.0	2BB + 1RB	10"	WF-5, 130yds/20lbs	AL	AL	28mm	82mm	\$89.99
CE-7/8 Spool	7,8 wt.	3.4	2BB + 1RB	11"	WF-7, 150yds/20lbs	AL	AL	31mm	88mm	\$99.99
CE-8/9 Spool	8,9 wt.	3.8	2BB + 1RB	12"	WF-8, 250yds/20lbs	AL	AL	34mm	95mm	\$99.99



Integrity b

Integrity b Fly Reels feature:

- Multi-disk cork drag system
- Roller bearing engages drag system in one direction
- Precision machined stainless steel spool shaft
- ALC: Alumilite diecast aluminum frame design
- Rigid diecast aluminum, large arbor spool design
- Precision machined, brass bushing drive
- Easy-to-change left to right hand retrieval conversion



I-5/6b

Okuma's large arbor design gives faster line retrieval for a single action reel. Traditionally known as a specialty reel, large arbor reels have been fished by the specialists. With the introduction of the Integrity, Okuma opens up to the world of large arbor fishing. The Integrity series features a unique, oversized stainless steel-based disc drag. This amazing drag has little to no initial resistance, with incredible high-end drag pressure. The drag is controlled by an oversized roller bearing, allowing for drag free retrievals.



Integrity b

Model	Line Weight	Weight (oz.)	Bearings	Line Retrieve	Fly line capacity	Frame	Spool	Spool Width	Spool Diam.	MSRP
I-5/6b	5,6 wt.	7.0	1RB	9"	WF-5, 70yds/12lbs	AL	AL	25mm	76mm	\$69.99
I-7/8b	7,8 wt.	7.5	1RB	9"	WF-7, 50yds/20lbs	AL	AL	30mm	76mm	\$69.99
I-8/9b	8,9 wt.	8.0	1RB	10"	WF-8, 100yds/20lbs	AL	AL	30mm	87mm	\$74.99
I-10/11b	10,11 wt.	8.5	1RB	12"	WF-10, 170yds/30lbs	AL	AL	30mm	99mm	\$74.99
<i>Spare spools</i>										
I-5/6b Spool	5,6 wt.	3.2	1RB	9"	WF-5, 70yds/12lbs	N/A	AL	25mm	76mm	\$34.99
I-7/8b Spool	7,8 wt.	3.4	1RB	9"	WF-7, 50yds/20lbs	N/A	AL	30mm	76mm	\$34.99
I-8/9b Spool	8,9 wt.	3.9	1RB	10"	WF-8, 100yds/20lbs	N/A	AL	30mm	87mm	\$34.99
I-10/11b Spool	10,11 wt.	4.4	1RB	12"	WF-10, 170yds/30lbs	N/A	AL	30mm	99mm	\$34.99



SLV Fly Reels feature:

- Multi-disc cork and stainless steel drag washers
- Roller bearing engages drag system in one direction
- Precision machined stainless steel spool shaft
- ALC: Alumilite diecast aluminum frame design
- Rigid diecast aluminum, super large arbor spool design
- Precision machined, brass bushing drive
- Easy-to-change left to right hand retrieval conversion



SLV

Model	Line Weight	Weight (oz.)	Bearings	Line Retrieve	Fly line capacity	Frame	Spool	Spool Width	Spool Diam.	MSRP
SLV-23	2,3 wt.	4.5	1RB	8"	WF-2,50yds/12lbs	AL	AL	22mm	66mm	\$64.99
SLV-45	4,5 wt.	4.8	1RB	9"	WF-4,95yds/12lbs	AL	AL	24mm	75mm	\$64.99
SLV-56	5,6 wt.	5.3	1RB	10"	WF-5,140yds/20lbs	AL	AL	28mm	82mm	\$64.99
SLV-78	7,8 wt.	5.5	1RB	11"	WF-7,145yds/20lbs	AL	AL	31mm	88mm	\$64.99
SLV-89	8,9 wt.	6.1	1RB	12"	WF-8,150yds/30lbs	AL	AL	34mm	95mm	\$64.99
SLV-1011	10,11 wt	9.7	1RB	13"	WF-10,220yds/30lbs	AL	AL	40mm	114mm	\$64.99
<i>Spare spools</i>										
SLV-23 Spool	2,3 wt.	2.0	1RB	8"	WF-2,50yds/12lbs	N/A	AL	22mm	66mm	\$36.99
SLV-45 Spool	4,5 wt.	2.1	1RB	9"	WF-4,95yds/12lbs	N/A	AL	24mm	75mm	\$36.99
SLV-56 Spool	5,6 wt.	2.3	1RB	10"	WF-5,140yds/20lbs	N/A	AL	28mm	82mm	\$36.99
SLV-78 Spool	7,8 wt.	2.5	1RB	11"	WF-7,145yds/20lbs	N/A	AL	31mm	88mm	\$36.99
SLV-89 Spool	8,9 wt.	2.9	1RB	12"	WF-8,150yds/30lbs	N/A	AL	34mm	95mm	\$36.99
SLV-1011 Spool	10,11 wt	4.9	1RB	13"	WF-10,220yds/30lbs	N/A	AL	40mm	114mm	\$36.99



S-5/6

SIERRA

Sierra Fly Reels feature:

- Fully adjustable Teflon and stainless steel drag system
- Roller bearing engages drag system in one direction
- Precision machined stainless steel spool shaft
- ALC: Alumilite diecast aluminum frame design
- Rigid diecast aluminum, standard arbor spool design
- Precision machined, brass bushing drive
- Easy-to-change left to right hand retrieval conversion

Okuma has set the standard for what can be expected from a starter fly reel. Whether you're a first time fly angler or a river guide looking for something new, the Sierra series offers quality fly reels at incredible prices.



Sierra

Model	Line Weight	Weight (oz.)	Bearings	Line Retrieve	Fly line capacity	Frame	Spool	Spool Width	Spool Diam.
S-4/5	4,5 wt.	5.3	1RB	8"	WF-4, 105yds/12 lbs	AL	AL	17mm	67mm
S-5/6	5,6 wt.	5.3	1RB	9"	WF-5, 160yds/20 lbs	AL	AL	20mm	73mm
S-7/8	7,8 wt.	5.3	1RB	8"	WF-7, 75yds/20 lbs	AL	AL	24mm	67mm
S-8/9	8,9 wt.	5.7	1RB	9"	WF-8, 150yds/20 lbs	AL	AL	24mm	73mm
S-10/11	10,11 wt.	6.0	1RB	11"	WF-10, 285yds/30 lbs	AL	AL	30mm	89mm
<i>Spare spools</i>									
S-4/5 Spool	4,5 wt.	2.3	1RB	8"	WF-4, 105yds/12 lbs	N/A	AL	17mm	67mm
S-5/6 Spool	5,6 wt.	2.5	1RB	9"	WF-5, 160yds/20 lbs	N/A	AL	20mm	73mm
S-7/8 Spool	7,8 wt.	2.2	1RB	8"	WF-7, 75yds/20 lbs	N/A	AL	24mm	67mm
S-8/9 Spool	8,9 wt.	2.8	1RB	9"	WF-8, 150yds/20 lbs	N/A	AL	24mm	73mm
S-10/11 Spool	10,11 wt.	4.7	1RB	11"	WF-10, 285yds/30 lbs	N/A	AL	30mm	89mm



Cascade

Cascade Fly Reels feature:

- Fully adjustable multi-disc Teflon drag system
- Roller bearing engages drag system in one direction
- Precision machined stainless steel spool shaft
- Super lightweight graphite frame construction
- Corrosion resistant, super large arbor spool design
- Easy-to-change left to right hand retrieval conversion

Okuma's new large arbor design gives faster line retrieval for a single action reel. The Cascade graphite large arbor reels offer incredible value in the traditionally exclusive world of large arbor reels. The Cascade uses the same one-way roller bearing technology found on higher end reels, allowing for drag-free retrievals. Costing no more than a few Woolly Buggers, the Cascade is a great starter reel for a first foray into large arbor fishing, or an extra all-arounder.



Cascade

Model	Line Weight	Weight (oz.)	Bearings	Line Retrieve	Fly line capacity	Frame	Spool	Spool Width	Spool Diam.
CS-4/6	4,5,6 wt.	5.0	1RB	9"	WF-4, 125yds/20 lbs	GR	GR	29mm	74mm
CS-7/9	7,8,9 wt.	6.0	1RB	10"	WF-7, 135yds/20 lbs	GR	GR	34mm	85mm
<i>Spare spools</i>									
CS-4/6 Spool	4,5,6 wt.	2.0	1RB	9"	WF-4, 125yds/20 lbs	N/A	GR	29mm	74mm
CS-7/9 Spool	7,8,9 wt.	2.6	1RB	10"	WF-7, 135yds/20 lbs	N/A	GR	34mm	85mm



Guide Select Spey Rods

Guide Select Spey Fly Rods feature:

- IM8 graphite construction
- 4-piece rod design
- Aluminum Oxide stripper guide
- Stainless steel snake guides
- Aluminum pipe reel seat with aluminum hoods
- Through-blank carbon fiber construction
- Okuma rod bag
- Limited Lifetime Warranty

Guide Select Fly Rods

Model	Rod Taper	Length	Line Weight	Sections	Rod Blank Material	Number of Guides	Rod Tube	Weight (oz)	MSRP
<i>Spey Rods</i>									
GSS-08-138-4	M/MF	13'8"	8 wt.	4 pcs	IM-8 Graphite	13 + Tip	Yes	9.2	\$189.99
GSS-09-149-4	M/MF	14'9"	9 wt.	4 pcs	IM-8 Graphite	14 + Tip	Yes	9.9	\$189.99
GSS-10-150-4	M/MF	15'0"	10 wt.	4 pcs	IM-8 Graphite	15 + Tip	Yes	10.3	\$189.99

SLV Fly Rods



SLV Fly Rods feature:

- Lightweight graphite construction
- 4-piece rod design
- Titanium Oxide stripper guide
- Stainless steel snake guides
- Aluminum pipe reel seat with aluminum hoods
- Okuma rod bag
- Okuma 1-year warranty

SLV Fly Rods

Model	Length	Rod Taper	Line Weight	Sections	Reel Seat Description	Rod Blank	Number of Guides	Rod Bag	Rod Weight	MSRP
SLV-3-80-4	8'0"	MF	3 wt.	4pcs	AL hoods with carbon fiber pipe	Graphite	8 + Tip	YES	3.8	\$74.99
SLV-4-86-4	8'6"	MF	4 wt.	4pcs	AL hoods with carbon fiber pipe	Graphite	9 + Tip	YES	4.2	\$74.99
SLV-5-90-4	9'0"	MF	5 wt.	4pcs	AL hoods with carbon fiber pipe	Graphite	9 + Tip	YES	4.8	\$74.99
SLV-6-90-4	9'0"	MF	6 wt.	4pcs	AL hoods with carbon fiber pipe	Graphite	9 + Tip	YES	4.9	\$74.99
SLV-7-90-4	9'0"	MF	7 wt.	4pcs	AL hoods with carbon fiber pipe	Graphite	9 + Tip	YES	5.0	\$84.99
SLV-8-90-4	9'0"	MF	8 wt.	4pcs	AL hoods with carbon fiber pipe	Graphite	9 + Tip	YES	4.7	\$84.99
SLV-8-96-4	9'6"	MF	8 wt.	4pcs	AL hoods with carbon fiber pipe	Graphite	10 + Tip	YES	5.2	\$84.99
SLV-10-90-4	9'0"	MF	10 wt.	4pcs	AL hoods with carbon fiber pipe	Graphite	9 + Tip	YES	5.4	\$84.99

CRISIUM Fly Rods



Crisium Fly Rods feature:

- Lightweight graphite construction
- 2-piece rod design
- Titanium Oxide stripper guide
- Stainless steel snake guides
- Rosewood reel seat
- Okuma rod bag
- Okuma 1-year warranty

Crisium Fly Rods

Model	Length	Rod Taper	Line Weight	Sections	Reel Seat Description	Rod Blank	Number of Guides	Handle Style	Weight (oz)	MSRP
CRF-34-70-2	7'0"	MF	3/4 wt.	2 pcs	Rosewood reel seat with Aluminum hoods	Graphite	6 + Tip	Yes	2.8	\$54.99
CRF-45-86-2	8'6"	MF	4/5 wt.	2 pcs	Rosewood reel seat with Aluminum hoods	Graphite	9 + Tip	Yes	3.6	\$54.99
CRF-67-86-2	8'6"	MF	6/7 wt.	2 pcs	Rosewood reel seat with stainless hoods	Graphite	9 + Tip	Yes	4.0	\$54.99
CRF-56-90-2	9'0"	M/MF	5/6 wt.	2 pcs	Rosewood reel seat with stainless hoods	Graphite	9 + Tip	Yes	4.2	\$54.99
CRF-78-90-2	9'0"	M/MF	7/8 wt.	2 pcs	Rosewood reel seat with stainless hoods	Graphite	9 + Tip	Yes	5.9	\$59.99
CRF-67-96-2	9'6"	MF	6/7 wt.	2 pcs	Rosewood reel seat with stainless hoods	Graphite	9 + Tip	Yes	5.0	\$59.99

Tempest

Tempest Combos feature:

- Spooled with backing, fly line and tippet
- 3-piece, sensitive graphite rods
- Aluminum oxide stripper guides
- Stainless steel snake guides
- Fully adjustable disc drag system
- Roller bearing engages drag in one direction
- ALC: aluminum frame construction
- Diecast aluminum, standard arbor spool
- Quick change left/right hand retrieve



Cascade

Cascade Combos feature:

- Spooled with backing, fly line and tippet
- 3-piece, sensitive graphite rods
- Aluminum oxide stripper guides
- Stainless steel snake guides
- Fully adjustable multi-disc drag system
- Roller bearing engages drag in one direction
- Lightweight graphite frame construction
- Graphite large arbor spool design
- Quick change left/right hand retrieve



Finally, quality "Ready-to-fish" fly combos. These high-modulus graphite three-piece rods load line quickly, making it easier to present and cast your fly. They are factory-balanced and use only quality components. The benchmark aluminum disc drag and graphite large arbor reels are pre-spooled with quality US-made Dacron backing and weight-forward floating lines from the UK. Whether you're a novice fly-caster or a weathered veteran, Tempest, Cascade and Infusion combos are fantastic to cast and to fish.

Fly Combos

Model	Length	Line Weight	Sections	Bearings	Rod Blank	Number of Guides	Rod Weight (oz.)	Reel description
<i>Cascade Fly Combos</i>								
CS-903-5	9'0"	5 wt.	3 pcs	1 RB	Graphite	9 + Tip	4.5	Graphite large arbor, multi-disc drag
<i>Tempest Fly Combos</i>								
TS-903-5	9'0"	5 wt.	3 pcs	1 RB	Graphite	9 + Tip	4.6	Standard aluminum spool, disc drag reel

FlyBox

Okuma offers a full line of classic-design aluminum fly boxes. These boxes are constructed using materials of the highest quality. The all-aluminum window-compartment boxes are fitted with stainless steel micro springs that click the windows open effortlessly.

Okuma boxes come in either a traditional silver or a sleek matte black finish. They are available with compartment boxes that have individual, spring-loaded windows with locking lids; clip boxes with stainless steel clips; foam boxes with high-density, non-absorbent foam to carry wet flies; and ventilated boxes that provide better air circulation so flies dry quickly.

Photo credit: Rene Vaz

Fly box description:

S: Silver

B: Black

W: Flat Foam

H: Clips

HRR: Clips w/ Ripple Foam

Fly Box

Traditional Aluminum Fly Boxes

Model	Description	Dimensions	MSRP
135-6WHS	6 Window Compartments; Clips in Lid	3-1/2" x 2-3/8" x 1"	\$21.99
135-6WHB	6 Window Compartments; Clips in Lid	3-1/2" x 2-3/8" x 1"	\$21.99
135-6WRS	6 Window Compartments; Foam in Lid	3-1/2" x 2-3/8" x 1"	\$21.99
135-6WRB	6 Window Compartments; Foam in Lid	3-1/2" x 2-3/8" x 1"	\$21.99
155-10WHS	10 Window Compartments; Clips in Lid	6" x 3-1/2" x 1-1/8"	\$29.99
155-10WHB	10 Window Compartments; Clips in Lid	6" x 3-1/2" x 1-1/8"	\$29.99
155-10WRS	10 Window Compartments; Foam in Lid	6" x 3-1/2" x 1-1/8"	\$29.99
155-10WRB	10 Window Compartments; Foam in Lid	6" x 3-1/2" x 1-1/8"	\$29.99
155-16WHS	16 Window Compartments; Clips in Lid	6" x 3-1/2" x 1-1/8"	\$29.99
155-16WHB	16 Window Compartments; Clips in Lid	6" x 3-1/2" x 1-1/8"	\$29.99
155-16WRS	16 Window Compartments; Foam in Lid	6" x 3-1/2" x 1-1/8"	\$29.99
155-16WRB	16 Window Compartments; Foam in Lid	6" x 3-1/2" x 1-1/8"	\$29.99

RAW-II 1002

RAW-1002 Float Reels feature:

- Precision 6061-T6 machined aluminum frame and spool
- Durable Type-II, two-tone anodized frame and spool
- CRC: Corrosion resistant coating process
- Machine cut stainless steel spool shaft
- 1-pcs Machined Rigid Frame construction
- On/Off click ratchet for added spool tension
- Ported spool with exposed rim for easy spool control
- 2 premium stainless steel German ball bearings
- Includes Okuma's protective neoprene reel shield
- RAWII is backed by a one year warranty



RAW-1002



RAW-463

RAW-II 463

RAW-463 Mooring Reels feature:

- Precision 6061-T6 machined aluminum frame and spool
- Durable Type-II, two-tone anodized frame and spool
- CRC: Corrosion resistant coating process
- Multi-disc Carbonite and stainless steel drag system
- Unique lever drag system for setting downrigger baits
- Machine cut stainless steel spool shaft
- 1-pcs Machined Rigid Frame construction
- 3 precision stainless steel ball bearings
- Easy-to-change left to right hand retrieval conversion
- Includes Okuma's protective neoprene reel shield
- RAWII is backed by a one year warranty

RAW II

Model	Bearings	Weight (oz.)	Line Retrieve	Line Capacity (yds/lbs)	Frame	Spool	Spool Width	Spool Diam.	MSRP
<i>Centerpin Float Reel</i>									
RAW-1002	2BB	8.23	13"	275-yds / 8-lbs	AL	AL	18.5mm	114mm	\$199.99
<i>Mooring Reel</i>									
RAW-463	3BB	17.0	13"	400-yds / 30-lbs	AL	AL	25.4mm	116mm	\$399.99



AVENTA

Aventa Float Reels feature:

- Precision machined stainless steel spool shafts
- 1-piece Machined Rigid Frame construction
- Machined aluminum anodized spools
- On/Off click ratchet for added spool tension
- Ported spool with exposed rim for easy control
- 2 stainless steel German ball bearings

VT-1002

Float fishing is a unique and specific technique. The center-pin crowd is dedicated, knowledgeable and passionate about their sport. They are also extremely discerning about their tackle. The introduction of the Aventa center-pin sets a new standard for what can be expected in a fully-machined float reel.

The Aventa series is made from solid aluminum bar stock, for precision spool alignment and maximum freespool. The VT-1002, with two stainless steel ball bearings, is excellent for casting directly from the reel or for drag-free drifts.

MACHINED RIGID FRAME

Aventa

Model	Bearings	Weight (oz.)	Line Retrieve	Line Capacity (yds/lbs)	Frame	Spool	Spool Width	Spool Diam.	MSRP
Centerpin Float Reel									
VT-1002	2BB	8.23	13"	275-yds / 8-lbs	AL	AL	18.5mm	114mm	\$169.99

Guide Select Float Rods

LIFETIME WARRANTY

Guide Select Float Rods feature:

- Balanced rod actions for the Aventa reels
- IM-8 graphite blank construction
- Evo Graph: reinforced graphite weave
- Fuji hard Alconite guide inserts
- Fuji lightweight New Concept guide frames
- Fuji black hooded reel seats
- High quality fore and rear cork grips
- Custom embroidered rod bag for transportation
- Lifetime Okuma-backed warranty program



A Cork handle with slip rings



B Cork handle with Fuji reel seat with carbon fiber insert



Guide Select Float rods

Model	Reel Seat	Rod Taper	Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Float rod with fixed reel seat</i>												
GS-S-1363FR	Fuji	M	13'6"	4-8 lbs	1/8-3/8	3 pcs	6"	9-5/8"	13+Tip	B	7.2	\$159.99
<i>Float rod with slip rings</i>												
GS-S-1363FR-2	Slip Rings	M	15'6"	4-8 lbs	1/8-3/8	3 pcs	19-1/4" total length		13+Tip	A	7.4	\$139.99

AVENTA Float Rods

Aventa Float Rods feature:

- Balanced rod actions for the Aventa reels
- Sensitive graphite blank construction
- Tall frame guides for line control
- Aluminum Oxide guide inserts
- Reel seat or slip ring models
- High quality cork grips



B Cork handle with cherry wood insert on reel seat



A Cork handle with slip rings



Aventa Float rods

Model	Reel Seat	Rod Taper	Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
<i>Float rod with slip rings</i>												
VT-S-1363FR-2	Slip Rings	M	13'6"	4-8 lbs	1/8-3/8	3 pcs	19-1/4" total length		13 + Tip	A	6.4	\$94.99
<i>Float rod with fixed reel seat</i>												
VT-S-1363FR	Fuji	M	13'6"	4-8 lbs	1/8-3/8	3 pcs	5-9/10"	8-1/5"	13 + Tip	B	6.6	\$94.99
VT-S-1563FR	Fuji	M	15'6"	4-8 lbs	1/8-3/8	3 pcs	5-9/10"	8-1/5"	13 + Tip	B	8.8	\$99.99



Apparel & Accessories



OKUMA Apparel



Okuma Factory Pro
Tournament Jersey



Okuma Golf Pullover

Okuma Factory Pro Tournament Jersey

Model	Description	MSRP
WOSJL-M	Okuma Factory Pro Sublimated Jersey in long sleeve. Special Coffee fabric material- Medium	\$69.99
WOSJL-L	Okuma Factory Pro Sublimated Jersey in long sleeve. Special Coffee fabric material- Large	\$69.99
WOSJL-XL	Okuma Factory Pro Sublimated Jersey in long sleeve. Special Coffee fabric material- X-Large	\$69.99
WOSJL-XXL	Okuma Factory Pro Sublimated Jersey in long sleeve. Special Coffee fabric material- XX-Large	\$69.99
WOSJL-XXXL	Okuma Factory Pro Sublimated Jersey in long sleeve. Special Coffee fabric material- XXX-Large	\$69.99

Okuma Golf Pullover

Model	Description	MSRP
WWSNW-S	Navy Okuma Golf Pullover Wind Shirt with embroidered Okuma High Performance on the chest- Small	\$34.99
WWSNW-M	Navy Okuma Golf Pullover Wind Shirt with embroidered Okuma High Performance on the chest- Medium	\$34.99
WWSNW-L	Navy Okuma Golf Pullover Wind Shirt with embroidered Okuma High Performance on the chest- Large	\$34.99
WWSNW-XL	Navy Okuma Golf Pullover Wind Shirt with embroidered Okuma High Performance on the chest- X-Large	\$34.99
WWSNW-XXL	Navy Okuma Golf Pullover Wind Shirt with embroidered Okuma High Performance on the chest- XX-Large	\$34.99



Okuma Technical
Navy Blue T-Shirt

Okuma Technical Navy Blue T-Shirt

Model	Description	MSRP
WOTTS-M	Blue Okuma Technical T-Shirt Short Sleeve. Special Coffee fabric material - Medium	\$24.99
WOTTS-L	Blue Okuma Technical T-Shirt Short Sleeve. Special Coffee fabric material - Large	\$24.99
WOTTS-XL	Blue Okuma Technical T-Shirt Short Sleeve. Special Coffee fabric material - X-Large	\$24.99
WOTTS-XXL	Blue Okuma Technical T-Shirt Short Sleeve. Special Coffee fabric material - XX-Large	\$24.99

Okuma White Short Sleeve Saltwater T-Shirt

Model	Description	MSRP
ATSSWW-M	White Okuma Saltwater Short Sleeve T-Shirt- Medium	\$17.99
ATSSWW-L	White Okuma Saltwater Short Sleeve T-Shirt- Large	\$17.99
ATSSWW-XL	White Okuma Saltwater Short Sleeve T-Shirt- X-Large	\$17.99
ATSSWW-XXL	White Okuma Saltwater Short Sleeve T-Shirt- XX-Large	\$17.99
ATSSWW-XXXL	White Okuma Saltwater Short Sleeve T-Shirt- XXX-Large	\$17.99



Okuma White Short
Sleeve Saltwater T-Shirt



Okuma Navy Blue
Long Sleeve Saltwater T-Shirt

Okuma Navy Blue Long Sleeve Saltwater T-Shirt

Model	Description	MSRP
ATLSN-M	Navy Blue Okuma Saltwater Long Sleeve T-Shirt- Medium	\$24.99
ATLSN-L	Navy Blue Okuma Saltwater Long Sleeve T-Shirt- Large	\$24.99
ATLSN-XL	Navy Blue Okuma Saltwater Long Sleeve T-Shirt- X-Large	\$24.99
ATLSN-XXL	Navy Blue Okuma Saltwater Long Sleeve T-Shirt- XX-Large	\$24.99
ATLSN-XXXL	Navy Blue Okuma Saltwater Long Sleeve T-Shirt- XXX-Large	\$24.99



Okuma
Tournament Jersey

Okuma Tournament Jersey

Short sleeve embroidered tournament shirts.

Model	Description	MSRP
WRJS-S	Tournament Jersey Short Sleeve Small	\$69.99
WRJS-M	Tournament Jersey Short Sleeve Medium	\$69.99
WRJS-L	Tournament Jersey Short Sleeve Large	\$69.99
WRJS-XL	Tournament Jersey Short Sleeve X Large	\$69.99
WRJS-XXL	Tournament Jersey Short Sleeve XX Large	\$69.99
WRJS-XXXL	Tournament Jersey Short Sleeve XXX Large	\$69.99



Okuma Hoodie Sweatshirt

Model	Description	MSRP
WS1NL-M	Navy Blue Okuma Hooded Sweatshirt Medium	\$39.99
WS1NL-L	Navy Blue Okuma Hooded Sweatshirt Large	\$39.99
WS1NL-XL	Navy Blue Okuma Hooded Sweatshirt X Large	\$39.99
WS1NL-XXL	Navy Blue Okuma Hooded Sweatshirt XX Large	\$39.99
WS1NL-XXXL	Navy Blue Okuma Hooded Sweatshirt XXX Large	\$39.99

Okuma Hoodie Sweatshirt



Okuma Technical Jacket

Okuma Technical Jacket

Model	Description	MSRP
WTJ1B-M	Okuma Blue Technical Jacket-Medium	\$44.99
WTJ1B-L	Okuma Blue Technical Jacket-Large	\$44.99
WTJ1B-XL	Okuma Blue Technical Jacket-X-Large	\$44.99
WTJ1B-XXL	Okuma Blue Technical Jacket-XX-Large	\$44.99
WTJ1B-XXXL	Okuma Blue Technical Jacket-XXX-Large	\$44.99



Okuma Navy and Royal Fleece Jacket

Okuma Navy and Royal Blue Fleece Jacket

Model	Description	MSRP
WFJ2B-M	Okuma Navy and Royal Blue Fleece Jacket-Medium	\$44.99
WFJ2B-L	Okuma Navy and Royal Blue Fleece Jacket-Large	\$44.99
WFJ2B-XL	Okuma Navy and Royal Blue Fleece Jacket-X-Large	\$44.99
WFJ2B-XXL	Okuma Navy and Royal Blue Fleece Jacket-XX-Large	\$44.99
WFJ2B-XXXL	Okuma Navy and Royal Blue Fleece Jacket-XXX-Large	\$44.99



Navy Blue Okuma Cotton Cap

Model	AWHB-1
Description	Okuma Quality Blue cotton Logo Cap
MSRP	\$14.99

Okuma Tan Fitted Hat

Model	AWFFT-S / M
Description	Okuma Tan Fitted Hat Small/Medium
Model	AWFFT-L / XL
Description	Okuma Tan Fitted Hat Large/X-Large
MSRP	\$14.99

Okuma Blue Fitted Hat

Model	AWFFB-S / M
Description	Okuma Blue Fitted Hat Small/Medium
Model	AWFFB-L / XL
Description	Okuma Blue Fitted Hat Large/X-Large
MSRP	\$14.99



BEANIE

Model	ABEANIE
Description	Okuma Blue cotton cap beanie
MSRP	\$9.99

Okuma Cotton Visor

Model	AWV-1
Description	Okuma Quality Cotton Logo Visor
MSRP	\$12.99

Okuma Quality Blue Cotton Logo Kid Cap

Model	AWHB-KID
Description	Okuma Quality Blue Cotton Logo Kids Cap
MSRP	\$14.99



NOMAD



ANT-DB

Nomad Water Resistant duffle bag

Model	Description	MSRP
ANT-DB	Okuma Nomad water resistant duffle bag	\$49.99



ANT-CB

Nomad Water Resistant captain bag

Model	Description	MSRP
ANT-CB	Okuma Nomad water resistant captain bag with 4-plastic tackle boxes	\$64.99

VOYAGER

Voyager Spinning Travel Kit feature:


- Convenient nylon travel bag
- Shock-resistant foam insert
- Adjustable shoulder strap
- 6'0" travel rod in ML action
- Travel rod breaks down into 5-pcs
- Spinning reel features 1BB
- Spinning reel capacity: 170/4, 110/6, 80/8
- Stainless steel hooded reel seat
- Machined aluminum, anodized spinning spool

Voyager: Travel pack for the discriminating angler.



Voyager Combos

Model	Action	Length	Sections	Bearings	Reel Model	Sections	Reel Model	Rod/Reel style	Guide Type	Line Capacity	MSRP
VS-605-20	ML	6'0"	5 pcs	1 BB	VS-20FT	5 pcs	VS-20FT	Spinning	Aluminum Oxide	170/4 (0.17), 100/6 (0.22), 80/8 (0.25)	\$44.99



Neoprene reel covers

Model	Description	Reels Sizing	MSRP
<i>Reel covers</i>			
ARS-1	Reel Shield-Neoprene reel cover	150/250/400 round baitcasting & 15/20/200 star drag reels	\$3.99
ARS-2	Reel Shield-Neoprene reel cover	10/15 lever drags & 30/40/300/450 star drag reels	\$4.99
ARS-3	Reel Shield-Neoprene reel cover	20/30 sized lever drag reels & 55/55W star drag reels	\$5.99
ARS-4	Reel Shield-Neoprene reel cover	50/50W sized lever drag reels	\$7.99
ARS-10	Fly Reel Covers-Neoprene	All Okuma fly reels	\$7.99
ARS-15	Fly and Float Reel Cover	8-11 wt. fly reels and Okuma float reels	\$7.99
<i>Rod straps</i>			
AS-L	Rod Strap-Neoprene rod strap, size L	All Rods	\$4.99