

<i>Northfork Blanks Item Number</i>	<i>Line Wt</i>	<i>Lure Wt</i>	<i>Pcs.</i>	<i>Action</i>	<i>Power</i>	<i>Tip Diameter (64ths)</i>	<i>Butt Diameter</i>	<i>Weight</i>
FW 501-1 (SM)	1-4	1/32-1/8	1	Moderate	Ultra Lt.	3.6	0.255	0.70
FW 562-2 (SM)	1-4	1/32-1/8	2	Moderate	Light	4.6	0.288	0.88
FW 561-1 (SM)	2-6	1/32-3/16	1	Moderate	Ultra Lt.	3.7	0.260	0.84
FW 601-1 (SM)	1-4	1/32-1/8	1	Mod-Fast	Ultra Lt.			
FW 602-1 (SM)	1-4	1/32-1/8	1	Mod-Fast	Light	4.2	0.342	1.11
FW 662-1 (SM)	4-8	1/16-5/16	1	Fast	Light	4.4	0.369	1.14
FW 662-2 (SM)	4-8	1/16-5/16	2	Fast	Light	4.2	0.336	1.12
FW 702-2 (SM)	4-8	1/16-5/16	2	Fast	Light	4.2	0.279	1.45
FW 704-1 (SM)	4-10	1/8-3/8	1	Fast	Medium	4.5	0.427	2.12
FW 701-1 (SM)	1-4	1/32-1/8	1	Fast	Ultra Lt.	3.9	0.346	1.45
FW 661-1 (SM)	1-4	1/32-1/8	1	Fast	Ultra Lt.	3.8	0.332	1.35
Flip 766-1 (SM)	12-25	1/4-1	1	Mod-Fast	Heavy	6.1	0.560	2.90
Flip 769-1 (SM)	14-30	3/8-1 1/2	1	Moderate	Mag Heavy	7.0	0.550	3.02
CB 661-1 (SM)	8-15	1/16-5/16	1	Ex-Fast	Ultra Lt.	4.5	0.452	1.73
CB 701-1 (SM)	8-15	1/16-5/16	1	Ex-Fast	Ultra Lt.	4.4	0.486	2.00
CB 7111-1 (SM)	8-15	1/16-5/16	1	Ex-Fast	Ultra Light	4.5	0.547	2.59
CB 704-1 (SM)	8-20	5/16-5/8	1	Ex-Fast	Medium	4.7	0.533	2.99
MB 661-1 (SM)	2-6	1/32-3/16	1	Fast	Ultra Lt.	4.4	0.452	
MB 663-1 (SM)	4-10	1/8-3/8	1	Fast	Medium Lt.			
MB 664-1 (SM)	8-14	1/4-5/8	1	Fast	Medium	4.6	0.536	1.80
MB 666-1 (SM)	12-20	1/4-1	1	Fast	Heavy	5.2	0.544	2.18
MB 668-1 (SM)	12-25	3/8-1 1/4	1	Fast	Mag Medium	5.9	0.545	2.52
MB 669-1 (SM)	14-30	3/8-2	1	Mod-Fast	Mag Heavy	6.1	0.539	2.68
MB 705-1 (SM)	10-17	1/4-3/4	1	Fast	Med. Heavy	4.8	0.572	2.29
MB 709-1 (SM)	12-20	1/4-1	1	Fast	Mag Heavy	6.3	0.585	3.02
MB 739-1 (SM)	14-30	3/8-2	1	Fast	Mag Heavy	6.3	0.594	3.19
SB 5100-1 (SM)	4-8	1/32-1/4	1	Ex-Fast	Mag/Light			
SB 602-1 (SM)	6-12	3/16-1/2	1	Fast	Light	4.5	0.438	1.83
SB 603-1 (SM)	8-14	1/4-5/8	1	Ex-Fast	Med. Light			
SB 604-1 (SM)	10-17	5/16-3/4	1	Fast	Medium	4.7	0.515	1.94
SJ 543-1 (SM)	6-10	1/8-5/16	1	Fast	Med. Light	4.5	0.386	1.43
SJ 545-1 (SM)	8-15	3/16-1/2	1	Fast	Med. Heavy	4.9	0.441	1.44
SJ 603-1 (SM)	6-10	1/16-5/16	1	Fast	Med. Light	4.5	0.426	1.78
SJ 604-1 (SM)	6-12	1/8-3/8	1	Fast	Medium	4.8	0.493	1.57
SJ 605-1 (SM)	8-15	3/16-5/8	1	Fast	Med. Heavy	5.0	0.496	1.83
SJ 606-1 (SM)	10-17	1/4-1	1	Fast	Heavy	4.3	0.498	1.99

<i>Northfork Blanks Item Number</i>	<i>Line Wt</i>	<i>Lure Wt</i>	<i>Pcs.</i>	<i>Action</i>	<i>Power</i>	<i>Tip Diameter (64ths)</i>	<i>Butt Diameter</i>	<i>Weight</i>
FW 561-1 (IM)	2-6	1/32-3/16	1	Moderate	Ultra Light	3.8	0.292	0.79
FW 601-1 (IM)	1-4	1/32-1/8	1	Mod-Fast	Ultra Light	3.6	0.313	1.06
FW 602-1 (IM)	1-4	1/32-1/8	1	Mod-Fast	Light	4.2	0.333	0.94
FW 662-1 (IM)	4-8	1/16-5/16	1	Fast	Light	4.2	0.365	1.06
FW 662-2 (IM)	4-8	1/16-5/16	2	Fast	Light	4.0	0.334	0.97
FW 664-2 (IM)	4-10	1/8-3/8	2	Fast	Medium	4.1	0.366	1.37
FW 702-1 (IM)	4-8	1/16-5/16	1	Ex-Fast	Light	4.3	0.401	1.36
FW 702-2 (IM)	4-8	1/16-5/16	2	Fast	Light	3.8	0.386	1.30
FW 704-1 (IM)	4-10	1/8-3/8	1	Fast	Medium	4.7	0.422	1.92
FW 701-1 (IM)	1-4	1/32-1/8	1	Fast	Ultra Light	3.6	0.336	1.32
FW 661-1 (IM)	1-4	1/32-1/8	1	Fast	Ultra Light	3.5	0.330	1.20
Flip 766-1 (IM)	12-25	1/4-1	1	Mod-Fast	Heavy	5.8	0.547	2.63
Flip 769-1 (IM)	14-30	3/8-1 1/2	1	Moderate	Mag Heavy	6.6	0.551	2.80
CB 661-1 (IM)	8-15	1/16-5/16	1	Ex-Fast	Ultra Light	4.3	0.449	1.56
CB 701-1 (IM)	8-15	1/16-5/16	1	Ex-Fast	Ultra Light	4.6	0.485	1.83
CB 7111-1 (IM)	8-15	1/16-5/16	1	Ex-Fast	Ultra Light	4.6	0.548	2.38
CB 704-1 (IM)	8-20	5/16-5/8	1	Ex-Fast	Medium	4.0	0.481	2.56
MB 661-1 (IM)	2-6	1/32-3/16	1	Fast	Ultra Light	4.3	0.441	2.30
MB 663-1 (IM)	4-10	1/8-3/8	1	Fast	Medium Light	4.8	0.461	2.02
MB 664-1 (IM)	8-14	1/4-5/8	1	Fast	Medium	4.5	0.521	1.66
MB 666-1 (IM)	12-20	1/4-1	1	Fast	Heavy	4.7	0.534	2.08
MB 668-1 (IM)	12-25	3/8-1 1/4	1	Fast	Mag Medium	5.6	0.535	2.36
MB 669-1 (IM)	14-30	3/8-2	1	Mod-Fast	Mag Heavy	5.7	0.538	2.45
MB 705-1 (IM)	10-17	1/4-3/4	1	Fast	Med. Heavy	4.4	0.561	2.05
MB 709-1 (IM)	14-30	3/8-2	1	Fast	Mag Heavy	6.0	0.573	2.85
MB 739-1 (IM)	14-30	3/8-2	1	Fast	Mag Heavy	5.8	0.595	2.94
SB 5100-1 (IM)	4-8	1/32-1/4	1	Ex-Fast	Ultra Light	4.0	0.405	1.52
SB 602-1 (IM)	6-12	3/16-1/2	1	Fast	Light	4.5	0.425	1.64
SB 603-1 (IM)	8-14	1/4-5/8	1	Ex-Fast	Med. Light	4.9	0.485	1.47
SB 604-1 (IM)	10-17	5/16-3/4	1	Fast	Medium	4.7	0.495	1.72
SJ 543-1 (IM)	6-10	1/8-5/16	1	Fast	Med. Light	4.7	0.386	1.31
SJ 545-1 (IM)	8-15	3/16-1/2	1	Fast	Med. Heavy	4.8	0.446	1.35
SJ 603-1 (IM)	6-10	1/16-5/16	1	Fast	Med. Light	4.5	0.422	1.66
SJ 604-1 (IM)	6-12	1/8-3/8	1	Fast	Medium	4.6	0.487	1.46
SJ 605-1 (IM)	8-15	3/16-5/8	1	Fast	Med. Heavy	4.7	0.491	1.71
SJ 606-1 (IM)	10-17	1/4-1	1	Fast	Heavy	6.9	0.496	1.81
SJ 607-1 (IM)	12-20	1/4-1	1	Ex-Fast	Mag Light	5.3	0.501	2.08
SJ 705-1 (IM)	8-15	3/16-5/8	1	Fast	Med. Heavy	4.6	0.563	2.31
SJ 706-1 (IM)	10-17	1/4-1	1	Fast	Heavy	4.6	0.567	2.33
St 741-1 (IM)	4-8	1/16-3/8	1	Slow	Ultra Light	4.3	0.579	2.38
DS 6107-1 (IM)	4-8	1/8-3/8	1	Ex-Fast	Mag Light	4.2	0.455	1.53
SBB 805-1 (IM)	12-25	1-6	1	Mod-Fast	Med. Heavy	5.4	0.609	4.57
SBB 806-1 (IM)	12-25	1-6	1	Mod-Fast	Heavy	6.2	0.611	3.70
SBB 809-1 (IM)	17-40	2-8	1	Mod-Fast	Mag Heavy	5.3	0.606	4.40
SM 905-2 (IM)	10-30	1-6	2	Moderate	Med. Heavy	5.4	0.612	3.87
SM 906-2 (IM)	10-30	1-6	2	Moderate	Heavy	6.2	0.609	3.87

<i>Northfork Blanks Item Number</i>	<i>Line Wt</i>	<i>Lure Wt</i>	<i>Pcs.</i>	<i>Action</i>	<i>Power</i>	<i>Tip Diameter (64ths)</i>	<i>Butt Diameter</i>	<i>Weight</i>
SSP 798-1 (IM)	8-15	1/4-5/8	1	Ex-Fast	Mag Med.	4.5	0.534	2.47
SSP 768-1 (IM)	8-15	1/4-5/8	1	Ex-Fast	Mag Med.	4.5	0.551	2.82
SSP 767-1 (IM)	6-12	1/4-1/2	1	Ex-Fast	Mag Light	4.6	0.506	2.02
SSP 828-1 (IM)	10-20	3/8-4	1	Ex-Fast	Mag Med.	4.4	0.594	3.49
SSP 829-1 (IM)	12-25	1/2-5	1	Ex-Fast	Mag Heavy	5.0	0.622	3.85
SM 1235- (IM)					Med. Heavy	5.2	0.588	5.12
St 862-2 (IM)	4-8	1/16-3/8	2	Slow	Light	4.6	0.434	2.64
St 1002-2 (IM)	6-10	1/16-3/16	2	Moderate	Light	4.0	0.448	2.13
St 865-2 (IM)	8-17	3/8-1	2	Fast	Med. Heavy	4.8	0.470	2.81
St 905-2 (IM)	8-17	3/8-1	2	Fast	Med. Heavy	4.6	0.495	2.78
St 960-2 (IM)	4-8	1/16-3/8	2	Slow	Ultra Light	3.9	0.398	1.87
St 961-2 (IM)	4-8	1/16-3/8	2	Slow	Ultra Light			
St 962-2 (IM)	6-10	1/4-1/2	2	Slow	Light	4.4	0.408	2.52
SW 764-1 (IM)	10-20	3/8-2 1/4	1	Moderate	Medium	5.7	0.578	3.04
SW 765-1 (IM)	12-25	1/2-3	1	Moderate	Med. Heavy	6.6	0.596	4.00
SW 768-1 (IM)	12-25	1/2-3	1	Moderate	Mag Medium	6.2	0.811	3.99
Bay 703-1 (IM)	6-12	1/4-3/8	1	Fast	Med. Light	4.1	0.393	1.71
Bay 704-1 (IM)	8-14	1/4-5/8	1	Fast	Medium	4.5	0.486	1.74
CTF 864-2 (IM)	4		2					
CTF 905-2 (IM)	5		2					
CTF 906-2 (IM)	6		2					
CTF 967-2 (IM)	7		2					
SSF 967-2 (IM)	7		2					
SSF 968-2 (IM)	8		2			4.2	0.380	2.41
FW 461-1 (HM)	1-4	1/32-1/8	1	Moderate	Ultra Light	3.4	0.226	0.38
FW 501-1 (HM)	1-4	1/32-1/8	1	Moderate	Ultra Light	3.2	0.244	0.44
FW 662-1 (HM)	4-8	1/16-5/16	1	Fast	Light	3.5	0.293	0.80
FW 701-1 (HM)	1-4	1/32-1/8	1	Fast	Ultra Light	3.3	0.325	1.03
Flip 766-1 (HM)	12-25	1/4-1	1	Mod-Fast	Heavy	5.6	0.530	1.78
MB 662-1 (HM)	4-8	1/16-1/8	1	Fast	Light			
MB 709-1 (HM)	12-20	1/4-1	1	Fast	Mag Heavy	5.7	0.578	2.34
SM 1064-2 (HM)	10-30	2-8	2	Moderate	Medium	4.3	0.555	3.07
SM 1065-2 (HM)	10-40	2-8	2	Moderate	Med. Heavy			
St 962x-2 (HM)	6-10	1/4-1/2	2	Slow	Light			
St 1302-2 (HM)	6-10	1/8-1/2	2	Fast	Light			