

Shop Reference for Grips and Fuji Reel Seats



About this Reference Guide ...

The Anglers Resource Shop Reference for Grips and Reel Seats features 81 handle configurations available from the products currently stocked by Anglers Resource. This is the first image based source for how finished grips will appear when you choose to use them on various projects. Suggested layouts are actual photos of handles. Cork, reel seats, arbors and even winding checks are shown in position. Included with each image are part numbers and a complete order list for any chosen configuration.

The Manual provides a one stop source to guide customers through the often confusing task of selecting all the pieces in a handle system that may at times include up to 10 separate components. By asking specific questions and allowing customers to "shop" the manual, builders can be sure that what the customer sees is what he will get and hobbyists can know in advance how their projects will look when complete.

SK2 CASTING Reel Seat / Grip Configurations

The following configurations show all combinations currently available for the SK2 Casting Seat. All components are noted in the "ORDER LIST". Append 16 or 17 at the end of each stock number to designate size: Ex: SKSPSN16

NOTE: Winding check AWC is available in Silver, Red, Blue and Gold; WCS is available in Black, Gold and Silver.

NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA

IMPORTANT NOTE: NSA Arbors should be shortened approximately 1/8 inch to accept WCS winding checks in casting and spinning bodies.

SK2 CASTING HANDLE WITH SPLIT GRIP AND GRAPHITE/NYLON HOOD & LOCKING NUT

ORDER LIST

1 ea...SKTS16 (or 17) or BGS65RC (Extended) RGSK1617RC ORDER KIT SKTS16 or 17 AWC 1 ea...RGSK1617RC (or E=EVA) 1 ea..BGK485RC or BGS65RC (E=EVA) 2ea...AWC Red,Blue,Silver or Gold (order I.D. equal to diameter of blank in half mm increments from 6.0 to 16.5mm) EX: AWC12.5B = Blue with 12.5mm I.D. Lqth = 83mm 485 Lnath = 2 inWCS WCS Dia = 28mm 65 Lnath = 2.5 in 3ea...IG (gold), S (silver), No Letter Dia = up to 28mm (black). WCS16 (or 17) (order I.D. equal to diameter of blank in half mm increments REEL SEAT KIT INCLUDES: Trigger Body, Downlocking Hood from 7.0 to 16.0mm) EX: IGWCS13 -Gold with Graphite/Nylon Nut, Threaded Barrel and arbors for both pieces. Does NOT include WCS or AWC winding checks, with 13mm I.D. NSA16 or 17 (included) specified cork or EVA.

REF# RSK01

BGK485RC

BGK485RC

or BGS65RC (Extended)

SK2 CASTING HANDLE WITH SPLIT GRIP AND TRADITIONAL METAL HOOD

ORDER LIST

1ea...SKTPSM16 (or 17)

1 ea...RGSK1617RC (or E=EVA)

1ea...BGK485RC or BGS65RC (E=EVA)

2ea...**AWC** Red,Blue,Silver or Gold (order I.D. equal to diameter of blank in half mm increments from 6.0 to 16.5mm) EX: AWC12.5B = Blue with 12.5mm I.D.

3ea...IG (gold), S (silver), No Letter (black). WCS16 (or 17) (order I.D. equal to diameter of blank in half mm increments from 7.0 to 16.0mm) EX: IGWCS13 -Gold with 13mm I.D.

increments from 7.0 to 16.0mm) EX: IGWCS13 -Gold with 13mm I.D.



SKTPSM16(or 17) = Frosted Hood SKTPSM16B(or 17) = Black Hood SKTPSM16GB (or 17) = Gunsmoke Hood



AWC

with Iraditional Metal Hood, Threaded Barrel and arbors for both pieces. Does NOT include WCS or AWC winding checks, specified cork or EVA.


REF# RSK02

SK2 CASTING HANDLE WITH SPLIT GRIP, HIDDEN THREAD FOREGRIP & GRAPHITE HOOD



REF# RSK03

SK2 CASTING Reel Seat / Grip Configurations (continued)



equal to diameter of blank in half mm

increments from 7.0 to 16.0mm) EX:


IGWCS13 -Gold with 13mm I.D.

Positioned properly it can completely cover threaded **REF# RSK06**

KDPS is a tubed hood with matching cork sleeve.

barrels on many handle designs.


SK2 CASTING Reel Seat / Grip Configurations (continued)





BGKSRC is a shorter SK2 butt cap suitable for light and ultralight layouts using size 16 SK2 seats. It can be used in any configuration above but should be selected only for rod blanks under 1/2-inch in butt diameter. Also available in EVA, BGKSE

IMPORTANT DIMENSIONS FOR BUILDING CUSTOM CORK OR EVA FOR SK2 CASTING SEATS



For size 17 KSKTS dimension "A" = 20mm, "B" = 17

SK2: UPLOCKING Spinning Seat / Grip Configurations

The following configurations show all combinations currently available for the SK2 Spinning Seat. All components are noted in the "ORDER LIST". Append 16 or 17 at the end of each stock number to designate size: Ex: SKSPSN16

NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA

SK2 SPINNING SPLIT GRIP HIDDEN THREAD NO FOREGRIP



- 1 ea...KSKSS16 (or 17)
- 1 ea...BGSK16 or 17RC (or E=EVA)
- 1 ea...BGK485RC or BGS65RC

(or E=EVA)

1 ea...**AWC** Red,Blue,Silver or Gold (order I.D. equal to diameter of blank in half mm increments from 6.0 to 16.5mm) EX: AWC12.5B = Blue with 12.5mm I.D.

3ea...IG (gold), S (silver), No Letter (black). WCS16 (or 17) (order I.D. equal to diameter of blank in half mm increments from 7.0 to 16.0mm) EX: IGWCS13 -Gold with 13mm I.D.



REF# RSK08

SK2 SPINNING SPLIT GRIP HIDDEN THREAD (HPS) WITH NO FOREGRIP



3ea...IG (gold), S (silver), No Letter (black). WCS16 (or 17) (order I.D. equal to diameter of blank in half mm increments from 7.0 to 16.0mm) EX: IGWCS13 -Gold with 13mm I.D.

THIS IS NOT A KIT: Order all parts in the ORDER LIST at left

REF# RSK09

SK2 SPINNING SPLIT GRIP HIDDEN THREAD (KDPS) WITH NO FOREGRIP



THIS IS NOT A KIT: Order all parts in the ORDER LIST at left

3ea...IG (gold), S (silver), No Letter (black). WCS16 (or 17) (order I.D. equal to diameter of blank in half mm increments from 7.0 to 16.0mm) EX: IGWCS13 -Gold with 13mm I.D.


REF# RSK10

NOTE: Winding check AWC is available in Silver, Red, Blue and Gold; WCS is available in Black, Gold and Silver.

SK2: UPLOCKING Spinning Seat / Grip Configurations

PAGE 7

The following configurations show combinations currently available for the SK2 Spinning Seat. All components are noted in the "ORDER LIST". Append 16 or 17 at the end of each stock number to designate size: Ex: SKSPSN16 NOTE: Winding check AWC is available in Silver, Red, Blue and Gold; WCS is available in Black, Gold and Silver. NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA SK2 SPINNING SPI IT GRIP HIDDEN THREAD WITH "NIIRRIN" FOREGRIP



(or E=EVA)

1 ea...FGK25RC (16) or 27C (17)

Lath = sz16: 31mm

sz17: 31mm

Dia = sz16: 18 up to 23mm

sz17: 20 up to 24mm

WCS

NSA16 or 17

1 ea...NKC16RC OR 17RC

3ea...NSA16 or 17

2 ea...**AWC** Red,Blue,Silver or Gold (order I.D. equal to diameter of blank in half mm increments from 6.0 to 16.5mm) EX: AWC12.5B = Blue with 12.5mm I.D.

2 ea...IG (gold), S (silver), No Letter (black). WCS16 (or 17) (order I.D. equal to diameter of blank in half mm increments from 7.0 to 16.0mm) EX: IGWCS13 -Gold with 13mm I.D. THIS IS NOT A KIT: Order all parts in the ORDER LIST at left

KDPS16GBASH (or 17) = Gunsmoke Hood

KDPS16ASH(or 17) = Frosted Hood

KDPS16BASH(or 17) = Black Hood

AWC

Lgth = 57mm (16), 65mm (17)

Dia = 27mm (16), 28mm (17)

485 Lngth = 2 in

65 Lngth = 2.5 in

Dia = up to 28mm


PAGE 8

SK2: UPLOCKING Spinning Seat / Grip Configurations

The following configurations show combinations currently available for the SK2 Spinning Seat. All components are noted in the "ORDER LIST". Append 16 or 17 at the end of each stock number to designate size: Ex: SKSPSN16 NOTE: Winding check AWC is available in Silver, Red, Blue and Gold; WCS is available in Black, Gold and Silver.

NOTE: Winding check AWC is available in Silver, Ked, Blue and Gold; WCS is available in Black, Gold and Silver.

NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA



SK2 SPINNING SPLIT GRIP HIDDEN THREAD (HPS) WITH UNIVERSAL FOREGRIP





Quoted Lengths are for CORK (EVA) only, not cork and seat components combined. Questions visit our website at Anglersresource.net, email: info@anglersresource.net

SK2: DOWNLOCKING Spinning Seat with Graphite Hood/Nut Grip Configurations

The following configurations show all combinations currently available for the SK2 Spinning Seat. All components are noted in the "ORDER LIST". Append 16 or 17 at the end of each stock number to designate size: Ex: SKSPSN16

NOTE: Winding check AWC (Anodized Aluminum) is available in Silver, Red, Blue and Gold; WCS (metallized plastic) is available in Black, Gold and Silver. NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA

SK2 SPINNING SPLIT GRIP DOWNLOCKING GRAPHITE HOOD/NUT NO FOREGRIP

WCS

ORDER LIST

- 1 ea...SKSS16 (or 17)
- 1 ea...RGSK6016RC or 6517RC (or E=EVA)
- 1 ea...BGK485RC or BGS65RC (or E=EVA)
- 2 ea...**AWC** Red,Blue,Silver or Gold (order I.D. equal to diameter of blank in half mm increments from 6.0 to 16.5mm) EX: AWC12.5B = Blue with 12.5mm I.D.

3 ea...IG (gold), S (silver), No Letter (black). WCS16 (or 17) (order I.D. equal to diameter of blank in half mm increments from 7.0 to 16.0mm) EX: IGWCS13 -Gold with 13mm I.D. ORDER KIT SKSS16 or 17

wcs

NSA16 or 17 (included)

RGK6016RC: size 16 RGK6517RC: size 17 BGK485RC or BGS65RC (Extended)

Lgth = size 16: 58mm size 17: 62mm Dia = size 16: 19 up to 23mm size 17: 19 up to 25mm

 AWC
 485 Lngth = 2 in

 65 Lngth = 2.5 in
 Dia = up to 28mm

REEL SEAT KIT INCLUDES: Spinning Body, Downlocking Graphite Hood & Nut and arbors for both pieces. Does NOT include WCS or AWC winding checks, specified cork or EVA.

REEL SEAT KIT INCLUDES: Spinning Body, Downlocking

Graphite Hood & Nut and arbors for both pieces. Does NOT

include WCS or AWC winding checks, specified cork or EVA.

REF# RSK17



SK2 SPINNING SPLIT GRIP DOWNLOCKING GRAPHITE HOOD/NUT, UNIVERSAL FOREGRIP



3 ea...**AWC** Red,Blue,Silver or Gold (order I.D. equal to diameter of blank in half mm increments from 6.0 to 16.5mm) EX: AWC12.5B = Blue with 12.5mm I.D.

2 ea...IG (gold), S (silver), No Letter (black). WCS16 (or 17) (order I.D. equal to diameter of blank in half mm increments from 7.0 to 16.0mm) EX:

REF# RSK19

SK2: DOWNLOCKING Spinning Seat with Traditional Metal Hood Grip Configurations

The following configurations show all metal hood combinations currently available for the SK2 Spinning Seat. All components are noted in the "ORDER LIST". Append 16 or 17 at the end of each stock number to designate size: Ex: SKSPSN16

NOTE: Winding check AWC (Anodized Aluminum) is available in Silver, Red, Blue and Gold; WCS (metallized plastic) is available in Black, Gold and Silver. NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA

SK2 SPINNING SPLIT GRIP DOWNLOCKING METAL HOOD NO FOREGRIP



1 ea...SKSPSM16 (or 17)

- 1 ea...RGK6016RC or RGK6517RC
- 1 ea...BGK485RC or BGS65RC

2 ea...AWC Red, Blue, Silver or Gold (order I.D. equal to diameter of blank in half mm increments from 6.0 to 16.5mm) EX: AWC12.5B = Blue with 12.5mm I.D.

3 ea...IG (gold), S (silver), No Letter (black). WCS16 (or 17) (order I.D. equal to diameter of blank in half mm increments from 7.0 to 16.0mm) EX: IGWCS13 -Gold with 13mm I.D.



REEL SEAT KIT INCLUDES: Spinning Body, Uplocking Hidden Thread Hood and arbors for both pieces. Does NOT include WCS winding checks, specified cork or EVA.


SKSPSM16 or $17 = \text{Silver} \cdot 16B$ or $17B = \text{Black} \cdot 16GB$ or 17GB = Gunsmoke

REF# RSK20

485 Lngth = 2 in

65 Lngth = 2.5 in

Dia = up to 28mm



NSA16 or 17 (included)

- 1ea...SKSPSM16 (or 17)
- 1 ea...RGK6016RC OR 6517RC
- 1 ea...BGK485RC or BGS65RC
- 1 ea...FGS2RC

3ea...AWC Red,Blue,Silver or Gold (order I.D. equal to diameter of blank in half mm increments from 6.0 to 16.5mm) EX: AWC12.5B = Blue with 12.5mm I.D.

Dia = sz16: 19 up to 25.4mm

2ea...IG (gold), S (silver), No Letter (black). WCS16 (or 17) (order I.D. equal to diameter of blank in half mm increments from 7.0 to 16.0mm) EX: IGWCS13 -Gold with 13mm I.D.

REEL SEAT KIT INCLUDES: Spinning Body, Uplocking Hidden Thread Hood and arbors for both pieces. Does NOT include WCS winding checks, specified cork or EVA.

size 17:62mm

Dia = size 16: 19 up to 22.8mm

size 17: 19 up to 25.1mm

65 Lngth = 2.5 in


Dia = up to 28mm

AWC

VSS Spinning Reel Seats: DOWNLOCKING Spinning Seat with Traditional Metal Hood & Solid Grip Configurations

The following configurations show all metal hood combinations currently available for the VSS Spinning Seat. All components are noted in the "ORDER LIST". Append 16 or 17 at the end of each stock number to designate size: Ex: SKSPSN16

NOTE: Winding check AWC (Anodized Aluminum) is available in Silver, Red, Blue and Gold; WCS (metallized plastic) is available in Black, Gold and Silver. NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA




VSS Spinning Reel Seats: DOWNLOCKING Spinning Seat with Traditional Metal Hood & Split Grip Configurations

The following configurations show split grip configurations for VSS reel Seats

NOTE: Winding check AWC (Anodized Aluminum) is available in Silver, Red, Blue and Gold in half mm ID increments from 6.0 to 16.5mm; WCS (metallized plastic) is available in Black, Gold and Silver in half mm ID increments from 7.0 to 16.0mm.

NOTE: The letter "C" or "RC" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA



All of the above configurations will accept Fuji's new "Nubbin" Foregrip. Order in size 16 or 17.

HOOD COLOR LIST FOR ABOVE CONFIGURATIONS

VSSM16 = Frosted Hood VSSM16GB = Gunsmoke Hood VSSM16B = Black Hood VSSD16G = Gold Deluxe Hood VSSD16 = Silver Deluxe Hood NK16RC OR 17RC



VSS Spinning Reel Seats: DOWNLOCKING Spinning Seat with HIDDEN THREADS. Solid & Split Grip

The following configurations show hidden thread configurations for VSS reel Seats

NOTE: Winding check AWC (Anodized Aluminum) is available in Silver, Red, Blue and Gold in half mm ID increments from 6.0 to 16.5mm; WCS (metallized plastic) is available in Black, Gold and Silver in half mm ID increments from 7.0 to 16.0mm.

NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA



NPS Spinning Reel Seats: UPLOCKING Low Profile Spinning

NPS is a low profile seat that is primarilty an uplocking seat due to the narrow fore grip portion. We suggest a thread or epoxy ramp or ciustom winding check for these seats. Available in sizes 16, 18 and 20

NOTE: Winding check AWC (Anodized Aluminum) is available in Silver, Red, Blue and Gold in half mm ID increments from 6.0 to 16.5mm; WCS (metallized plastic) is available in Black, Gold and Silver in half mm ID increments from 7.0 to 16.0mm.

NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA



NPS SPLIT GRIP HPS "HIDDEN" THREAD WITH GRAPHITE/NYLON FULL RADIUS LOCKING HOOD, 16 ONLY




DPS Spinning Reel Seats: DOWNLOCKING Spinning

DPS is an extremely versatile, usually downlocking seat, perfect for custom turned handles. Available in sizes 16, 17, 18, 20, 22, 24, and 26. Our cork/EVA selection will not be sufficient for sizes above 20 DPS seats.

NOTE: Winding check AWC (Anodized Aluminum) is available in Silver, Red, Blue and Gold in half mm ID increments from 6.0 to 16.5mm; WCS (metallized plastic) is available in Black, Gold and Silver in half mm ID increments from 7.0 to 16.0mm.

NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA



ACSM Casting Reel Seats: DOWNLOCKING Solid Grip


ACSM is an extremely versatile, downlocking casting seat, built for direct blank contact by the angler for added sensitivity. Available in sizes 16 and 17, **For proper fit, order the model that matches the diameter of your blank at the point where the reel seat will be positioned. Sizes range from 9.5 mm to 15 mm** NOTE: Winding check AWC (Anodized Aluminum) is available in Silver, Red, Blue and Gold in half mm ID increments from 6.0 to 16.5mm; WCS (metallized plastic) is available in Black, Gold and Silver in half mm ID increments from 7.0 to 16.0mm. See catalog for color and size indication. NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA NOTE: ACSM SEATS USE NO ARBORS AND MUST BE SIZED TO THE BLANK DIAMETER. PLEASE REFER TO PAGE 49 OF OUR CATALOG FOR SIZING INFORMATION



ACSM Casting Reel Seats: DOWNLOCKING Split Grip


ACSM is an extremely versatile, downlocking casting seat, built for direct blank contact by the angler for added sensitivity. Available in sizes 16 and 17, **For proper fit, order the model that matches the diameter of your blank at the point where the reel seat will be positioned. Sizes range from 9.5 mm to 15 mm** NOTE: Winding check AWC (Anodized Aluminum) is available in Silver, Red, Blue and Gold in half mm ID increments from 6.0 to 16.5mm; WCS (metallized plastic) is available in Black, Gold and Silver in half mm ID increments from 7.0 to 16.0mm. NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA

NOTE: ECSM SEATS USE NO ARBORS AND MUST BE SIZED TO THE BLANK DIAMETER. PLEASE REFER TO PAGE 49 OF OUR CATALOG FOR SIZING INFORMATION




TCSM (TCSSD Deluxe) Reel Seats: DOWNLOCKING Solid Grip Casting

TCSM is an smooth profile, downlocking casting seat, available in sizes 16, 17, 18. An excellent choice for Medium Heavy and Heavy Power casting rods. NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA



TCSM (TCSSD Deluxe) Reel Seats: DOWNLOCKING Split Grip Casting


TCSM is an smooth profile, downlocking casting seat, available in sizes 16, 17, 18. An excellent choice for Medium Heavy and Heavy Power casting rods. NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA



PAGE 20

ECSM Reel Seats: BLANK EXPOSED DOWNLOCKING Solid Grip Casting

ECSM is an smooth profile, downlocking casting seat, available in sizes 16, 17, 18. An excellent choice for Medium Heavy and Heavy Power casting rods. NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA NOTE: ECSM SEATS USE NO ARBORS AND MUST BE SIZED TO THE BLANK DIAMETER. PLEASE REFER TO PAGE 49 OF OUR CATALOG FOR SIZING INFORMATION




PAGE 21

ECSM Reel Seats: BLANK EXPOSED DOWNLOCKING Split Grip Casting

ECSM is an smooth profile, blank exposed, downlocking casting seat, available in sizes 16 or 17. An excellent choice for Medium Heavy and Heavy Power casting rods.


NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA NOTE: ECSM SEATS USE NO ARBORS AND MUST BE SIZED TO THE BLANK DIAMETER. PLEASE REFER TO PAGE 49 OF OUR CATALOG FOR SIZING INFORMATION



IPSM (IPSSD Deluxe) Reel Seats: DOWNLOCKING Solid Grip Spinning

IPSM is a stylish, downlocking spinning seat, available in sizes 16 only. An excellent choice for Light to Medium Light spinning rods. Can be adapted with optional trigger to a casting rod (Part IPS16/TR)

NOTE: The letter "C" at the end of the stock number indicates a cork grip, substitute "E" for identical part in EVA. Ex: BGK485E = EVA



REF# RSK78